

1 Importing Libraries

```
[1]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import StandardScaler, LabelEncoder
from sklearn.preprocessing import MinMaxScaler
```

2 Importing the dataset

```
[2]: dataset=pd.read_csv("Titanic-Dataset.csv")
```

```
[3]: dataset
```

```
[3]:
```

	PassengerId	Survived	Pclass	\
0	1	0	3	
1	2	1	1	
2	3	1	3	
3	4	1	1	
4	5	0	3	
..	
886	887	0	2	
887	888	1	1	
888	889	0	3	
889	890	1	1	
890	891	0	3	

	Name	Sex	Age	SibSp	\
0	Braund, Mr. Owen Harris	male	22.0	1	
1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	
2	Heikkinen, Miss. Laina	female	26.0	0	
3	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	
4	Allen, Mr. William Henry	male	35.0	0	
..	
886	Montvila, Rev. Juozas	male	27.0	0	

887	Graham, Miss. Margaret Edith	female	19.0	0
888	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1
889	Behr, Mr. Karl Howell	male	26.0	0
890	Dooley, Mr. Patrick	male	32.0	0

	Parch	Ticket	Fare	Cabin	Embarked
0	0	A/5 21171	7.2500	NaN	S
1	0	PC 17599	71.2833	C85	C
2	0	STON/O2. 3101282	7.9250	NaN	S
3	0	113803	53.1000	C123	S
4	0	373450	8.0500	NaN	S
..
886	0	211536	13.0000	NaN	S
887	0	112053	30.0000	B42	S
888	2	W./C. 6607	23.4500	NaN	S
889	0	111369	30.0000	C148	C
890	0	370376	7.7500	NaN	Q

[891 rows x 12 columns]

```
[4]: dataset.head()
```

```
[4]: PassengerId  Survived  Pclass  \
0            1         0         3
1            2         1         1
2            3         1         3
3            4         1         1
4            5         0         3
```

	Name	Sex	Age	SibSp	\
0	Braund, Mr. Owen Harris	male	22.0	1	
1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	
2	Heikkinen, Miss. Laina	female	26.0	0	
3	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	
4	Allen, Mr. William Henry	male	35.0	0	

	Parch	Ticket	Fare	Cabin	Embarked
0	0	A/5 21171	7.2500	NaN	S
1	0	PC 17599	71.2833	C85	C
2	0	STON/O2. 3101282	7.9250	NaN	S
3	0	113803	53.1000	C123	S
4	0	373450	8.0500	NaN	S

```
[5]: dataset.tail()
```

```
[5]: PassengerId  Survived  Pclass  Name  \
886          887         0         2  Montvila, Rev. Juozas
```

887	888	1	1	Graham, Miss. Margaret Edith
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"
889	890	1	1	Behr, Mr. Karl Howell
890	891	0	3	Dooley, Mr. Patrick

	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
886	male	27.0	0	0	211536	13.00	NaN	S
887	female	19.0	0	0	112053	30.00	B42	S
888	female	NaN	1	2	W./C. 6607	23.45	NaN	S
889	male	26.0	0	0	111369	30.00	C148	C
890	male	32.0	0	0	370376	7.75	NaN	Q

```
[6]: dataset.shape
```

```
[6]: (891, 12)
```

```
[7]: dataset.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 12 columns):
#   Column          Non-Null Count  Dtype
---  -
0   PassengerId     891 non-null    int64
1   Survived        891 non-null    int64
2   Pclass          891 non-null    int64
3   Name            891 non-null    object
4   Sex             891 non-null    object
5   Age             714 non-null    float64
6   SibSp           891 non-null    int64
7   Parch           891 non-null    int64
8   Ticket          891 non-null    object
9   Fare            891 non-null    float64
10  Cabin           204 non-null    object
11  Embarked        889 non-null    object
dtypes: float64(2), int64(5), object(5)
memory usage: 83.7+ KB
```

```
[8]: dataset.describe()
```

```
[8]:
```

	PassengerId	Survived	Pclass	Age	SibSp	\
count	891.000000	891.000000	891.000000	714.000000	891.000000	
mean	446.000000	0.383838	2.308642	29.699118	0.523008	
std	257.353842	0.486592	0.836071	14.526497	1.102743	
min	1.000000	0.000000	1.000000	0.420000	0.000000	
25%	223.500000	0.000000	2.000000	20.125000	0.000000	
50%	446.000000	0.000000	3.000000	28.000000	0.000000	
75%	668.500000	1.000000	3.000000	38.000000	1.000000	

```
max      891.000000    1.000000    3.000000    80.000000    8.000000
```

	Parch	Fare
count	891.000000	891.000000
mean	0.381594	32.204208
std	0.806057	49.693429
min	0.000000	0.000000
25%	0.000000	7.910400
50%	0.000000	14.454200
75%	0.000000	31.000000
max	6.000000	512.329200

3 Checking for Null Values

```
[9]: dataset.isnull().any()
```

```
[9]: PassengerId      False
      Survived        False
      Pclass          False
      Name            False
      Sex             False
      Age             True
      SibSp           False
      Parch           False
      Ticket          False
      Fare            False
      Cabin           True
      Embarked        True
      dtype: bool
```

```
[10]: dataset.isnull().sum()
```

```
[10]: PassengerId      0
      Survived        0
      Pclass          0
      Name            0
      Sex             0
      Age            177
      SibSp           0
      Parch           0
      Ticket          0
      Fare            0
      Cabin          687
      Embarked        2
      dtype: int64
```

4 Handling the null values

```
[11]: dataset['Age'].fillna(dataset['Age'].median(), inplace=True)
```

```
[12]: dataset.drop(['Cabin'], axis=1, inplace=True)
```

```
[13]: mode_embarked = dataset['Embarked'].mode()[0]
dataset['Embarked'].fillna(mode_embarked, inplace=True)
```

```
[14]: dataset.isnull().sum()
```


```
[14]: PassengerId    0
      Survived      0
      Pclass        0
      Name          0
      Sex           0
      Age           0
      SibSp         0
      Parch         0
      Ticket        0
      Fare          0
      Embarked      0
      dtype: int64
```

5 Data Visualization

```
[15]: plt.figure(figsize=(12, 6))
      plt.subplot(1, 2, 1)
      sns.boxplot(data=dataset, x="Age")
      plt.title('Box Plot of Age')

      plt.subplot(1, 2, 2)
      sns.boxplot(data=dataset, x="Fare")
      plt.title('Box Plot of Fare')

      plt.tight_layout()
      plt.show()
```



6 Outlier Detection:-

```
[16]: Q1_age = dataset['Age'].quantile(0.25)
      Q3_age = dataset['Age'].quantile(0.75)
      IQR_age = Q3_age - Q1_age
      lower_bound_age = Q1_age - 1.5 * IQR_age
      upper_bound_age = Q3_age + 1.5 * IQR_age

      outliers_age = dataset[(dataset['Age'] < lower_bound_age) | (dataset['Age'] >
      ↪upper_bound_age)]
```

```
[17]: outliers_age
```

```
[17]:
```

	PassengerId	Survived	Pclass	\
7	8	0	3	
11	12	1	1	
15	16	1	2	
16	17	0	3	
33	34	0	2	
..	
827	828	1	2	
829	830	1	1	
831	832	1	2	
851	852	0	3	
879	880	1	1	

	Name	Sex	Age	SibSp	\
7	Palsson, Master. Gosta Leonard	male	2.00	3	

11	Bonnell, Miss. Elizabeth	female	58.00	0
15	Hewlett, Mrs. (Mary D Kingcome)	female	55.00	0
16	Rice, Master. Eugene	male	2.00	4
33	Wheadon, Mr. Edward H	male	66.00	0
..
827	Mallet, Master. Andre	male	1.00	0
829	Stone, Mrs. George Nelson (Martha Evelyn)	female	62.00	0
831	Richards, Master. George Sibley	male	0.83	1
851	Svensson, Mr. Johan	male	74.00	0
879	Potter, Mrs. Thomas Jr (Lily Alexenia Wilson)	female	56.00	0

	Parch	Ticket	Fare	Embarked
7	1	349909	21.0750	S
11	0	113783	26.5500	S
15	0	248706	16.0000	S
16	1	382652	29.1250	Q
33	0	C.A. 24579	10.5000	S
..
827	2	S.C./PARIS 2079	37.0042	C
829	0	113572	80.0000	S
831	1	29106	18.7500	S
851	0	347060	7.7750	S
879	1	11767	83.1583	C

[66 rows x 11 columns]

```
[18]: Q1_fare = dataset['Fare'].quantile(0.25)
      Q3_fare = dataset['Fare'].quantile(0.75)
      IQR_fare = Q3_fare - Q1_fare
      lower_bound_fare = Q1_fare - 1.5 * IQR_fare
      upper_bound_fare = Q3_fare + 1.5 * IQR_fare

      outliers_fare = dataset[(dataset['Fare'] < lower_bound_fare) | (dataset['Fare'] >
      ↪ upper_bound_fare)]
```

```
[19]: outliers_fare
```

```
[19]: PassengerId  Survived  Pclass  \
1            2         1         1
27           28         0         1
31           32         1         1
34           35         0         1
52           53         1         1
..          ...         ...         ...
846          847         0         3
849          850         1         1
856          857         1         1
```

863	864	0	3
879	880	1	1

	Name	Sex	Age	SibSp	\
1	Cummings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	
27	Fortune, Mr. Charles Alexander	male	19.0	3	
31	Spencer, Mrs. William Augustus (Marie Eugenie)	female	28.0	1	
34	Meyer, Mr. Edgar Joseph	male	28.0	1	
52	Harper, Mrs. Henry Sleeper (Myna Haxtun)	female	49.0	1	
..	
846	Sage, Mr. Douglas Bullen	male	28.0	8	
849	Goldenberg, Mrs. Samuel L (Edwiga Grabowska)	female	28.0	1	
856	Wick, Mrs. George Dennick (Mary Hitchcock)	female	45.0	1	
863	Sage, Miss. Dorothy Edith "Dolly"	female	28.0	8	
879	Potter, Mrs. Thomas Jr (Lily Alexenia Wilson)	female	56.0	0	

	Parch	Ticket	Fare	Embarked
1	0	PC 17599	71.2833	C
27	2	19950	263.0000	S
31	0	PC 17569	146.5208	C
34	0	PC 17604	82.1708	C
52	0	PC 17572	76.7292	C
..
846	2	CA. 2343	69.5500	S
849	0	17453	89.1042	C
856	1	36928	164.8667	S
863	2	CA. 2343	69.5500	S
879	1	11767	83.1583	C

[116 rows x 11 columns]

7 Splitting Dependent and Independent variables

```
[20]: x = dataset.drop('Survived', axis=1)
      y = dataset['Survived']
```

```
[21]: x
```

```
[21]:
```

	PassengerId	Pclass	Name	\
0	1	3	Braund, Mr. Owen Harris	
1	2	1	Cummings, Mrs. John Bradley (Florence Briggs Th...	
2	3	3	Heikkinen, Miss. Laina	
3	4	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	
4	5	3	Allen, Mr. William Henry	
..	
886	887	2	Montvila, Rev. Juozas	

887	888	1	Graham, Miss. Margaret Edith
888	889	3	Johnston, Miss. Catherine Helen "Carrie"
889	890	1	Behr, Mr. Karl Howell
890	891	3	Dooley, Mr. Patrick

	Sex	Age	SibSp	Parch	Ticket	Fare	Embarked
0	male	22.0	1	0	A/5 21171	7.2500	S
1	female	38.0	1	0	PC 17599	71.2833	C
2	female	26.0	0	0	STON/O2. 3101282	7.9250	S
3	female	35.0	1	0	113803	53.1000	S
4	male	35.0	0	0	373450	8.0500	S
..
886	male	27.0	0	0	211536	13.0000	S
887	female	19.0	0	0	112053	30.0000	S
888	female	28.0	1	2	W./C. 6607	23.4500	S
889	male	26.0	0	0	111369	30.0000	C
890	male	32.0	0	0	370376	7.7500	Q

[891 rows x 10 columns]

[22]: y

```
[22]: 0      0
      1      1
      2      1
      3      1
      4      0
      ..
      886    0
      887    1
      888    0
      889    1
      890    0
```

Name: Survived, Length: 891, dtype: int64

8 Encoding

8.0.1 • Label encoding on Pclass Column :-

[23]: le=LabelEncoder()

[24]: x["Pclass"]=le.fit_transform(x["Pclass"])

[25]: x["Pclass"]

```
[25]: 0      2
      1      0
```

```

2      2
3      0
4      2
..
886    1
887    0
888    2
889    0
890    2
Name: Pclass, Length: 891, dtype: int64

```

```
[26]: x["Pclass"].value_counts()
```

```

[26]: 2      491
      0      216
      1      184
      Name: Pclass, dtype: int64

```

```
[27]: x["Pclass"].nunique()
```

```
[27]: 3
```

```
[28]: x.head()
```

```

[28]:   PassengerId  Survived  Pclass                               Name \
0            1         0        1   Braund, Mr. Owen Harris
1            2         1        3  Cumings, Mrs. John Bradley (Florence Briggs Th...
2            3         1        1   Heikkinen, Miss. Laina
3            4         1        3  Futrelle, Mrs. Jacques Heath (Lily May Peel)
4            5         0        1   Allen, Mr. William Henry

      Sex  Age  SibSp  Parch    Ticket     Fare Embarked
0  male  22.0    1.0    0.0  A/5 21171   7.2500        S
1  female  38.0    1.0    0.0  PC 17599  71.2833        C
2  female  26.0    0.0    0.0 STON/O2. 3101282   7.9250        S
3  female  35.0    1.0    0.0   113803  53.1000        S
4  male  35.0    0.0    0.0   373450   8.0500        S

```

8.0.2 • One hot encoding on Sex and Embarked Column :-

```
[29]: x.shape
```

```
[29]: (891, 10)
```

```
[30]: Sex = pd.get_dummies(x['Sex'], drop_first=False)
```

```
[31]: Sex
```

```
[31]:      female  male
      0      0      1
      1      1      0
      2      1      0
      3      1      0
      4      0      1
      ..      ...  ...
      886      0      1
      887      1      0
      888      1      0
      889      0      1
      890      0      1

      [891 rows x 2 columns]
```

```
[32]: Embarked = pd.get_dummies(x["Embarked"],drop_first=False)
```

```
[33]: Embarked
```

```
[33]:      C  Q  S
      0  0  0  1
      1  1  0  0
      2  0  0  1
      3  0  0  1
      4  0  0  1
      ..  ..  ..  ..
      886  0  0  1
      887  0  0  1
      888  0  0  1
      889  1  0  0
      890  0  1  0

      [891 rows x 3 columns]
```

```
[34]: x=pd.concat([x,Sex,Embarked],axis=1)
```

```
[35]: x.head()
```

```
[35]:  PassengerId  Pclass                                Name \
      0         1         2                Braund, Mr. Owen Harris
      1         2         0  Cumings, Mrs. John Bradley (Florence Briggs Th...
      2         3         2                Heikkinen, Miss. Laina
      3         4         0  Futrelle, Mrs. Jacques Heath (Lily May Peel)
      4         5         2                Allen, Mr. William Henry

      Sex  Age  SibSp  Parch            Ticket     Fare Embarked  female \
      0  male  22.0    1     0        A/5 21171    7.2500      S      0
```

1	female	38.0	1	0	PC 17599	71.2833	C	1
2	female	26.0	0	0	STON/O2. 3101282	7.9250	S	1
3	female	35.0	1	0	113803	53.1000	S	1
4	male	35.0	0	0	373450	8.0500	S	0

	male	C	Q	S
0	1	0	0	1
1	0	1	0	0
2	0	0	0	1
3	0	0	0	1
4	1	0	0	1

```
[36]: x.drop(["Sex","Embarked"],axis=1,inplace=True)
```

```
[37]: x.head(10)
```

```
[37]:
```

	PassengerId	Pclass	Name \
0	1	2	Braund, Mr. Owen Harris
1	2	0	Cumings, Mrs. John Bradley (Florence Briggs Th...
2	3	2	Heikkinen, Miss. Laina
3	4	0	Futrelle, Mrs. Jacques Heath (Lily May Peel)
4	5	2	Allen, Mr. William Henry
5	6	2	Moran, Mr. James
6	7	0	McCarthy, Mr. Timothy J
7	8	2	Palsson, Master. Gosta Leonard
8	9	2	Johnson, Mrs. Oscar W (Elisabeth Vilhelmina Berg)
9	10	1	Nasser, Mrs. Nicholas (Adele Achem)

	Age	SibSp	Parch	Ticket	Fare	female	male	C	Q	S
0	22.0	1	0	A/5 21171	7.2500	0	1	0	0	1
1	38.0	1	0	PC 17599	71.2833	1	0	1	0	0
2	26.0	0	0	STON/O2. 3101282	7.9250	1	0	0	0	1
3	35.0	1	0	113803	53.1000	1	0	0	0	1
4	35.0	0	0	373450	8.0500	0	1	0	0	1
5	28.0	0	0	330877	8.4583	0	1	0	1	0
6	54.0	0	0	17463	51.8625	0	1	0	0	1
7	2.0	3	1	349909	21.0750	0	1	0	0	1
8	27.0	0	2	347742	11.1333	1	0	0	0	1
9	14.0	1	0	237736	30.0708	1	0	1	0	0

```
[38]: x.shape
```

```
[38]: (891, 13)
```

9 Feature Scaling

9.0.1 • Normalization:-

```
[39]: scaler = MinMaxScaler()  
x[['Age', 'Fare']] = scaler.fit_transform(x[['Age', 'Fare']])
```

```
[40]: x[['Age', 'Fare']]
```

```
[40]:
```

	Age	Fare
0	0.271174	0.014151
1	0.472229	0.139136
2	0.321438	0.015469
3	0.434531	0.103644
4	0.434531	0.015713
..
886	0.334004	0.025374
887	0.233476	0.058556
888	0.346569	0.045771
889	0.321438	0.058556
890	0.396833	0.015127

[891 rows x 2 columns]

9.0.2 • Standardization :-

```
[41]: scaler = StandardScaler()  
x[['Age', 'Fare']] = scaler.fit_transform(x[['Age', 'Fare']])
```

```
[42]: x[['Age', 'Fare']]
```

```
[42]:
```

	Age	Fare
0	-0.565736	-0.502445
1	0.663861	0.786845
2	-0.258337	-0.488854
3	0.433312	0.420730
4	0.433312	-0.486337
..
886	-0.181487	-0.386671
887	-0.796286	-0.044381
888	-0.104637	-0.176263
889	-0.258337	-0.044381
890	0.202762	-0.492378

[891 rows x 2 columns]

10 Splitting Data into Train and Test

```
[43]: x_train, x_test, y_train, y_test = train_test_split(x, y, test_size=0.2,
↳ random_state=42)
```

```
[44]: x_train, x_test, y_train, y_test
```

```
[44]: (      PassengerId  Pclass                               Name      Age  SibSp
\
331          332         0          Partner, Mr. Austen  1.240235      0
733          734         1      Berriman, Mr. William John -0.488887      0
382          383         2          Tikkanen, Mr. Juho  0.202762      0
704          705         2          Hansen, Mr. Henrik Juul -0.258337      1
813          814         2  Andersson, Miss. Ebba Iris Alfrida -1.795334      4
..          ...         ...
106          107         2  Salkjelsvik, Miss. Anna Kristine -0.642586      0
270          271         0          Cairns, Mr. Alexander -0.104637      0
860          861         2          Hansen, Mr. Claus Peter  0.894411      2
435          436         0      Carter, Miss. Lucile Polk -1.180535      1
102          103         0      White, Mr. Richard Frasar -0.642586      0
```

```
      Parch      Ticket      Fare  female  male  C  Q  S
331      0      113043 -0.074583      0      1  0  0  1
733      0      28425 -0.386671      0      1  0  0  1
382      0  STON/O 2. 3101293 -0.488854      0      1  0  0  1
704      0      350025 -0.490280      0      1  0  0  1
813      2      347082 -0.018709      1      0  0  0  1
..      ...      ...      ...      ... ..
106      0      343120 -0.494391      1      0  0  0  1
270      0      113798 -0.024246      0      1  0  0  1
860      0      350026 -0.364355      0      1  0  0  1
435      2      113760  1.767741      1      0  0  0  1
102      1      35281  0.907738      0      1  0  0  1
```

```
[712 rows x 13 columns],
```

```
      PassengerId  Pclass                               Name \
709          710         2  Moubarek, Master. Halim Gonios ("William George")
439          440         1      Kvillner, Mr. Johan Henrik Johannesson
840          841         2      Alhomaki, Mr. Ilmari Rudolf
720          721         1      Harper, Miss. Annie Jessie "Nina"
39           40         2      Nicola-Yarred, Miss. Jamila
..          ...         ...
433          434         2      Kallio, Mr. Nikolai Erland
773          774         2      Elias, Mr. Dibo
25           26         2  Asplund, Mrs. Carl Oscar (Selma Augusta Emilia...
84           85         1      Ilett, Miss. Bertha
10           11         2      Sandstrom, Miss. Marguerite Rut
```

	Age	SibSp	Parch	Ticket	Fare	female	male	C	Q	\
709	-0.104637	1	1	2661	-0.341452	0	1	1	0	
439	0.125912	0	0	C.A. 18723	-0.437007	0	1	0	0	
840	-0.719436	0	0	SOTON/02 3101287	-0.488854	0	1	0	0	
720	-1.795334	0	1	248727	0.016023	1	0	0	0	
39	-1.180535	1	0	2651	-0.422074	1	0	1	0	
..	
433	-0.949986	0	0	STON/O 2. 3101274	-0.504962	0	1	0	0	
773	-0.104637	0	0	2674	-0.502949	0	1	1	0	
25	0.663861	1	5	347077	-0.016444	1	0	0	0	
84	-0.949986	0	0	SO/C 14885	-0.437007	1	0	0	0	
10	-1.949034	1	1	PP 9549	-0.312172	1	0	0	0	

S

709	0
439	1
840	1
720	1
39	0
..	..
433	1
773	0
25	1
84	1
10	1

[179 rows x 13 columns],

331	0
733	0
382	0
704	0
813	0
..	..
106	1
270	0
860	0
435	1
102	0

Name: Survived, Length: 712, dtype: int64,

709	1
439	0
840	0
720	1
39	1
..	..
433	0

```
773    0
25     1
84     1
10     1
Name: Survived, Length: 179, dtype: int64)
```

```
[45]: x_train.shape, x_test.shape, y_train.shape, y_test.shape
```

```
[45]: ((712, 13), (179, 13), (712,), (179,))
```