

NumPy Exercises

Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions.

YANDRA DEVI PRASANNA
21BCE9785

Import NumPy as np

```
In [1]: import numpy as np
```

Create an array of 10 zeros

```
In [2]: a = np.zeros(10)
a
```

```
Out[2]: array([0., 0., 0., 0., 0., 0., 0., 0., 0., 0.])
```

Create an array of 10 ones

```
In [3]: a = np.ones(10)
a
```

```
Out[3]: array([1., 1., 1., 1., 1., 1., 1., 1., 1., 1.])
```

Create an array of 10 fives

```
In [5]: a = np.ones(10)*5
a
```

```
Out[5]: array([5., 5., 5., 5., 5., 5., 5., 5., 5., 5.])
```

Create an array of the integers from 10 to 50

```
In [9]: a = np.arange(10,51,1)
a
```

```
Out[9]: array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26,
               27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43,
               44, 45, 46, 47, 48, 49, 50])
```

Create an array of all the even integers from 10 to 50

```
In [10]: z = np.arange(10,51,2)
z
```

```
Out[10]: array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42,
              44, 46, 48, 50])
```

Create a 3x3 matrix with values ranging from 0 to 8

```
In [11]: b=np.arange(0,9).reshape((3,3))
b
```

```
Out[11]: array([[0, 1, 2],
               [3, 4, 5],
               [6, 7, 8]])
```

Create a 3x3 identity matrix

```
In [12]: np.eye(3)
```

```
Out[12]: array([[1., 0., 0.],
               [0., 1., 0.],
               [0., 0., 1.]])
```

Use NumPy to generate a random number between 0 and 1

```
In [14]: np.random.rand(1,1)
```

```
Out[14]: array([[0.01588125]])
```

Use NumPy to generate an array of 25 random numbers sampled from a standard normal distribution

```
In [15]: np.random.normal(0,1,25)
```

```
Out[15]: array([ 1.16609789,  0.58790785,  0.94636667,  0.04988379, -0.04639902,
                -1.06261014, -1.68309455,  0.31931809, -0.04209955,  0.54504239,
                 1.10967213,  0.45675841, -0.44967702, -0.07536116,  0.16483356,
                -1.04813278, -0.86704839,  0.20514359, -1.921948 ,  0.88115427,
                -0.27947011, -0.05786836, -0.6411068 ,  0.29925414, -1.12372183])
```

Create the following matrix:

```
In [19]: b=np.arange(0.01,1.01,0.01).reshape(10,10)
b
```

```
Out[19]: array([[0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1 ],
               [0.11, 0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18, 0.19, 0.2 ],
               [0.21, 0.22, 0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3 ],
               [0.31, 0.32, 0.33, 0.34, 0.35, 0.36, 0.37, 0.38, 0.39, 0.4 ],
               [0.41, 0.42, 0.43, 0.44, 0.45, 0.46, 0.47, 0.48, 0.49, 0.5 ],
               [0.51, 0.52, 0.53, 0.54, 0.55, 0.56, 0.57, 0.58, 0.59, 0.6 ],
               [0.61, 0.62, 0.63, 0.64, 0.65, 0.66, 0.67, 0.68, 0.69, 0.7 ],
               [0.71, 0.72, 0.73, 0.74, 0.75, 0.76, 0.77, 0.78, 0.79, 0.8 ],
               [0.81, 0.82, 0.83, 0.84, 0.85, 0.86, 0.87, 0.88, 0.89, 0.9 ],
               [0.91, 0.92, 0.93, 0.94, 0.95, 0.96, 0.97, 0.98, 0.99, 1.  ]])
```

Create an array of 20 linearly spaced points between 0 and 1:

```
In [16]: np.linspace(0,1,20)
```

```
Out[16]: array([0.          , 0.05263158, 0.10526316, 0.15789474, 0.21052632,
               0.26315789, 0.31578947, 0.36842105, 0.42105263, 0.47368421,
               0.52631579, 0.57894737, 0.63157895, 0.68421053, 0.73684211,
               0.78947368, 0.84210526, 0.89473684, 0.94736842, 1.          ])
```

Numpy Indexing and Selection

Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:

```
In [21]: mat = np.arange(1,26).reshape(5,5)
mat
```

```
Out[21]: array([[ 1,  2,  3,  4,  5],
               [ 6,  7,  8,  9, 10],
               [11, 12, 13, 14, 15],
               [16, 17, 18, 19, 20],
               [21, 22, 23, 24, 25]])
```

```
In [25]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
mat[2:5,1:5]
```

```
Out[25]: array([[12, 13, 14, 15],
               [17, 18, 19, 20],
               [22, 23, 24, 25]])
```

```
In [0]:
```

```
Out[40]: array([[12, 13, 14, 15],
               [17, 18, 19, 20],
               [22, 23, 24, 25]])
```

```
In [26]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
mat[3,4]
```

Out[26]: 20

```
In [22]: mat[3,4]
```

Out[22]: 20

```
In [37]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
mat[0:3,1:2]
```

Out[37]: array([[2],
[7],
[12]])

```
In [0]:
```

Out[42]: array([[2],
[7],
[12]])

```
In [31]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
mat[4,]
```

Out[31]: array([21, 22, 23, 24, 25])

```
In [0]:
```

Out[46]: array([21, 22, 23, 24, 25])

```
In [32]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
mat[3:5,]
```

Out[32]: array([[16, 17, 18, 19, 20],
[21, 22, 23, 24, 25]])

```
In [0]:
```

Out[49]: array([[16, 17, 18, 19, 20],
[21, 22, 23, 24, 25]])

Now do the following

Get the sum of all the values in mat

```
In [35]: np.sum(mat)
```

```
Out[35]: 325
```

Get the standard deviation of the values in mat

```
In [36]: np.std(mat)
```

```
Out[36]: 7.211102550927978
```

Get the sum of all the columns in mat

```
In [34]: np.sum(mat,axis=0)
```

```
Out[34]: array([55, 60, 65, 70, 75])
```

Type *Markdown* and LaTeX: α^2