NumPy Exercises Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions. Import NumPy as np import numpy as np Create an array of 10 zeros In []: np.zeros(10) array([0., 0., 0., 0., 0., 0., 0., 0., 0.]) array([0., 0., 0., 0., 0., 0., 0., 0., 0.]) Create an array of 10 ones In []: np.ones(10) array([1., 1., 1., 1., 1., 1., 1., 1., 1.]) Create an array of 10 fives In []: arr=np.ones(10)*5 array([5., 5., 5., 5., 5., 5., 5., 5., 5.]) Out[] Create an array of the integers from 10 to 50 In []: np.arange(10,51,1) array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50]) Create an array of all the even integers from 10 to 50 In []: np.arange(10,51,2) array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50]) Create a 3x3 matrix with values ranging from 0 to 8 In []: mat=np.array(np.arange(0,9,1)) mat=mat.reshape(3,3)array([[0, 1, 2], [3, 4, 5], [6, 7, 8]]) Create a 3x3 identity matrix In []: np.eye(3) array([[1., 0., 0.], [0., 1., 0.], [0., 0., 1.]]) Use NumPy to generate a random number between 0 and 1 In []: np.random.rand(1) array([0.58302868]) Out[]: Use NumPy to generate an array of 25 random numbers sampled from a standard normal distribution In []: np.random.normal(0,0.5,25) array([0.32035658, 0.7488674 , -0.0082606 , 0.16171115, -0.31129542, Out[]: -0.41035981, 0.56460209, -0.49185817, -0.04221506, 0.37726118, -0.00971569, -0.64511405, -0.42786927, -0.19338381, 0.61047151, 0.33168994, -0.21512809, -0.49796376, -0.98072313, -0.50181705, 0.19114646, -0.68474556, -0.68682967, 0.51740374, 0.23612239]) Create the following matrix: arr=np.arange(0.01, 1.01, 0.01)arr=arr.reshape(10,10) array([[0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1], [0.11, 0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18, 0.19, 0.2],[0.21, 0.22, 0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3],[0.31, 0.32, 0.33, 0.34, 0.35, 0.36, 0.37, 0.38, 0.39, 0.4],[0.41, 0.42, 0.43, 0.44, 0.45, 0.46, 0.47, 0.48, 0.49, 0.5], [0.51, 0.52, 0.53, 0.54, 0.55, 0.56, 0.57, 0.58, 0.59, 0.6],[0.61, 0.62, 0.63, 0.64, 0.65, 0.66, 0.67, 0.68, 0.69, 0.7], [0.71, 0.72, 0.73, 0.74, 0.75, 0.76, 0.77, 0.78, 0.79, 0.8],[0.81, 0.82, 0.83, 0.84, 0.85, 0.86, 0.87, 0.88, 0.89, 0.9], [0.91, 0.92, 0.93, 0.94, 0.95, 0.96, 0.97, 0.98, 0.99, 1.]])Create an array of 20 linearly spaced points between 0 and 1: In []: np.linspace(0,1,20) , 0.05263158, 0.10526316, 0.15789474, 0.21052632, Out[]: 0.26315789, 0.31578947, 0.36842105, 0.42105263, 0.47368421, 0.52631579, 0.57894737, 0.63157895, 0.68421053, 0.73684211, 0.78947368, 0.84210526, 0.89473684, 0.94736842, 1. Numpy Indexing and Selection Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs: In []: mat = np.arange(1,26).reshape(5,5) array([[1, 2, 3, 4, 5], [6, 7, 8, 9, 10], [11, 12, 13, 14, 15], [16, 17, 18, 19, 20], [21, 22, 23, 24, 25]]) In []: | arr=np.arange(12,26,1) arr=np.delete(arr,4) arr=np.delete(arr,9) arr=arr.reshape(3,4)array([[12, 13, 14, 15], Out[]: [17, 18, 19, 20], [21, 23, 24, 25]]) array([[12, 13, 14, 15], [17, 18, 19, 20], [22, 23, 24, 25]]) In []: arr[1][3] Out[]: In []: Out[]: 20 In []: np.array(np.arange(2,13,5)).reshape(3,1) array([[2], [7], [12]]) array([[2], Out[]: [7], [12]]) In []: np.array(np.arange(21,26,1)) array([21, 22, 23, 24, 25])

array([21, 22, 23, 24, 25])

array([[16, 17, 18, 19, 20],

array([[16, 17, 18, 19, 20],

Now do the following

In []: np.array(np.arange(16,26,1)).reshape(2,5)

[21, 22, 23, 24, 25]])

[21, 22, 23, 24, 25]])

Get the sum of all the values in mat

Get the sum of all the columns in mat

array([55, 60, 65, 70, 75])

Get the standard deviation of the values in mat

Out[]:

Out[]:

In []: mat.sum()

Out[]:

325

In []: np.std(mat)

7.211102550927978

np.sum(mat,0)