NumPy Exercises

Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions.

Import NumPy as np

```
In [0]: import numpy as np
```

Create an array of 10 zeros

```
In [0]: np.zeros(10)
Out[2]: array([ 0.,  0.,  0.,  0.,  0.,  0.,  0.,  0.])
```

Create an array of 10 ones

```
In [0]: np.ones(10)
Out[3]: array([ 1.,  1.,  1.,  1.,  1.,  1.,  1.,  1.])
```

Create an array of 10 fives

```
In [0]: np.ones(10)*5
Out[4]: array([ 5., 5., 5., 5., 5., 5., 5., 5.])
```

Create an array of the integers from 10 to 50

```
In [0]: |np.arange(10,51)
Out[5]: array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26,
                27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43,
                44, 45, 46, 47, 48, 49, 50])
         Create an array of all the even integers from 10 to 50
In [0]: np.arange(10,51,2)
Out[6]: array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42,
                44, 46, 48, 50])
         Create a 3x3 matrix with values ranging from 0 to 8
In [0]: np.arange(0,9).reshape(3,3)
Out[7]: array([[0, 1, 2],
                [3, 4, 5],
                [6, 7, 8]])
         Create a 3x3 identity matrix
In [0]: np.eye(3)
Out[8]: array([[ 1., 0., 0.],
                [ 0., 1., 0.],
                [ 0., 0., 1.]])
         Use NumPy to generate a random number between 0 and 1
In [0]: np.random.uniform(0,1,1)
Out[15]: array([ 0.42829726])
```

Use NumPy to generate an array of 25 random numbers sampled from a standard normal distribution

Create the following matrix:

```
In [0]: np.arange(0.01,1.01,0.01).reshape(10,10)
Out[35]: array([[ 0.01,
                     0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1],
              [ 0.11,
                      0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18,
                                                                 0.19,
                                                                       0.2 ],
              [0.21, 0.22, 0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3],
              [ 0.31, 0.32, 0.33, 0.34, 0.35, 0.36, 0.37, 0.38,
                                                                 0.39, 0.4 ],
              [ 0.41, 0.42, 0.43, 0.44, 0.45, 0.46, 0.47, 0.48,
                                                                 0.49, 0.5 ],
              [0.51, 0.52, 0.53, 0.54, 0.55, 0.56, 0.57, 0.58,
                                                                 0.59, 0.6 ],
              [ 0.61, 0.62, 0.63, 0.64, 0.65, 0.66, 0.67, 0.68,
                                                                 0.69, 0.7],
              [ 0.71, 0.72, 0.73, 0.74, 0.75, 0.76, 0.77, 0.78,
                                                                 0.79, 0.8],
              [ 0.81, 0.82, 0.83, 0.84, 0.85, 0.86, 0.87, 0.88,
                                                                 0.89, 0.9 ],
              [0.91, 0.92, 0.93, 0.94, 0.95, 0.96, 0.97, 0.98, 0.99, 1.]])
```

Create an array of 20 linearly spaced points between 0 and 1:

Numpy Indexing and Selection

Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:

```
In [0]: mat = np.arange(1,26).reshape(5,5)
         mat
Out[38]: array([[ 1, 2, 3, 4, 5],
                [6, 7, 8, 9, 10],
                [11, 12, 13, 14, 15],
                [16, 17, 18, 19, 20],
                [21, 22, 23, 24, 25]])
 In [0]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
         # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
         # BE ABLE TO SEE THE OUTPUT ANY MORE
In [0]: mat[2:5,1:5]
Out[40]: array([[12, 13, 14, 15],
                [17, 18, 19, 20],
                [22, 23, 24, 25]])
 In [0]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
         # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
         # BE ABLE TO SEE THE OUTPUT ANY MORE
In [0]: mat[3,4]
Out[41]: 20
 In [0]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
         # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
         # BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
In [0]: mat[0:3,1].reshape(3,1)
Out[42]: array([[ 2],
                [7],
                [12]])
 In [0]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
         # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
         # BE ABLE TO SEE THE OUTPUT ANY MORE
In [0]: mat[4]
Out[46]: array([21, 22, 23, 24, 25])
In [0]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
         # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
         # BE ABLE TO SEE THE OUTPUT ANY MORE
In [0]: mat[3:5]
Out[49]: array([[16, 17, 18, 19, 20],
                [21, 22, 23, 24, 25]])
```

Now do the following

Get the sum of all the values in mat

```
In [0]: mat.sum()
Out[50]: 325
```

Get the standard deviation of the values in mat

```
In [0]: mat.std()
```

Out[51]: 7.2111025509279782

Get the sum of all the columns in mat

```
In [0]: mat.sum(0)
```

Out[53]: array([55, 60, 65, 70, 75])

Type *Markdown* and LaTeX: α^2