

# NumPy Exercises

Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions.

## Import NumPy as np

```
In [1]: import numpy as np
```

## Create an array of 10 zeros

```
In [2]: np.zeros(10)
```

```
Out[2]: array([0., 0., 0., 0., 0., 0., 0., 0., 0., 0.])
```

## Create an array of 10 ones

```
In [3]: np.ones(10)
```

```
Out[3]: array([1., 1., 1., 1., 1., 1., 1., 1., 1., 1.])
```

## Create an array of 10 fives

```
In [4]: np.ones(10)*5
```

```
Out[4]: array([5., 5., 5., 5., 5., 5., 5., 5., 5., 5.])
```

## Create an array of the integers from 10 to 50

```
In [16]: np.arange(10,51)
```

```
Out[16]: array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50])
```

## Create an array of all the even integers from 10 to 50

```
In [15]: np.arange(10,51,2)
```

```
Out[15]: array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50])
```

## Create a 3x3 matrix with values ranging from 0 to 8

```
In [17]: np.arange(0,9).reshape(3,3)
```

```
Out[17]: array([[0, 1, 2], [3, 4, 5], [6, 7, 8]])
```

## Create a 3x3 identity matrix

```
In [18]: np.eye(3)
```

```
Out[18]: array([[1., 0., 0.], [0., 1., 0.], [0., 0., 1.]])
```

## Use NumPy to generate a random number between 0 and 1

```
In [30]: np.array([np.random.rand()])
```

```
Out[30]: array([0.08497601])
```

## Use NumPy to generate an array of 25 random numbers sampled from a standard normal distribution

```
In [34]: np.random.standard_normal(25)
```

```
Out[34]: array([ 0.93125407, -0.15175804, 0.00440786,  1.21596267, -1.84242767, -1.48510716, -0.1689855 , 0.63853397, -0.94194563,  1.19832824, 0.75348589,  0.59522843, -1.26337002, -2.4720163 ,  0.35012838, -0.28688632,  0.35028369, -1.23336421,  0.04467482,  1.63806471,  1.83261682,  0.40957253, 0.75075749, -2.07479397,  0.14465704])
```

## Create the following matrix:

```
In [49]: np.arange(0.01,1.01,0.01).reshape(10,10)
```

```
Out[49]: array([[0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1 ], [0.11, 0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18, 0.19, 0.2 ], [0.21, 0.22, 0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3 ], [0.31, 0.32, 0.33, 0.34, 0.35, 0.36, 0.37, 0.38, 0.39, 0.4 ], [0.41, 0.42, 0.43, 0.44, 0.45, 0.46, 0.47, 0.48, 0.49, 0.5 ], [0.51, 0.52, 0.53, 0.54, 0.55, 0.56, 0.57, 0.58, 0.59, 0.6 ], [0.61, 0.62, 0.63, 0.64, 0.65, 0.66, 0.67, 0.68, 0.69, 0.7 ], [0.71, 0.72, 0.73, 0.74, 0.75, 0.76, 0.77, 0.78, 0.79, 0.8 ], [0.81, 0.82, 0.83, 0.84, 0.85, 0.86, 0.87, 0.88, 0.89, 0.9 ], [0.91, 0.92, 0.93, 0.94, 0.95, 0.96, 0.97, 0.98, 0.99, 1.  ]])
```

## Create an array of 20 linearly spaced points between 0 and 1:

```
In [54]: np.linspace(0,1,20)
```

```
Out[54]: array([0.          , 0.05263158, 0.10526316, 0.15789474, 0.21052632, 0.26315789, 0.31578947, 0.36842105, 0.42105263, 0.47368421, 0.52631579, 0.57894737, 0.63157895, 0.68421053, 0.73684211, 0.78947368, 0.84210526, 0.89473684, 0.94736842, 1.  ])
```

# Numpy Indexing and Selection

Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:

```
In [56]: mat = np.arange(1,26).reshape(5,5)
```

```
Out[56]: array([[ 1,  2,  3,  4,  5], [ 6,  7,  8,  9, 10], [11, 12, 13, 14, 15], [16, 17, 18, 19, 20], [21, 22, 23, 24, 25]])
```

```
In [0]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL ABOVE # BE CAREFUL NOT TO RUN THE CELL ABOVE # BE ABLE TO SEE THE OUTPUT ANYTIME
```

```
In [58]: mat[2:,1:]
```

```
Out[58]: array([[12, 13, 14, 15], [17, 18, 19, 20], [22, 23, 24, 25]])
```

```
In [0]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL ABOVE # BE CAREFUL NOT TO RUN THE CELL ABOVE # BE ABLE TO SEE THE OUTPUT ANYTIME
```

```
In [61]: mat[3,4]
```

```
Out[61]: 20
```

```
In [0]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL ABOVE # BE CAREFUL NOT TO RUN THE CELL ABOVE # BE ABLE TO SEE THE OUTPUT ANYTIME
```

```
In [62]: mat[0:3,1:2]
```

```
Out[62]: array([[ 2], [ 7], [12]])
```

```
In [0]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL ABOVE # BE CAREFUL NOT TO RUN THE CELL ABOVE # BE ABLE TO SEE THE OUTPUT ANYTIME
```

```
In [67]: mat[4,]
```

```
Out[67]: array([21, 22, 23, 24, 25])
```

```
In [0]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL ABOVE # BE CAREFUL NOT TO RUN THE CELL ABOVE # BE ABLE TO SEE THE OUTPUT ANYTIME
```

```
In [66]: mat[3:,]
```

```
Out[66]: array([[16, 17, 18, 19, 20], [21, 22, 23, 24, 25]])
```

## Now do the following

Get the sum of all the values in mat

```
In [68]: mat.sum()
```

```
Out[68]: 325
```

Get the standard deviation of the values in mat

```
In [69]: mat.std()
```

```
Out[69]: 7.211102550927978
```

Get the sum of all the columns in mat

```
In [81]: sum(mat)
```

```
Out[81]: array([55, 60, 65, 70, 75])
```