

Data Visuvalization on the car_crashes dataset

```
In [1]: import seaborn as sns
```

Importing the required libraries for the visualization of the car_crashes dataset

```
In [2]: data=sns.load_dataset("car_crashes")
```

loading the car_crashes dataset

```
In [3]: data.shape
```

```
Out[3]: (51, 8)
```

printing the shape of the dataset

In [4]: data

Out[4]:

	total	speeding	alcohol	not_distracted	no_previous	ins_premium	ins_losses	abbrev
0	18.8	7.332	5.640	18.048	15.040	784.55	145.08	AL
1	18.1	7.421	4.525	16.290	17.014	1053.48	133.93	AK
2	18.6	6.510	5.208	15.624	17.856	899.47	110.35	AZ
3	22.4	4.032	5.824	21.056	21.280	827.34	142.39	AR
4	12.0	4.200	3.360	10.920	10.680	878.41	165.63	CA
5	13.6	5.032	3.808	10.744	12.920	835.50	139.91	CO
6	10.8	4.968	3.888	9.396	8.856	1068.73	167.02	CT
7	16.2	6.156	4.860	14.094	16.038	1137.87	151.48	DE
8	5.9	2.006	1.593	5.900	5.900	1273.89	136.05	DC
9	17.9	3.759	5.191	16.468	16.826	1160.13	144.18	FL
10	15.6	2.964	3.900	14.820	14.508	913.15	142.80	GA
11	17.5	9.450	7.175	14.350	15.225	861.18	120.92	HI
12	15.3	5.508	4.437	13.005	14.994	641.96	82.75	ID
13	12.8	4.608	4.352	12.032	12.288	803.11	139.15	IL
14	14.5	3.625	4.205	13.775	13.775	710.46	108.92	IN
15	15.7	2.669	3.925	15.229	13.659	649.06	114.47	IA
16	17.8	4.806	4.272	13.706	15.130	780.45	133.80	KS
17	21.4	4.066	4.922	16.692	16.264	872.51	137.13	KY
18	20.5	7.175	6.765	14.965	20.090	1281.55	194.78	LA
19	15.1	5.738	4.530	13.137	12.684	661.88	96.57	ME
20	12.5	4.250	4.000	8.875	12.375	1048.78	192.70	MD
21	8.2	1.886	2.870	7.134	6.560	1011.14	135.63	MA
22	14.1	3.384	3.948	13.395	10.857	1110.61	152.26	MI
23	9.6	2.208	2.784	8.448	8.448	777.18	133.35	MN
24	17.6	2.640	5.456	1.760	17.600	896.07	155.77	MS
25	16.1	6.923	5.474	14.812	13.524	790.32	144.45	MO
26	21.4	8.346	9.416	17.976	18.190	816.21	85.15	MT
27	14.9	1.937	5.215	13.857	13.410	732.28	114.82	NE
28	14.7	5.439	4.704	13.965	14.553	1029.87	138.71	NV
29	11.6	4.060	3.480	10.092	9.628	746.54	120.21	NH
30	11.2	1.792	3.136	9.632	8.736	1301.52	159.85	NJ
31	18.4	3.496	4.968	12.328	18.032	869.85	120.75	NM
32	12.3	3.936	3.567	10.824	9.840	1234.31	150.01	NY
33	16.8	6.552	5.208	15.792	13.608	708.24	127.82	NC
34	23.9	5.497	10.038	23.661	20.554	688.75	109.72	ND
35	14.1	3.948	4.794	13.959	11.562	697.73	133.52	OH

	total	speeding	alcohol	not_distracted	no_previous	ins_premium	ins_losses	abbrev
36	19.9	6.368	5.771	18.308	18.706	881.51	178.86	OK
37	12.8	4.224	3.328	8.576	11.520	804.71	104.61	OR
38	18.2	9.100	5.642	17.472	16.016	905.99	153.86	PA
39	11.1	3.774	4.218	10.212	8.769	1148.99	148.58	RI
40	23.9	9.082	9.799	22.944	19.359	858.97	116.29	SC
41	19.4	6.014	6.402	19.012	16.684	669.31	96.87	SD
42	19.5	4.095	5.655	15.990	15.795	767.91	155.57	TN
43	19.4	7.760	7.372	17.654	16.878	1004.75	156.83	TX
44	11.3	4.859	1.808	9.944	10.848	809.38	109.48	UT
45	13.6	4.080	4.080	13.056	12.920	716.20	109.61	VT
46	12.7	2.413	3.429	11.049	11.176	768.95	153.72	VA
47	10.6	4.452	3.498	8.692	9.116	890.03	111.62	WA
48	23.8	8.092	6.664	23.086	20.706	992.61	152.56	WV
49	13.8	4.968	4.554	5.382	11.592	670.31	106.62	WI
50	17.4	7.308	5.568	14.094	15.660	791.14	122.04	WY

In [5]: `data.head()`

Out[5]:

	total	speeding	alcohol	not_distracted	no_previous	ins_premium	ins_losses	abbrev
0	18.8	7.332	5.640	18.048	15.040	784.55	145.08	AL
1	18.1	7.421	4.525	16.290	17.014	1053.48	133.93	AK
2	18.6	6.510	5.208	15.624	17.856	899.47	110.35	AZ
3	22.4	4.032	5.824	21.056	21.280	827.34	142.39	AR
4	12.0	4.200	3.360	10.920	10.680	878.41	165.63	CA

displaying the head of the dataset.

In [6]: `data.tail()`

Out[6]:

	total	speeding	alcohol	not_distracted	no_previous	ins_premium	ins_losses	abbrev
46	12.7	2.413	3.429	11.049	11.176	768.95	153.72	VA
47	10.6	4.452	3.498	8.692	9.116	890.03	111.62	WA
48	23.8	8.092	6.664	23.086	20.706	992.61	152.56	WV
49	13.8	4.968	4.554	5.382	11.592	670.31	106.62	WI
50	17.4	7.308	5.568	14.094	15.660	791.14	122.04	WY

displaying the tail of the dataset.

In [7]: `data.describe()`

Out[7]:

	total	speeding	alcohol	not_distracted	no_previous	ins_premium	ins_losses
count	51.000000	51.000000	51.000000	51.000000	51.000000	51.000000	51.000000
mean	15.790196	4.998196	4.886784	13.573176	14.004882	886.957647	134.493137
std	4.122002	2.017747	1.729133	4.508977	3.764672	178.296285	24.835922
min	5.900000	1.792000	1.593000	1.760000	5.900000	641.960000	82.750000
25%	12.750000	3.766500	3.894000	10.478000	11.348000	768.430000	114.645000
50%	15.600000	4.608000	4.554000	13.857000	13.775000	858.970000	136.050000
75%	18.500000	6.439000	5.604000	16.140000	16.755000	1007.945000	151.870000
max	23.900000	9.450000	10.038000	23.661000	21.280000	1301.520000	194.780000

Describing the data set

In [8]: `data.info()`

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 51 entries, 0 to 50
Data columns (total 8 columns):
#   Column                Non-Null Count  Dtype
---  -
0   total                  51 non-null    float64
1   speeding               51 non-null    float64
2   alcohol                51 non-null    float64
3   not_distracted        51 non-null    float64
4   no_previous            51 non-null    float64
5   ins_premium            51 non-null    float64
6   ins_losses             51 non-null    float64
7   abbrev                 51 non-null    object
dtypes: float64(7), object(1)
memory usage: 3.3+ KB
```

information of the car_crashes dataset

In [9]: `data.isnull().sum()`

Out[9]:

total	0
speeding	0
alcohol	0
not_distracted	0
no_previous	0
ins_premium	0
ins_losses	0
abbrev	0
dtype: int64	

```
In [10]: data.corr()
```

C:\Users\HP\AppData\Local\Temp\ipykernel_7868\2627137660.py:1: FutureWarning:
The default value of numeric_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric_only to silence this warning.

```
data.corr()
```

Out[10]:

	total	speeding	alcohol	not_distracted	no_previous	ins_premium	ins_lo
total	1.000000	0.611548	0.852613	0.827560	0.956179	-0.199702	-0.03
speeding	0.611548	1.000000	0.669719	0.588010	0.571976	-0.077675	-0.06
alcohol	0.852613	0.669719	1.000000	0.732816	0.783520	-0.170612	-0.11
not_distracted	0.827560	0.588010	0.732816	1.000000	0.747307	-0.174856	-0.07
no_previous	0.956179	0.571976	0.783520	0.747307	1.000000	-0.156895	-0.00
ins_premium	-0.199702	-0.077675	-0.170612	-0.174856	-0.156895	1.000000	0.62
ins_losses	-0.036011	-0.065928	-0.112547	-0.075970	-0.006359	0.623116	1.00


displayin the correlation matrix

```
In [11]: sns.heatmap(data.corr(),annot=True)
```

C:\Users\HP\AppData\Local\Temp\ipykernel_7868\2578434383.py:1: FutureWarning: The default value of numeric_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric_only to silence this warning.

```
sns.heatmap(data.corr(),annot=True)
```


```
Out[11]: <Axes: >
```



displaying the heatmap of the correlation matrix

```
In [12]: sns.scatterplot(x="speeding",y="total",data=data)
```


```
Out[12]: <Axes: xlabel='speeding', ylabel='total'>
```



Bivariate analysis: From the scatterplot of total vs speeding , we can say that the total value is directly proportional to the speeding . total and speeding are strongly correlated.


```
In [13]: sns.scatterplot(x="speeding",y="alcohol",data=data)
```


```
Out[13]: <Axes: xlabel='speeding', ylabel='alcohol'>
```



Bivariate analysis: From the scatterplot of alcohol vs speeding , we can say that the alcohol value is directly proportional to the speeding . alcohol and speeding are strongly correlated.

```
In [14]: sns.scatterplot(x="ins_premium",y="total",data=data)
```


```
Out[14]: <Axes: xlabel='ins_premium', ylabel='total'>
```



Bivariate analysis: From the scatterplot of total vs ins_premium , we can say that the total value is inversly proportional to the ins_premium . total and ins_premium are weakly corr=elated.

```
In [15]: sns.scatterplot(x="no_previous",y="total",data=data)
```


```
Out[15]: <Axes: xlabel='no_previous', ylabel='total'>
```



Bivariate analysis: From the scatterplot of total vs no_previous , we can say that the total value is directly proportional to the no_previous . total and no_previous are strongly correlated.

```
In [17]: sns.lineplot(x="speeding",y="alcohol",data=data)
```

```
Out[17]: <Axes: xlabel='speeding', ylabel='alcohol'>
```



from the lineplot the we can observe the change in alcohol with respect to the speeding value.

```
In [18]: sns.distplot(data.total)
```

C:\Users\HP\AppData\Local\Temp\ipykernel_7868\2102236082.py:1: UserWarning:

`distplot` is a deprecated function and will be removed in seaborn v0.14.0.


Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see

<https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751> (<https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>)

```
sns.distplot(data.total)
```

Out[18]: <Axes: xlabel='total', ylabel='Density'>



Univariate analysis : from the distplot we can display the distribution of the total values in the given car_crashes dataset.

```
In [19]: sns.distplot(data.speeding)
```

C:\Users\HP\AppData\Local\Temp\ipykernel_7868\2228035885.py:1: UserWarning:

`distplot` is a deprecated function and will be removed in seaborn v0.14.0.


Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see

<https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751> (<https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>)

```
sns.distplot(data.speeding)
```

Out[19]: <Axes: xlabel='speeding', ylabel='Density'>



Univariate analysis : from the distplot we can display the distribution of the speeding values in the given car_crashes dataset.

```
In [20]: sns.distplot(data.alcohol)
```

C:\Users\HP\AppData\Local\Temp\ipykernel_7868\1638773409.py:1: UserWarning:


`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751> (<https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>)

```
sns.distplot(data.alcohol)
```

Out[20]: <Axes: xlabel='alcohol', ylabel='Density'>



Univariate analysis : from the distplot we can display the distribution of the alcohol values in the given car_crashes dataset.

```
In [22]: sns.distplot(data.no_previous)
```

C:\Users\HP\AppData\Local\Temp\ipykernel_7868\1836816757.py:1: UserWarning:


`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751> (<https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>)

```
sns.distplot(data.no_previous)
```

Out[22]: <Axes: xlabel='no_previous', ylabel='Density'>



Univariate analysis : from the distplot we can display the distribution of the no_previous values in the given car_crashes dataset.


```
In [23]: sns.distplot(data.ins_premium)
```

C:\Users\HP\AppData\Local\Temp\ipykernel_7868\2655982644.py:1: UserWarning:

`distplot` is a deprecated function and will be removed in seaborn v0.14.0.


Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see

<https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751> (<https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>)

```
sns.distplot(data.ins_premium)
```

Out[23]: <Axes: xlabel='ins_premium', ylabel='Density'>



Univariate analysis : from the distplot we can display the distribution of the ins_premium values in the given car_crashes dataset.

```
In [24]: sns.distplot(data.ins_losses)
```

C:\Users\HP\AppData\Local\Temp\ipykernel_7868\1689502277.py:1: UserWarning:

`distplot` is a deprecated function and will be removed in seaborn v0.14.0.


Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see

<https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751> (<https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>)

```
sns.distplot(data.ins_losses)
```

Out[24]: <Axes: xlabel='ins_losses', ylabel='Density'>



Univariate analysis : from the distplot we can display the distribution of the ins_losses values in the given car_crashes dataset.


```
In [25]: data.abbrev.value_counts()
```

```
Out[25]: AL      1
PA      1
NV      1
NH      1
NJ      1
NM      1
NY      1
NC      1
ND      1
OH      1
OK      1
OR      1
RI      1
MT      1
SC      1
SD      1
TN      1
TX      1
UT      1
VT      1
VA      1
WA      1
WV      1
WI      1
NE      1
MO      1
AK      1
ID      1
AZ      1
AR      1
CA      1
CO      1
CT      1
DE      1
DC      1
FL      1
GA      1
HI      1
IL      1
MS      1
IN      1
IA      1
KS      1
KY      1
LA      1
ME      1
MD      1
MA      1
MI      1
MN      1
WY      1
Name: abbrev, dtype: int64
```

finding the different values and there respective counts in the abbrev attribute in the car_crashes dataset.

```
In [26]: sns.barplot(data=data,x="abbrev",y="total")
```


```
Out[26]: <Axes: xlabel='abbrev', ylabel='total'>
```



from the above graph and value_counts() we can say that there no value repeated, the bar plot was drawn between the total vs abbrev .

```
In [27]: sns.jointplot(x="alcohol",y="total",data=data,kind='reg')
```


```
Out[27]: <seaborn.axisgrid.JointGrid at 0x267ee651cd0>
```



Jointplot between the total vs alcohol, we can find the distributions of the both attributes and that they are strongly correlated with each other.

```
In [28]: sns.jointplot(x="alcohol",y="total",data=data,kind='hex')
```


```
Out[28]: <seaborn.axisgrid.JointGrid at 0x267ee8613d0>
```



Jointplot between the total vs alcohol, we can find the distributions of the both attributes . More number of cars are concentrated at darkly shaded region of the hexagon

```
In [29]: sns.jointplot(x="speeding",y="alcohol",data=data,kind='reg')
```


```
Out[29]: <seaborn.axisgrid.JointGrid at 0x267eed7ad90>
```



Jointplot between the alcohol vs speeding, we can find the distributions of the both attributes and that they are strongly correlated with each other.

```
In [30]: sns.jointplot(x="speeding",y="alcohol",data=data,kind='hex')
```


```
Out[30]: <seaborn.axisgrid.JointGrid at 0x267ef152810>
```



Jointplot between the alcohol vs speeding, we can find the distributions of the both attributes .
More number of cars are concentrated at darkly shaded region of the hexagon


```
In [31]: sns.boxplot(x="abbrev",y="total",data=data)
```


```
Out[31]: <Axes: xlabel='abbrev', ylabel='total'>
```



univariate analysis : we can observe the boxplot between the numerical value total and categorical value abbrev from the above plot. By finding the boxplot we can find the intervals in which the data had distributed and if there are any outliers in the data.

```
In [32]: sns.pairplot(data)
```

```
Out[32]: <seaborn.axisgrid.PairGrid at 0x267efb9d210>
```



Multivariate analysis : we can observe the coorelation among the numerical values in the car_crashes dataset by plotting the paiplot of the car-crashes dataset.