

```
import seaborn as sns
import matplotlib.pyplot as plt
```

```
# Load the car_crashes dataset
```

```
car_crashes = sns.load_dataset("car_crashes")
car_crashes
```

	total	speeding	alcohol	not_distracted	no_previous	ins_premium
0	18.8	7.332	5.640	18.048	15.040	784.55
1	18.1	7.421	4.525	16.290	17.014	1053.48
2	18.6	6.510	5.208	15.624	17.856	899.47
3	22.4	4.032	5.824	21.056	21.280	827.34
4	12.0	4.200	3.360	10.920	10.680	878.41
5	13.6	5.032	3.808	10.744	12.920	835.50
6	10.8	4.968	3.888	9.396	8.856	1068.73
7	16.2	6.156	4.860	14.094	16.038	1137.87
8	5.9	2.006	1.593	5.900	5.900	1273.89
9	17.9	3.759	5.191	16.468	16.826	1160.13
10	15.6	2.964	3.900	14.820	14.508	913.15
11	17.5	9.450	7.175	14.350	15.225	861.18
12	15.3	5.508	4.437	13.005	14.994	641.96
13	12.8	4.608	4.352	12.032	12.288	803.11
14	14.5	3.625	4.205	13.775	13.775	710.46
15	15.7	2.669	3.925	15.229	13.659	649.06
16	17.8	4.806	4.272	13.706	15.130	780.45
17	21.4	4.066	4.922	16.692	16.264	872.51
18	20.5	7.175	6.765	14.965	20.090	1281.55


19	15.1	5.738	4.530	13.137	12.684	661.88
20	12.5	4.250	4.000	8.875	12.375	1048.78
21	8.2	1.886	2.870	7.134	6.560	1011.14
22	14.1	3.384	3.948	13.395	10.857	1110.61
23	9.6	2.208	2.784	8.448	8.448	777.18
24	17.6	2.640	5.456	1.760	17.600	896.07
25	16.1	6.923	5.474	14.812	13.524	790.32
26	21.4	8.346	9.416	17.976	18.190	816.21
27	14.9	1.937	5.215	13.857	13.410	732.28
28	14.7	5.439	4.704	13.965	14.553	1029.87
29	11.6	4.060	3.480	10.092	9.628	746.54
30	11.2	1.792	3.136	9.632	8.736	1301.52
31	18.4	3.496	4.968	12.328	18.032	869.85
32	12.3	3.936	3.567	10.824	9.840	1234.31
33	16.8	6.552	5.208	15.792	13.608	708.24
34	23.9	5.497	10.038	23.661	20.554	688.75
35	14.1	3.948	4.794	13.959	11.562	697.73
36	19.9	6.368	5.771	18.308	18.706	881.51
37	12.8	4.224	3.328	8.576	11.520	804.71
38	18.2	9.100	5.642	17.472	16.016	905.99
39	11.1	3.774	4.218	10.212	8.769	1148.99
40	23.9	9.082	9.799	22.944	19.359	858.97
41	19.4	6.014	6.402	19.012	16.684	669.31
42	19.5	4.095	5.655	15.990	15.795	767.91
43	19.4	7.760	7.372	17.654	16.878	1004.75
44	11.3	4.859	1.808	9.944	10.848	809.38

45	13.6	4.080	4.080	13.056	12.920	716.20
46	12.7	2.413	3.429	11.049	11.176	768.95
47	10.6	4.452	3.498	8.692	9.116	890.03
48	23.8	8.092	6.664	23.086	20.706	992.61
49	13.8	4.968	4.554	5.382	11.592	670.31
50	17.4	7.308	5.568	14.094	15.660	791.14

	ins_losses	abbrev
0	145.08	AL
1	133.93	AK
2	110.35	AZ
3	142.39	AR
4	165.63	CA
5	139.91	CO
6	167.02	CT
7	151.48	DE
8	136.05	DC
9	144.18	FL
10	142.80	GA
11	120.92	HI
12	82.75	ID
13	139.15	IL
14	108.92	IN
15	114.47	IA
16	133.80	KS
17	137.13	KY
18	194.78	LA
19	96.57	ME
20	192.70	MD
21	135.63	MA
22	152.26	MI
23	133.35	MN
24	155.77	MS
25	144.45	MO
26	85.15	MT
27	114.82	NE
28	138.71	NV
29	120.21	NH
30	159.85	NJ
31	120.75	NM
32	150.01	NY
33	127.82	NC
34	109.72	ND
35	133.52	OH


36	178.86	OK
37	104.61	OR
38	153.86	PA
39	148.58	RI
40	116.29	SC
41	96.87	SD
42	155.57	TN
43	156.83	TX
44	109.48	UT
45	109.61	VT
46	153.72	VA
47	111.62	WA
48	152.56	WV
49	106.62	WI
50	122.04	WY

```
# Histogram of the total crashes
sns.histplot(car_crashes["total"], bins=15, kde=True)
plt.xlabel("Total Crashes")
plt.ylabel("Frequency")
plt.title("Histogram of Total Crashes")
plt.show()
```




histogram of the number of total crashes in the car\_crashes DataFrame, with 15 bins. It also plots a smoothed version of the histogram, which can be used to better visualize the distribution of the data.

```
# Scatter plot of alcohol versus total crashes
sns.scatterplot(x="total", y="alcohol", data=car_crashes)
plt.xlabel("Total Crashes")
plt.ylabel("Alcohol Consumed")
plt.title("Scatter Plot: Alcohol vs. Total Crashes")
plt.show()
```




scatter plot of the total number of crashes versus the amount of alcohol consumed by drivers in the car\_crashes DataFrame. The plot can be used to visualize the relationship between alcohol consumption and the risk of car crashes..

```
sns.barplot(x="abbrev", y="total", data=car_crashes)
plt.xlabel("Abbreviation")
plt.ylabel("Mean Total Crashes")
plt.title("Bar Plot: Mean Total Crashes by Abbreviation")
plt.show()
```




bar plot of the mean total crashes for each abbreviation in the `car_crashes` DataFrame. The `plt.show()` function displays the plot.

```
sns.boxplot(x="total", data=car_crashes)
plt.xlabel("Total Crashes")
plt.title("Box Plot of Total Crashes")
plt.show()
```



**box plot of the total number of crashes in the car\_crashes DataFrame. The plot can be used to visualize the distribution of the data and identify outliers.**


```
sns.countplot(x="abbrev", data=car_crashes)
plt.xlabel("Abbreviation")
plt.ylabel("Count")
plt.title("Count Plot: Observations per Abbreviation")
plt.show()
```



count plot of the number of observations for each abbreviation in the car\_crashes DataFrame. The plot can be used to identify the states or regions with the most and least car crashes.


```
sns.violinplot(x="alcohol", data=car_crashes)
plt.xlabel("Alcohol Consumed")
plt.title("Violin Plot: Alcohol Consumption")
plt.show()
```





violin plot of the alcohol consumption for each driver in the `car_crashes` DataFrame. The plot can be used to visualize the distribution of alcohol consumption and identify outliers.

```
sns.regplot(x="total", y="alcohol", data=car_crashes)
plt.xlabel("Total Crashes")
plt.ylabel("Alcohol Consumed")
plt.title("Regression Plot: Total Crashes vs. Alcohol")
plt.show()
```




regression plot of the total number of crashes versus the amount of alcohol consumed by drivers in the `car_crashes` DataFrame. The plot can be used to visualize the relationship between alcohol consumption and the risk of car crashes.

```
sns.kdeplot(car_crashes["alcohol"], shade=True)
plt.xlabel("Alcohol Consumed")
plt.title("Kernel Density Estimation (KDE) Plot: Alcohol Consumption")
plt.show()
```

<ipython-input-14-586370571e08>:1: FutureWarning:

``shade` is now deprecated in favor of `fill`; setting `fill=True`.`  
This will become an error in seaborn v0.14.0; please update your code.


```
sns.kdeplot(car_crashes["alcohol"], shade=True)
```



kernel density estimation (KDE) plot of the alcohol consumption for each driver in the `car_crashes` DataFrame. The plot can be used to visualize the distribution of alcohol consumption and identify outliers.

```
sns.swarmplot(x="abbrev", y="total", data=car_crashes)
plt.xlabel("Abbreviation")
plt.ylabel("Total Crashes")
plt.title("Swarm Plot: Abbreviation vs. Total Crashes")
plt.xticks(rotation=45)
plt.show()
```





box plot of the total number of crashes for each abbreviation in the car\_crashes DataFrame. The plot can be used to visualize the distribution of the data and identify outliers.