# CHEREDDY RAHUL- 21BCE9779

# ASSIGNMENT-1

# NumPy Exercises

Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions.

### Import NumPy as np

```python
In [ ]:   import numpy as np
```

### Create an array of 10 zeros

```python
In [2]:   np.zeros(10)
```

```
Out[2]:   array([0., 0., 0., 0., 0., 0., 0., 0., 0., 0.])
```

### Create an array of 10 ones

```python
In [3]:   np.ones(10)
```

```
Out[3]:   array([1., 1., 1., 1., 1., 1., 1., 1., 1., 1.])
```

### Create an array of 10 fives

```python
In [4]:   np.ones(10) * 5
```

```
Out[4]:   array([5., 5., 5., 5., 5., 5., 5., 5., 5., 5.])
```

### Create an array of the integers from 10 to 50

```python
In [5]:   np.arange(10,51)
```

```
Out[5]:   array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26,
                 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43,
                 44, 45, 46, 47, 48, 49, 50])
```

### Create an array of all the even integers from 10 to 50

```python
In [9]:   np.arange(10,51,2)
```

```
Out[9]:  array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42,
                44, 46, 48, 50])
```

## Create a 3x3 matrix with values ranging from 0 to 8

```
In [10]:  np.arange(0,9).reshape((3,3))
```

```
Out[10]:  array([[0, 1, 2],
                 [3, 4, 5],
                 [6, 7, 8]])
```

## Create a 3x3 identity matrix

```
In [11]:  np.eye(3)
```

```
Out[11]:  array([[1., 0., 0.],
                 [0., 1., 0.],
                 [0., 0., 1.]])
```

## Use NumPy to generate a random number between 0 and 1

```
In [27]:  np.random.rand()
```

```
Out[27]:  0.6449160585259431
```

## Use NumPy to generate an array of 25 random numbers sampled from a standard normal distribution

```
In [31]:  np.random.randn(25)
```

```
Out[31]:  array([ 1.67630923, -0.031662  ,  0.68914311, -0.49675897,  0.0104855 ,
                  1.55864946,  0.18163159,  0.4865399 ,  0.20000005, -0.41288312,
                 -1.08412236, -0.91057788, -1.75393471, -0.84703767, -0.53885883,
                 -0.17938877,  0.89076137,  0.19391576, -2.29537587, -0.93876817,
                  0.20303163, -0.99334814, -0.23039481,  1.45716975, -1.47026385])
```

## Create the following matrix:

```
In [35]:  matrix=np.arange(0.01, 1.01, 0.01)
          matrix.reshape(10, 10)
```

```
Out[35]:  array([[0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1 ],
                 [0.11, 0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18, 0.19, 0.2 ],
                 [0.21, 0.22, 0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3 ],
                 [0.31, 0.32, 0.33, 0.34, 0.35, 0.36, 0.37, 0.38, 0.39, 0.4 ],
                 [0.41, 0.42, 0.43, 0.44, 0.45, 0.46, 0.47, 0.48, 0.49, 0.5 ],
                 [0.51, 0.52, 0.53, 0.54, 0.55, 0.56, 0.57, 0.58, 0.59, 0.6 ],
                 [0.61, 0.62, 0.63, 0.64, 0.65, 0.66, 0.67, 0.68, 0.69, 0.7 ],
                 [0.71, 0.72, 0.73, 0.74, 0.75, 0.76, 0.77, 0.78, 0.79, 0.8 ],
                 [0.81, 0.82, 0.83, 0.84, 0.85, 0.86, 0.87, 0.88, 0.89, 0.9 ],
                 [0.91, 0.92, 0.93, 0.94, 0.95, 0.96, 0.97, 0.98, 0.99, 1.  ]])
```

## Create an array of 20 linearly spaced points between 0 and 1:

```
In [37]: np.linspace(0, 1, 20)
```

```
Out[37]: array([0.        , 0.05263158, 0.10526316, 0.15789474, 0.21052632,
                0.26315789, 0.31578947, 0.36842105, 0.42105263, 0.47368421,
                0.52631579, 0.57894737, 0.63157895, 0.68421053, 0.73684211,
                0.78947368, 0.84210526, 0.89473684, 0.94736842, 1.        ])
```

# Numpy Indexing and Selection

Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:

```
In [40]: mat = np.arange(1,26).reshape(5,5)
         mat
```

```
Out[40]: array([[ 1,  2,  3,  4,  5],
                [ 6,  7,  8,  9, 10],
                [11, 12, 13, 14, 15],
                [16, 17, 18, 19, 20],
                [21, 22, 23, 24, 25]])
```

```
In [ ]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
        # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
        # BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
In [42]:  mat[2:5, 1:]
```

```
Out[42]: array([[12, 13, 14, 15],
                [17, 18, 19, 20],
                [22, 23, 24, 25]])
```

```
In [ ]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
        # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
        # BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
In [44]: mat[3,4]
```

```
Out[44]: 20
```

```
In [ ]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
        # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
        # BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
In [45]: mat[0:3, 1:2]
```

```
Out[45]: array([[ 2],
                [ 7],
                [12]])
```

```
In [ ]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
        # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
        # BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
In [47]: mat[4,:]
```

```
Out[47]: array([21, 22, 23, 24, 25])
```

```
In [ ]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
        # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
        # BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
In [48]: mat[3:5,:]
```

```
Out[48]: array([[16, 17, 18, 19, 20],
                [21, 22, 23, 24, 25]])
```

## Now do the following

### Get the sum of all the values in mat

```
In [49]: np.sum(mat)
```

```
Out[49]: 325
```

### Get the standard deviation of the values in mat

```
In [50]: np.std(mat)
```

```
Out[50]: 7.211102550927978
```

### Get the sum of all the columns in mat

```
In [51]: np.sum(mat,axis=0)
```

```
Out[51]: array([55, 60, 65, 70, 75])
```