Lalitha janipella 21BCE9560

```
NumPy Exercises
         Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions.
         Import NumPy as np
         import numpy as np
 In [2]:
         Create an array of 10 zeros
In [44]: np.zeros(10)
         array([0., 0., 0., 0., 0., 0., 0., 0., 0., 0.])
Out[44]:
         Create an array of 10 ones
         np.ones(10)
In [45]:
         array([1., 1., 1., 1., 1., 1., 1., 1., 1.])
Out[45]:
         Create an array of 10 fives
In [46]: np.full(10,5.0)
         array([5., 5., 5., 5., 5., 5., 5., 5., 5.])
Out[46]:
         Create an array of the integers from 10 to 50
In [47]: np.arange(10,51)
         array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26,
                27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43,
                44, 45, 46, 47, 48, 49, 50])
         Create an array of all the even integers from 10 to 50
         np.arange(10,52,2)
In [48]:
         array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42,
Out[48]:
                44, 46, 48, 50])
         Create a 3x3 matrix with values ranging from 0 to 8
In [49]: x=np.array([[0,1,2],[3,4,5],[6,7,8]])
         array([[0, 1, 2],
                [3, 4, 5],
                [6, 7, 8]])
         Create a 3x3 identity matrix
 In [5]: np.eye(3)
         array([[1., 0., 0.],
                [0., 1., 0.],
                [0., 0., 1.]])
         Use NumPy to generate a random number between 0 and 1
In [21]: np.random.random(1)
Out[21]: array([0.66818029])
         Use NumPy to generate an array of 25 random numbers sampled from a standard normal distribution
In [22]: np.random.normal(0,1,25)
         array([-0.82119791, -0.19916295, -0.60585217, -0.87737952, 1.04213025,
Out[22]:
                 0.21129782, 1.53713266, 0.59990953, 0.08627021, 0.36812691,
                 0.67515048, 0.03066191, -0.89850573, 0.32471466, 0.50295096,
                -0.68353037, -1.75276923, -1.54133131, 0.60414397, -2.185638 ,
                 0.66990515, 0.62672862, 0.5593686, -0.32987935, 0.42627814])
         Create the following matrix:
In [31]: x=np.arange(0.01,1.01,0.01)
         x.reshape(10,10)
         array([[0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1],
Out[31]:
                [0.11, 0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18, 0.19, 0.2],
                [0.21, 0.22, 0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3],
                [0.31, 0.32, 0.33, 0.34, 0.35, 0.36, 0.37, 0.38, 0.39, 0.4],
                [0.41, 0.42, 0.43, 0.44, 0.45, 0.46, 0.47, 0.48, 0.49, 0.5],
                [0.51, 0.52, 0.53, 0.54, 0.55, 0.56, 0.57, 0.58, 0.59, 0.6],
                [0.61, 0.62, 0.63, 0.64, 0.65, 0.66, 0.67, 0.68, 0.69, 0.7],
                [0.71, 0.72, 0.73, 0.74, 0.75, 0.76, 0.77, 0.78, 0.79, 0.8],
                [0.81, 0.82, 0.83, 0.84, 0.85, 0.86, 0.87, 0.88, 0.89, 0.9],
                [0.91, 0.92, 0.93, 0.94, 0.95, 0.96, 0.97, 0.98, 0.99, 1. ]])
         Create an array of 20 linearly spaced points between 0 and 1:
 In [ ]: np.linspace(0,1,20)
         array([0.
                      , 0.05263158, 0.10526316, 0.15789474, 0.21052632,
                0.26315789, 0.31578947, 0.36842105, 0.42105263, 0.47368421,
                0.52631579, 0.57894737, 0.63157895, 0.68421053, 0.73684211,
                0.78947368, 0.84210526, 0.89473684, 0.94736842, 1.
         Numpy Indexing and Selection
         Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:
         mat = np.arange(1, 26).reshape(5, 5)
         array([[ 1, 2, 3, 4, 5],
                [ 6, 7, 8, 9, 10],
                [11, 12, 13, 14, 15],
                [16, 17, 18, 19, 20],
                [21, 22, 23, 24, 25]])
 In [ ]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
         # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
```

```
In [32]:
         # BE ABLE TO SEE THE OUTPUT ANY MORE
In [33]: mat[2:,1:]
         array([[12, 13, 14, 15],
Out[33]:
                [17, 18, 19, 20],
                [22, 23, 24, 25]])
In [ ]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
         # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
         # BE ABLE TO SEE THE OUTPUT ANY MORE
In [36]: mat[3][4]
In [ ]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
```

```
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
In [37]: mat[0:3,1:2]
         array([[ 2],
Out[37]:
                [ 7],
                [12]])
```

```
In [ ]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
        # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
        # BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
In [38]: mat[4:,0:]
         array([[21, 22, 23, 24, 25]])
Out[38]:
```

```
In [ ]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
         # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
         # BE ABLE TO SEE THE OUTPUT ANY MORE
In [40]: mat[3:,0:]
         array([[16, 17, 18, 19, 20],
```

Now do the following

Get the sum of all the values in mat

[21, 22, 23, 24, 25]])

```
In [41]: np.sum(mat)
         325
Out[41]:
         Get the standard deviation of the values in mat
```

```
np.std(mat)
In [42]:
         7.211102550927978
Out[42]:
```

Get the sum of all the columns in mat

```
np.sum(mat,axis=0)
         array([55, 60, 65, 70, 75])
Out[43]:
```