P.CHARAN SANKEERTH 21BCE7354 NUMPY_ASSIGNMENT-1

Morning Slot

NumPy Exercises

Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions.

Import NumPy as np

In [1]:

```
import numpy as np
```

Create an array of 10 zeros

In [2]:

```
np.zeros(10)
```

Out[2]:

```
array([0., 0., 0., 0., 0., 0., 0., 0., 0., 0.])
```

Create an array of 10 ones

In [3]:

```
np.ones(10)
```

Out[3]:

```
array([1., 1., 1., 1., 1., 1., 1., 1., 1., 1.])
```

Create an array of 10 fives

In [4]:

```
np.ones(10)*5
```

Out[4]:

```
array([5., 5., 5., 5., 5., 5., 5., 5., 5., 5.])
```

Create an array of the integers from 10 to 50

In [13]:

```
np.arange(10, 50)
```

Out[13]:

```
array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26,
       27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43,
       44, 45, 46, 47, 48, 49])
```

Create an array of all the even integers from 10 to 50

In [9]:

```
np.linspace(10, 50, num=21, dtype=int)
        #or
# np.arange(10, 51, 2)
```

Out[9]:

```
array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42,
       44, 46, 48, 50])
```

Create a 3x3 matrix with values ranging from 0 to 8

In [14]:

```
# np.array([[0, 1, 2],
#           [3, 4, 5],
#           [6, 7, 8]])

    #or

np.arange(9).reshape(3, 3)
```

Out[14]:

```
array([[0, 1, 2],
       [3, 4, 5],
       [6, 7, 8]])
```

Create a 3x3 identity matrix

In [18]:

```
np.eye(3, dtype=int)
```

Out[18]:

```
array([[1, 0, 0],
       [0, 1, 0],
       [0, 0, 1]])
```

Use NumPy to generate a random number between 0 and 1

In [27]:

```
np.random.rand()
```

Out[27]:

```
0.9226592733087506
```

Use NumPy to generate an array of 25 random numbers sampled from a standard normal distribution

In [28]:

```
np.random.randn(25)
```

Out[28]:

```
array([-0.30001684,  1.59247681, -1.23620497, -1.76337022, -1.28617261,
        1.83287179, -0.44926698,  0.08357764,  0.34200664, -0.38409316,
        2.39728064, -0.16553854, -0.20661447,  1.50243626,  1.31155599,
        0.82440946,  0.87536898, -0.04585174, -0.42886263,  0.1647031 ,
       -0.52401045, -0.905783  ,  0.58588887, -1.13905878, -0.12742674])
```

Create the following matrix:

In [39]:

```
np.arange(start= 0.01, stop= 1.01, step= 0.01).reshape(10, 10)
```

Out[39]:

```
array([[0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1 ],
       [0.11, 0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18, 0.19, 0.2 ],
       [0.21, 0.22, 0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3 ],
       [0.31, 0.32, 0.33, 0.34, 0.35, 0.36, 0.37, 0.38, 0.39, 0.4 ],
       [0.41, 0.42, 0.43, 0.44, 0.45, 0.46, 0.47, 0.48, 0.49, 0.5 ],
       [0.51, 0.52, 0.53, 0.54, 0.55, 0.56, 0.57, 0.58, 0.59, 0.6 ],
       [0.61, 0.62, 0.63, 0.64, 0.65, 0.66, 0.67, 0.68, 0.69, 0.7 ],
       [0.71, 0.72, 0.73, 0.74, 0.75, 0.76, 0.77, 0.78, 0.79, 0.8 ],
       [0.81, 0.82, 0.83, 0.84, 0.85, 0.86, 0.87, 0.88, 0.89, 0.9 ],
       [0.91, 0.92, 0.93, 0.94, 0.95, 0.96, 0.97, 0.98, 0.99, 1.  ]])
```

Create an array of 20 linearly spaced points between 0 and 1:

In [29]:

```
np.linspace(0, 1, 20)
```

Out[29]:

```
array([0.        , 0.05263158, 0.10526316, 0.15789474, 0.21052632,
       0.26315789, 0.31578947, 0.36842105, 0.42105263, 0.47368421,
       0.52631579, 0.57894737, 0.63157895, 0.68421053, 0.73684211,
       0.78947368, 0.84210526, 0.89473684, 0.94736842, 1.        ])
```

Numpy Indexing and Selection

Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:

In [58]:

```
mat = np.arange(1,26).reshape(5,5)
mat
```

Out[58]:

```
array([[ 1,  2,  3,  4,  5],
       [ 6,  7,  8,  9, 10],
       [11, 12, 13, 14, 15],
       [16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

In [77]:

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
mat[2: ,1:]
```

Out[77]:

```
array([[12, 13, 14, 15],
       [17, 18, 19, 20],
       [22, 23, 24, 25]])
```

In [78]:

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
mat[3, 4]
```

Out[78]:

```
20
```

In [83]:

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
mat[0:3, 1:2]
```

Out[83]:

```
array([[ 2],
       [ 7],
       [12]])
```

In [71]:

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
mat[4, :]
```

Out[71]:

```
array([21, 22, 23, 24, 25])
```

In [84]:

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
mat[3:,:]
```

Out[84]:

```
array([[16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

Now do the following

Get the sum of all the values in mat

In [59]:

```
np.sum(mat)
```

Out[59]:

```
325
```

Get the standard deviation of the values in mat

In [60]:

```
np.std(mat).round(5)
```

Out[60]:

```
7.2111
```

Get the sum of all the columns in mat

In [61]:

```
np.sum(mat, axis=0)
```

Out[61]:

```
array([55, 60, 65, 70, 75])
```

Type *Markdown* and LaTeX: α^2