

document

September 13, 2023

0.0.1 Name : K. Harsha Sai Vinayaka

0.0.2 Reg no : 21BCE7826

0.0.3 Mobile no : 8143939729

0.0.4 Campus : VIT - AP

[2]:

```
['anagrams', 'anscombe', 'attention', 'brain_networks', 'car_crashes',  
'diamonds', 'dots', 'dowjones', 'exercise', 'flights', 'fmri', 'geyser', 'glue',  
'healthexp', 'iris', 'mpg', 'penguins', 'planets', 'seaice', 'taxis', 'tips',  
'titanic']
```

[3]:

```
df = sns.load_dataset('car_crashes')  
df
```

[3]:

	total	speeding	alcohol	not_distracted	no_previous	ins_premium	\
0	18.8	7.332	5.640	18.048	15.040	784.55	
1	18.1	7.421	4.525	16.290	17.014	1053.48	
2	18.6	6.510	5.208	15.624	17.856	899.47	
3	22.4	4.032	5.824	21.056	21.280	827.34	
4	12.0	4.200	3.360	10.920	10.680	878.41	
5	13.6	5.032	3.808	10.744	12.920	835.50	
6	10.8	4.968	3.888	9.396	8.856	1068.73	
7	16.2	6.156	4.860	14.094	16.038	1137.87	
8	5.9	2.006	1.593	5.900	5.900	1273.89	
9	17.9	3.759	5.191	16.468	16.826	1160.13	
10	15.6	2.964	3.900	14.820	14.508	913.15	
11	17.5	9.450	7.175	14.350	15.225	861.18	
12	15.3	5.508	4.437	13.005	14.994	641.96	
13	12.8	4.608	4.352	12.032	12.288	803.11	
14	14.5	3.625	4.205	13.775	13.775	710.46	
15	15.7	2.669	3.925	15.229	13.659	649.06	
16	17.8	4.806	4.272	13.706	15.130	780.45	
17	21.4	4.066	4.922	16.692	16.264	872.51	
18	20.5	7.175	6.765	14.965	20.090	1281.55	

19	15.1	5.738	4.530	13.137	12.684	661.88
20	12.5	4.250	4.000	8.875	12.375	1048.78
21	8.2	1.886	2.870	7.134	6.560	1011.14
22	14.1	3.384	3.948	13.395	10.857	1110.61
23	9.6	2.208	2.784	8.448	8.448	777.18
24	17.6	2.640	5.456	1.760	17.600	896.07
25	16.1	6.923	5.474	14.812	13.524	790.32
26	21.4	8.346	9.416	17.976	18.190	816.21
27	14.9	1.937	5.215	13.857	13.410	732.28
28	14.7	5.439	4.704	13.965	14.553	1029.87
29	11.6	4.060	3.480	10.092	9.628	746.54
30	11.2	1.792	3.136	9.632	8.736	1301.52
31	18.4	3.496	4.968	12.328	18.032	869.85
32	12.3	3.936	3.567	10.824	9.840	1234.31
33	16.8	6.552	5.208	15.792	13.608	708.24
34	23.9	5.497	10.038	23.661	20.554	688.75
35	14.1	3.948	4.794	13.959	11.562	697.73
36	19.9	6.368	5.771	18.308	18.706	881.51
37	12.8	4.224	3.328	8.576	11.520	804.71
38	18.2	9.100	5.642	17.472	16.016	905.99
39	11.1	3.774	4.218	10.212	8.769	1148.99
40	23.9	9.082	9.799	22.944	19.359	858.97
41	19.4	6.014	6.402	19.012	16.684	669.31
42	19.5	4.095	5.655	15.990	15.795	767.91
43	19.4	7.760	7.372	17.654	16.878	1004.75
44	11.3	4.859	1.808	9.944	10.848	809.38
45	13.6	4.080	4.080	13.056	12.920	716.20
46	12.7	2.413	3.429	11.049	11.176	768.95
47	10.6	4.452	3.498	8.692	9.116	890.03
48	23.8	8.092	6.664	23.086	20.706	992.61
49	13.8	4.968	4.554	5.382	11.592	670.31
50	17.4	7.308	5.568	14.094	15.660	791.14

	ins_losses	abbrev
0	145.08	AL
1	133.93	AK
2	110.35	AZ
3	142.39	AR
4	165.63	CA
5	139.91	CO
6	167.02	CT
7	151.48	DE
8	136.05	DC
9	144.18	FL
10	142.80	GA
11	120.92	HI
12	82.75	ID

13	139.15	IL
14	108.92	IN
15	114.47	IA
16	133.80	KS
17	137.13	KY
18	194.78	LA
19	96.57	ME
20	192.70	MD
21	135.63	MA
22	152.26	MI
23	133.35	MN
24	155.77	MS
25	144.45	MO
26	85.15	MT
27	114.82	NE
28	138.71	NV
29	120.21	NH
30	159.85	NJ
31	120.75	NM
32	150.01	NY
33	127.82	NC
34	109.72	ND
35	133.52	OH
36	178.86	OK
37	104.61	OR
38	153.86	PA
39	148.58	RI
40	116.29	SC
41	96.87	SD
42	155.57	TN
43	156.83	TX
44	109.48	UT
45	109.61	VT
46	153.72	VA
47	111.62	WA
48	152.56	WV
49	106.62	WI
50	122.04	WY

```
[10]: x = df.head(5)
      x
```

```
[10]:   total  speeding  alcohol  not_distracted  no_previous  ins_premium \
0    18.8     7.332    5.640           18.048         15.040         784.55
1    18.1     7.421    4.525           16.290         17.014        1053.48
2    18.6     6.510    5.208           15.624         17.856         899.47
3    22.4     4.032    5.824           21.056         21.280         827.34
```

```
4    12.0    4.200    3.360    10.920    10.680    878.41
```

```
ins_losses abbrev
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 51 entries, 0 to 50
```

```
Data columns (total 8 columns):
```

```
[5]:  #    Column          Non-Null Count  Dtype
-----
0    total            51 non-null    float64
1    speeding          51 non-null    float64
2    alcohol            51 non-null    float64
3    not_distracted    51 non-null    float64
4    no_previous        51 non-null    float64
5    ins_premium        51 non-null    float64
6    ins_losses         51 non-null    float64
7    abbrev             51 non-null    object
```

```
dtypes: float64(7), object(1)
```

```
memory usage: 3.3+ KB
```

```
sns.scatterplot(x="speeding",y="alcohol",data=df)
```

```
# inference
```


```
#most of the drivers who drunk more alcohol have droven with more speed
```

```
[7]:
```

```
0    145.08    AL
1    133.93    AK
2    110.35    AZ
3    142.39    AR
4    165.63    CA
```


```
df.info()
```

```
[7]: <Axes: xlabel='speeding', ylabel='alcohol'>
```




```
[46]: sns.scatterplot(x="total",y="no_previous",data=df)  
      # the given plot shows thge relation between no previous and total
```

```
[46]: <Axes: xlabel='total', ylabel='no_previous'>
```




```
[8]: sns.scatterplot(x="alcohol",y="not_distracted",data=df)
      #inference
      # people who drunk less alochol they are less not_distracted
```

```
[8]: <Axes: xlabel='alcohol', ylabel='not_distracted'>
```




```
[10]: sns.scatterplot(x="total",y="alcohol",data=df)
      #inference
      # alcohol content increases crashes also increases
```

```
[10]: <Axes: xlabel='total', ylabel='alcohol'>
```



```
[14]: sns.scatterplot(x='ins_premium',y='ins_losses',data=df)  
      # people who paid less insurance got less loss
```

```
[14]: <Axes: xlabel='ins_premium', ylabel='ins_losses'>
```





```
[19]: sns.barplot(data=x,x="speeding",y="alcohol",ci=None)
# Inference
most of the drivers who drank more alcohol have droven with more speed
```

C:\Users\hp\AppData\Local\Temp\ipykernel_4456\1777853704.py:1: FutureWarning:
The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

```
sns.barplot(data=x,x="speeding",y="alcohol",ci=None)
```

```
[19]: <Axes: xlabel='speeding', ylabel='alcohol'>
```




```
[16]: sns.barplot(data=x,x="speeding",y="not_distracted",ci=None)
      # inference
      # the persons who are driving with less speed are not distracted
```

C:\Users\hp\AppData\Local\Temp\ipykernel_4456\1143020830.py:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

```
sns.barplot(data=x,x="speeding",y="not_distracted",ci=None)
```

```
[16]: <Axes: xlabel='speeding', ylabel='not_distracted'>
```




```
[17]: sns.barplot(data=x,x="total",y="alcohol",ci=None)
      #Inference
      # no of accidents increases as drinking more alcohol
```

C:\Users\hp\AppData\Local\Temp\ipykernel_4456\2713533087.py:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

```
sns.barplot(data=x,x="total",y="alcohol",ci=None)
```

```
[17]: <Axes: xlabel='total', ylabel='alcohol'>
```




```
[22]: sns.barplot(data=df,x="not_distracted",y="total",ci=None)
```


C:\Users\hp\AppData\Local\Temp\ipykernel_4456\3023431553.py:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

```
sns.barplot(data=df,x="not_distracted",y="total",ci=None)
```

```
[22]: <Axes: xlabel='not_distracted', ylabel='total'>
```






```
[14]: sns.lineplot(x='alcohol',y='total',data=df,ci=None)
      # as the alcohol consumption increases total crashes also increases
```

C:\Users\hp\AppData\Local\Temp\ipykernel_2372\2372459405.py:1: FutureWarning:
The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

```
sns.lineplot(x='alcohol',y='total',data=df,ci=None)
```

```
[14]: <Axes: xlabel='alcohol', ylabel='total'>
```




```
[47]: sns.lineplot(x='alcohol',y='not_distracted',data=df,ci=None)
```

C:\Users\hp\AppData\Local\Temp\ipykernel_4456\3085692794.py:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

```
sns.lineplot(x='alcohol',y='not_distracted',data=df,ci=None)
```

```
[47]: <Axes: xlabel='alcohol', ylabel='not_distracted'>
```




```
[20]: sns.lineplot(x='no_previous',y='total',data=df,ci=None)
```

C:\Users\hp\AppData\Local\Temp\ipykernel_4456\1903628411.py:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

```
sns.lineplot(x='no_previous',y='total',data=df,ci=None)
```

```
[20]: <Axes: xlabel='no_previous', ylabel='total'>
```





```
[15]: sns.lineplot(x='speeding',y='total',data=df,ci=None)
      # In most of the cases as the speed increases total crashes also increases
```

C:\Users\hp\AppData\Local\Temp\ipykernel_2372\2174020548.py:1: FutureWarning:
The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

```
sns.lineplot(x='speeding',y='total',data=df,ci=None)
```

```
[15]: <Axes: xlabel='speeding', ylabel='total'>
```




```
[41]: sns.lineplot(x='no_previous',y='alcohol',data=df,ci=None)
      # the person with no previous drank more alcohol
```

C:\Users\hp\AppData\Local\Temp\ipykernel_4456\3484007986.py:1: FutureWarning:
The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

```
sns.lineplot(x='no_previous',y='alcohol',data=df,ci=None)
```

```
[41]: <Axes: xlabel='no_previous', ylabel='alcohol'>
```



```
[16]: sns.distplot(df["total"])
```

C:\Users\hp\AppData\Local\Temp\ipykernel_2372\1102674835.py:1: UserWarning:


`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot(df["total"])
```

```
[16]: <Axes: xlabel='total', ylabel='Density'>
```



```
[40]: sns.distplot(df["no_previous"])
```

C:\Users\hp\AppData\Local\Temp\ipykernel_4456\1806622040.py:1: UserWarning:


`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>


```
sns.distplot(df["no_previous"])
```

```
[40]: <Axes: xlabel='no_previous', ylabel='Density'>
```




```
[17]: sns.relplot(x='alcohol',y='total',data=df,hue="speeding")  
      # As alcohol consumption increases total crashes also increases
```

```
[17]: <seaborn.axisgrid.FacetGrid at 0x1bb520b0490>
```




```
[45]: sns.relplot(x='total',y='no_previous',data=df)
```

```
[45]: <seaborn.axisgrid.FacetGrid at 0x2d41ca32c90>
```




```
[25]: sns.relplot(x='total',y='not_distracted',data=df,hue="speeding")
```

```
[25]: <seaborn.axisgrid.FacetGrid at 0x2d40f89a690>
```




```
[26]: sns.relplot(x='ins_premium',y='ins_losses',data=df)
      #people who paid less insurance they faced more loss
```

```
[26]: <seaborn.axisgrid.FacetGrid at 0x2d40fb56990>
```


```
[35]: sns.relplot(x='no_previous',y='total',data=df)
```

```
[35]: <seaborn.axisgrid.FacetGrid at 0x2d412865050>
```



```
[42]: sns.relplot(x='speeding',y='total',data=df)  
      # people who speed
```

```
[42]: <seaborn.axisgrid.FacetGrid at 0x2d411a82750>
```




6.014	1
4.095	1
7.760	1
4.859	1
4.080	1
2.413	1
4.452	1
8.092	1
1.937	1
6.923	1
7.421	1
2.640	1
6.510	1
4.032	1
4.200	1
5.032	1
6.156	1
2.006	1
3.759	1
2.964	1
9.450	1
5.508	1
4.608	1
3.625	1
2.669	1
4.806	1
4.066	1
7.175	1
5.738	1
4.250	1
1.886	1
3.384	1
2.208	1
7.308	1

Name: speeding, dtype: int64


```
[39]: sns.barplot(data=df,x='not_distracted',y='total')
```

```
[39]: <Axes: xlabel='not_distracted', ylabel='total'>
```


```
[36]: sns.jointplot(x="alcohol",y="total",data=df)
      # with increase in alcohol consumption crashes also increased
```

```
[36]: <seaborn.axisgrid.JointGrid at 0x1bb0a0123d0>
```




```
[29]: sns.jointplot(x="no_previous",y="not_distracted",data=df)  
      # as no_previous increases not distracted also increases in most of the cases
```

```
[29]: <seaborn.axisgrid.JointGrid at 0x2d4101371d0>
```




```
[32]: sns.boxplot(x="alcohol",y="speeding",data=df)
      # people who drank more alcohol have driven with more speed
```

```
[32]: <Axes: xlabel='alcohol', ylabel='speeding'>
```


```
[33]: sns.boxplot(x="alcohol",y="no_previous",data=df)
```

```
[33]: <Axes: xlabel='alcohol', ylabel='no_previous'>
```



```
[34]: sns.boxplot(x="not_distracted",y="total",data=df)
```

```
[34]: <Axes: xlabel='not_distracted', ylabel='total'>
```



```
[29]: corr = df.corr()
      corr
```

C:\Users\hp\AppData\Local\Temp\ipykernel_2372\3311646455.py:1: FutureWarning: The default value of numeric_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric_only to silence this warning.

```
corr = df.corr()
```

```
[29]:
```

	total	speeding	alcohol	not_distracted	no_previous \
total	1.000000	0.611548	0.852613	0.827560	0.956179
speeding	0.611548	1.000000	0.669719	0.588010	0.571976
alcohol	0.852613	0.669719	1.000000	0.732816	0.783520
not_distracted	0.827560	0.588010	0.732816	1.000000	0.747307
no_previous	0.956179	0.571976	0.783520	0.747307	1.000000
ins_premium	-0.199702	-0.077675	-0.170612	-0.174856	-0.156895
ins_losses	-0.036011	-0.065928	-0.112547	-0.075970	-0.006359

	ins_premium	ins_losses
total	-0.199702	-0.036011
speeding	-0.077675	-0.065928

alcohol	-0.170612	-0.112547
not_distracted	-0.174856	-0.075970
no_previous	-0.156895	-0.006359
ins_premium	1.000000	0.623116
ins_losses	0.623116	1.000000

```
[39]: sns.heatmap(corr,annot=True)
```

[39]: <Axes: >

