NumPy Exercises

Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions.

```
In [22]:
         #Name: KASIREDDY BHOOMIKA
          #Reg:21BCE9255
In [1]: #Import NumPy as np
          import numpy as np
         #Create an array of 10 zeros
 In [2]:
         z1=np.zeros(10)
         array([0., 0., 0., 0., 0., 0., 0., 0., 0.])
Out[2]:
 In [3]: #Create an array of 10 ones
         z=np.ones(10)
         array([1., 1., 1., 1., 1., 1., 1., 1., 1.])
 Out[3]:
 In [4]: #Create an array of 10 fives
         z3=np.full(10,5.0)
         array([5., 5., 5., 5., 5., 5., 5., 5., 5.])
Out[4]:
 In [5]: #Create an array of the integers from 10 to 50
         a=np.arange(10,51)
         a
         array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26,
 Out[5]:
                 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43,
                 44, 45, 46, 47, 48, 49, 50])
 In [6]:
         #Create an array of all the even integers from 10 to 50
          \mathbf{I}_{-}\mathbf{I}_{-}\mathbf{I}_{-}
          el=[]
          for i in a:
          if i%2==0:
          el.append(i)
          el_arr=np.array(el)
          el_arr
         ev_arr=np.arange(10,51,2)
          ev_arr
         array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42,
Out[6]:
                 44, 46, 48, 50])
 In [7]: #Create a 3x3 matrix with values ranging from 0 to 8
          a1=np.array([[0,1,2,],[3,4,5],[6,7,8]])
          a1
```

```
array([[0, 1, 2],
 Out[7]:
                [3, 4, 5],
                [6, 7, 8]])
 In [8]: #Create a 3x3 identity matrix
         a2=np.eye(3)
         array([[1., 0., 0.],
 Out[8]:
                [0., 1., 0.],
                [0., 0., 1.]]
         #Use NumPy to generate a random number between 0 and 1
In [9]:
         ran_num=np.random.rand()
         ran_num
         0.9621256580906523
Out[9]:
In [10]: #Use NumPy to generate an array of 25 random numbers sampled from a standard normal dist
         a=np.random.randn(25)
         array([-1.00754705, 0.69974142, 0.13783971, -0.63038021, 0.44932976,
Out[10]:
                 0.57306296, 0.16062692, -0.14229685, 2.27600696, -1.15276241,
                -0.95224677, -0.64825663, 0.24148952, -1.36903583, -0.45456739,
                 1.19258485, -0.38634096, -0.01952593, 0.74439001, -0.80371358,
                -1.40738065, -0.09568454, -0.87313468, 0.13761169, 0.29255129])
In [11]: #Create the following matrix:
         ar=np.arange(0.01, 1.0, 0.01)
         array([0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1 , 0.11,
Out[11]:
                0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18, 0.19, 0.2 , 0.21, 0.22,
                0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3, 0.31, 0.32, 0.33,
                0.34, 0.35, 0.36, 0.37, 0.38, 0.39, 0.4, 0.41, 0.42, 0.43, 0.44,
                0.45,\ 0.46,\ 0.47,\ 0.48,\ 0.49,\ 0.5\ ,\ 0.51,\ 0.52,\ 0.53,\ 0.54,\ 0.55,
                0.56, 0.57, 0.58, 0.59, 0.6 , 0.61, 0.62, 0.63, 0.64, 0.65, 0.66,
                0.67, 0.68, 0.69, 0.7, 0.71, 0.72, 0.73, 0.74, 0.75, 0.76, 0.77,
                0.78, 0.79, 0.8, 0.81, 0.82, 0.83, 0.84, 0.85, 0.86, 0.87, 0.88,
                0.89, 0.9, 0.91, 0.92, 0.93, 0.94, 0.95, 0.96, 0.97, 0.98, 0.99])
In [12]: #Create an array of 20 linearly spaced points between 0 and 1:
         la=np.linspace(0,1,20)
                          , 0.05263158, 0.10526316, 0.15789474, 0.21052632,
         array([0.
Out[12]:
                0.26315789, 0.31578947, 0.36842105, 0.42105263, 0.47368421,
                0.52631579, 0.57894737, 0.63157895, 0.68421053, 0.73684211,
                0.78947368, 0.84210526, 0.89473684, 0.94736842, 1.
```

Numpy Indexing and Selection

Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:

```
In [23]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
         # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
         # BE ABLE TO SEE THE OUTPUT ANY MORE
In [14]: mat[2:6,1:6]
         array([[12, 13, 14, 15],
Out[14]:
                [17, 18, 19, 20],
                [22, 23, 24, 25]])
In [24]:
         # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
         # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
         # BE ABLE TO SEE THE OUTPUT ANY MORE
In [15]: mat[3:4,4:6]
         array([[20]])
Out[15]:
In [25]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
         # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
         # BE ABLE TO SEE THE OUTPUT ANY MORE
In [16]: mat[0:3,1:2]
         array([[ 2],
Out[16]:
                [7],
                [12]])
In [26]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
         # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
         # BE ABLE TO SEE THE OUTPUT ANY MORE
In [17]: mat[4:6,0:6]
         array([[21, 22, 23, 24, 25]])
Out[17]:
In [27]: # WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
         # BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
         # BE ABLE TO SEE THE OUTPUT ANY MORE
In [18]: mat[3:6,0:6]
         array([[16, 17, 18, 19, 20],
Out[18]:
                [21, 22, 23, 24, 25]])
         #Get the sum of all the values in mat
In [19]:
         sum1=np.sum(mat)
         sum1
         325
Out[19]:
In [20]:
         #Get the standard deviation of the values in mat
         sd=np.std(mat)
         7.211102550927978
Out[20]:
         #Get the sum of all the columns in mat
In [21]:
         col_sum=np.sum(mat,axis=0)
         col_sum
```

Loading [MathJax]/extensions/Safe.js

Out[21]: array([55, 60, 65, 70, 75])