assignment2-21bce8389-vitap

September 13, 2023

Name: SHAIK ARSHAD

REG NO: 21BCE8389

CAMPUS: VIT-AP

[2]:
```
import seaborn as sns
print(sns.get_dataset_names())
```

```
['anagrams', 'anscombe', 'attention', 'brain_networks', 'car_crashes',
'diamonds', 'dots', 'dowjones', 'exercise', 'flights', 'fmri', 'geyser', 'glue',
'healthexp', 'iris', 'mpg', 'penguins', 'planets', 'seaice', 'taxis', 'tips',
'titanic']
```

[3]:
```
df = sns.load_dataset('car_crashes')
df
```

[3]:

	total	speeding	alcohol	not_distracted	no_previous	ins_premium	\
0	18.8	7.332	5.640	18.048	15.040	784.55	
1	18.1	7.421	4.525	16.290	17.014	1053.48	
2	18.6	6.510	5.208	15.624	17.856	899.47	
3	22.4	4.032	5.824	21.056	21.280	827.34	
4	12.0	4.200	3.360	10.920	10.680	878.41	
5	13.6	5.032	3.808	10.744	12.920	835.50	
6	10.8	4.968	3.888	9.396	8.856	1068.73	
7	16.2	6.156	4.860	14.094	16.038	1137.87	
8	5.9	2.006	1.593	5.900	5.900	1273.89	
9	17.9	3.759	5.191	16.468	16.826	1160.13	
10	15.6	2.964	3.900	14.820	14.508	913.15	
11	17.5	9.450	7.175	14.350	15.225	861.18	
12	15.3	5.508	4.437	13.005	14.994	641.96	
13	12.8	4.608	4.352	12.032	12.288	803.11	
14	14.5	3.625	4.205	13.775	13.775	710.46	
15	15.7	2.669	3.925	15.229	13.659	649.06	
16	17.8	4.806	4.272	13.706	15.130	780.45	
17	21.4	4.066	4.922	16.692	16.264	872.51	
18	20.5	7.175	6.765	14.965	20.090	1281.55	
19	15.1	5.738	4.530	13.137	12.684	661.88	
20	12.5	4.250	4.000	8.875	12.375	1048.78	

21	8.2	1.886	2.870	7.134	6.560	1011.14
22	14.1	3.384	3.948	13.395	10.857	1110.61
23	9.6	2.208	2.784	8.448	8.448	777.18
24	17.6	2.640	5.456	1.760	17.600	896.07
25	16.1	6.923	5.474	14.812	13.524	790.32
26	21.4	8.346	9.416	17.976	18.190	816.21
27	14.9	1.937	5.215	13.857	13.410	732.28
28	14.7	5.439	4.704	13.965	14.553	1029.87
29	11.6	4.060	3.480	10.092	9.628	746.54
30	11.2	1.792	3.136	9.632	8.736	1301.52
31	18.4	3.496	4.968	12.328	18.032	869.85
32	12.3	3.936	3.567	10.824	9.840	1234.31
33	16.8	6.552	5.208	15.792	13.608	708.24
34	23.9	5.497	10.038	23.661	20.554	688.75
35	14.1	3.948	4.794	13.959	11.562	697.73
36	19.9	6.368	5.771	18.308	18.706	881.51
37	12.8	4.224	3.328	8.576	11.520	804.71
38	18.2	9.100	5.642	17.472	16.016	905.99
39	11.1	3.774	4.218	10.212	8.769	1148.99
40	23.9	9.082	9.799	22.944	19.359	858.97
41	19.4	6.014	6.402	19.012	16.684	669.31
42	19.5	4.095	5.655	15.990	15.795	767.91
43	19.4	7.760	7.372	17.654	16.878	1004.75
44	11.3	4.859	1.808	9.944	10.848	809.38
45	13.6	4.080	4.080	13.056	12.920	716.20
46	12.7	2.413	3.429	11.049	11.176	768.95
47	10.6	4.452	3.498	8.692	9.116	890.03
48	23.8	8.092	6.664	23.086	20.706	992.61
49	13.8	4.968	4.554	5.382	11.592	670.31
50	17.4	7.308	5.568	14.094	15.660	791.14

	ins_losses	abbrev
0	145.08	AL
1	133.93	AK
2	110.35	AZ
3	142.39	AR
4	165.63	CA
5	139.91	CO
6	167.02	CT
7	151.48	DE
8	136.05	DC
9	144.18	FL
10	142.80	GA
11	120.92	HI
12	82.75	ID
13	139.15	IL
14	108.92	IN

```
15      114.47     IA
16      133.80     KS
17      137.13     KY
18      194.78     LA
19       96.57     ME
20      192.70     MD
21      135.63     MA
22      152.26     MI
23      133.35     MN
24      155.77     MS
25      144.45     MO
26       85.15     MT
27      114.82     NE
28      138.71     NV
29      120.21     NH
30      159.85     NJ
31      120.75     NM
32      150.01     NY
33      127.82     NC
34      109.72     ND
35      133.52     OH
36      178.86     OK
37      104.61     OR
38      153.86     PA
39      148.58     RI
40      116.29     SC
41       96.87     SD
42      155.57     TN
43      156.83     TX
44      109.48     UT
45      109.61     VT
46      153.72     VA
47      111.62     WA
48      152.56     WV
49      106.62     WI
50      122.04     WY
```

[4]:
```
x = df.head(5)
x
```

[4]:

	total	speeding	alcohol	not_distracted	no_previous	ins_premium	\
0	18.8	7.332	5.640	18.048	15.040	784.55	
1	18.1	7.421	4.525	16.290	17.014	1053.48	
2	18.6	6.510	5.208	15.624	17.856	899.47	
3	22.4	4.032	5.824	21.056	21.280	827.34	
4	12.0	4.200	3.360	10.920	10.680	878.41	

```
   ins_losses abbrev
0      145.08     AL
1      133.93     AK
2      110.35     AZ
3      142.39     AR
4      165.63     CA
```

[8]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 51 entries, 0 to 50
Data columns (total 8 columns):
 #   Column          Non-Null Count  Dtype  
---  ------          --------------  -----  
 0   total           51 non-null     float64
 1   speeding        51 non-null     float64
 2   alcohol         51 non-null     float64
 3   not_distracted  51 non-null     float64
 4   no_previous     51 non-null     float64
 5   ins_premium     51 non-null     float64
 6   ins_losses      51 non-null     float64
 7   abbrev          51 non-null     object 
dtypes: float64(7), object(1)
memory usage: 3.3+ KB
```

[9]:
```
sns.scatterplot(x="speeding",y="alcohol",data=df)
# inference
#most of the drivers who drunk more alcohol have droven with more speed
```

[9]:
```
<Axes: xlabel='speeding', ylabel='alcohol'>
```



[10]:
```
sns.scatterplot(x="total",y="no_previous",data=df)
# the given plot shows thge relation between no previous and total
```

[10]: <Axes: xlabel='total', ylabel='no_previous'>



[11]:
```
sns.scatterplot(x="alcohol",y="not_distracted",data=df)
#inference
# people who drunk less alochol they are less not_distracted
```

[11]: <Axes: xlabel='alcohol', ylabel='not_distracted'>



[12]:
```
sns.scatterplot(x="total",y="alcohol",data=df)
#inference
# alocohol content increases crashes also increases
```

[12]: <Axes: xlabel='total', ylabel='alcohol'>



[13]:
```
sns.scatterplot(x='ins_premium',y='ins_losses',data=df)
# people who paid less insurance got less loss
```

[13]: <Axes: xlabel='ins_premium', ylabel='ins_losses'>



[15]:
```
sns.barplot(data=x,x="speeding",y="alcohol",ci=None)
# Inference
#most of the drivers who drank more alcohol have droven with more speed
```

```
<ipython-input-15-9d8cd8d2c5e1>:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

  sns.barplot(data=x,x="speeding",y="alcohol",ci=None)
```

[15]: `<Axes: xlabel='speeding', ylabel='alcohol'>`



[16]:
```
sns.barplot(data=x,x="speeding",y="not_distracted",ci=None)
# inference
# the persons who are driving with less speed are not distracted
```

```
<ipython-input-16-3a04b59c0859>:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

  sns.barplot(data=x,x="speeding",y="not_distracted",ci=None)
```

[16]:
```
<Axes: xlabel='speeding', ylabel='not_distracted'>
```



[17]:
```
sns.barplot(data=x,x="total",y="alcohol",ci=None)
#Inference
# no of accidents increases as drinking more alcohol
```

```
<ipython-input-17-6a7f3e3a26cb>:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

  sns.barplot(data=x,x="total",y="alcohol",ci=None)
```

[17]:
```
<Axes: xlabel='total', ylabel='alcohol'>
```



[18]:
```
sns.barplot(data=df,x="not_distracted",y="total",ci=None)
```

```
<ipython-input-18-e8e59c8a046e>:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

  sns.barplot(data=df,x="not_distracted",y="total",ci=None)
```

[18]:
```
<Axes: xlabel='not_distracted', ylabel='total'>
```



[19]:
```
sns.barplot(data=x,x="speeding",y="total",ci=None)
```

```
<ipython-input-19-fac4d6802682>:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

  sns.barplot(data=x,x="speeding",y="total",ci=None)
```

[19]:
```
<Axes: xlabel='speeding', ylabel='total'>
```



[20]:
```
sns.lineplot(x='alcohol',y='total',data=df,ci=None)
# as the alcohol consumption increases total crashes also increases
```

```
<ipython-input-20-aceaca009d63>:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

  sns.lineplot(x='alcohol',y='total',data=df,ci=None)
```

[20]:
```
<Axes: xlabel='alcohol', ylabel='total'>
```



[21]:
```
sns.lineplot(x='alcohol',y='not_distracted',data=df,ci=None)
```

```
<ipython-input-21-1db2e6e93e9c>:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

  sns.lineplot(x='alcohol',y='not_distracted',data=df,ci=None)
```

[21]:
```
<Axes: xlabel='alcohol', ylabel='not_distracted'>
```



[22]:
```
sns.lineplot(x='no_previous',y='total',data=df,ci=None)
```

```
<ipython-input-22-d123944bfd1e>:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

  sns.lineplot(x='no_previous',y='total',data=df,ci=None)
```

[22]:
```
<Axes: xlabel='no_previous', ylabel='total'>
```



[23]:
```
sns.lineplot(x='speeding',y='total',data=df,ci=None)
# In most of the cases as the speed increases total crashes also increases
```

```
<ipython-input-23-97ceff2d0735>:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

  sns.lineplot(x='speeding',y='total',data=df,ci=None)
```

[23]:
```
<Axes: xlabel='speeding', ylabel='total'>
```



[24]:
```
sns.lineplot(x='no_previous',y='alcohol',data=df,ci=None)
# the person with no previous drank more alcohol
```

```
<ipython-input-24-6bb34d5c9ef6>:1: FutureWarning:

The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

  sns.lineplot(x='no_previous',y='alcohol',data=df,ci=None)
```

[24]: `<Axes: xlabel='no_previous', ylabel='alcohol'>`



[25]:
```
sns.distplot(df["total"])
```

```
<ipython-input-25-0d5ead9bfd1a>:1: UserWarning:

`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with
similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see
https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751

  sns.distplot(df["total"])
```

[25]: `<Axes: xlabel='total', ylabel='Density'>`



[26]:
```
sns.distplot(df["no_previous"])
```

```
<ipython-input-26-f4c3808e7f5a>:1: UserWarning:

`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with
similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see
https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751

  sns.distplot(df["no_previous"])
```

[26]: <Axes: xlabel='no_previous', ylabel='Density'>



[27]:
```
sns.relplot(x='alcohol',y='total',data=df,hue="speeding")
# As alcohol consumption increases total crashes also increases
```

[27]: <seaborn.axisgrid.FacetGrid at 0x7bef51dac730>



[28]:
```
sns.relplot(x='total',y='no_previous',data=df)
```

[28]: <seaborn.axisgrid.FacetGrid at 0x7bef51b62920>



[29]:
```
sns.relplot(x='total',y='not_distracted',data=df,hue="speeding")
```

[29]: <seaborn.axisgrid.FacetGrid at 0x7bef4f5c7040>



[30]:
```
sns.relplot(x='ins_premium',y='ins_losses',data=df)
#people who paid less insurance they faced more loss
```

[30]: <seaborn.axisgrid.FacetGrid at 0x7bef51defa30>



[31]:
```
sns.relplot(x='no_previous',y='total',data=df)
```

[31]: <seaborn.axisgrid.FacetGrid at 0x7bef4f4c3730>



[32]:
```
sns.relplot(x='speeding',y='total',data=df)
# people who speed
```

[32]: <seaborn.axisgrid.FacetGrid at 0x7bef4f4e1000>



[33]:
```
df["speeding"].value_counts()
```

[33]:
```
4.968    2
7.332    1
9.100    1
5.439    1
4.060    1
1.792    1
3.496    1
3.936    1
6.552    1
5.497    1
3.948    1
6.368    1
4.224    1
3.774    1
8.346    1
9.082    1
```

```
6.014    1
4.095    1
7.760    1
4.859    1
4.080    1
2.413    1
4.452    1
8.092    1
1.937    1
6.923    1
7.421    1
2.640    1
6.510    1
4.032    1
4.200    1
5.032    1
6.156    1
2.006    1
3.759    1
2.964    1
9.450    1
5.508    1
4.608    1
3.625    1
2.669    1
4.806    1
4.066    1
7.175    1
5.738    1
4.250    1
1.886    1
3.384    1
2.208    1
7.308    1
Name: speeding, dtype: int64
```

[34]:
```
sns.barplot(data=df,x='not_distracted',y='total')
```

[34]:
```
<Axes: xlabel='not_distracted', ylabel='total'>
```



[35]:
```
sns.jointplot(x="alcohol",y="not_distracted",data=df)
# people who consumed more alcohol at 10 they are not_distracted
```

[35]: <seaborn.axisgrid.JointGrid at 0x7bef4f3ac520>



[36]:
```
sns.jointplot(x="alcohol",y="total",data=df)
# with increase in alcohol consumption crashes also increased
```

[36]: <seaborn.axisgrid.JointGrid at 0x7bef4f4102b0>



[37]:
```
sns.jointplot(x="no_previous",y="not_distracted",data=df)
# as n0_previous increases not distracted also increases in most of the cases
```

[37]: <seaborn.axisgrid.JointGrid at 0x7bef4ed05a20>



[38]:
```
sns.boxplot(x="alcohol",y="speeding",data=df)
# people who drank more alcohol have droven with more speed
```

[38]:
```
<Axes: xlabel='alcohol', ylabel='speeding'>
```



[39]:
```
sns.boxplot(x="alcohol",y="no_previous",data=df)
```

[39]:
```
<Axes: xlabel='alcohol', ylabel='no_previous'>
```



[40]:
```
sns.boxplot(x="not_distracted",y="total",data=df)
```

[40]:
```
<Axes: xlabel='not_distracted', ylabel='total'>
```



[41]:
```
corr = df.corr()
corr
```

```
<ipython-input-41-4381f08f6434>:1: FutureWarning: The default value of
numeric_only in DataFrame.corr is deprecated. In a future version, it will
default to False. Select only valid columns or specify the value of numeric_only
to silence this warning.
  corr = df.corr()
```

[41]:

	total	speeding	alcohol	not_distracted	no_previous	\
total	1.000000	0.611548	0.852613	0.827560	0.956179	
speeding	0.611548	1.000000	0.669719	0.588010	0.571976	
alcohol	0.852613	0.669719	1.000000	0.732816	0.783520	
not_distracted	0.827560	0.588010	0.732816	1.000000	0.747307	
no_previous	0.956179	0.571976	0.783520	0.747307	1.000000	
ins_premium	-0.199702	-0.077675	-0.170612	-0.174856	-0.156895	
ins_losses	-0.036011	-0.065928	-0.112547	-0.075970	-0.006359	

	ins_premium	ins_losses
total	-0.199702	-0.036011
speeding	-0.077675	-0.065928

```
alcohol           -0.170612   -0.112547
not_distracted    -0.174856   -0.075970
no_previous       -0.156895   -0.006359
ins_premium        1.000000    0.623116
ins_losses         0.623116    1.000000
```

[42]:
```
sns.heatmap(corr,annot=True)
```

[42]:
```
<Axes: >
```