In [ ]:
```
Name: B.Charmi Priya
Regno: 21BCE7830
Date: 15th septmber, 2023
```

1.Import the Libraries

In [1]:
```python
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

2.Importing the dataset

In [2]:
```python
data=pd.read_csv("Titanic-Dataset.csv")
```

In [4]:
```python
data.head()
```

Out[4]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	C
0	1	0	3	Braund, Mr. Cwen Harris	male	22.0	1	0	A/5 21171	7.2500	
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	

In [5]: `data.tail()`

Out[5]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	13.00	NaN
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	30.00	B42
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.45	NaN
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	30.00	C148
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	7.75	NaN

In [6]: `data.info()`

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 12 columns):
 #   Column       Non-Null Count  Dtype
---  ------       --------------  -----
 0   PassengerId  891 non-null    int64
 1   Survived     891 non-null    int64
 2   Pclass       891 non-null    int64
 3   Name         891 non-null    object
 4   Sex          891 non-null    object
 5   Age          714 non-null    float64
 6   SibSp        891 non-null    int64
 7   Parch        891 non-null    int64
 8   Ticket       891 non-null    object
 9   Fare         891 non-null    float64
 10  Cabin        204 non-null    object
 11  Embarked     889 non-null    object
dtypes: float64(2), int64(5), object(5)
memory usage: 83.7+ KB
```

In [8]: `data.describe()`

Out[8]:

	PassengerId	Survived	Pclass	Age	SibSp	Parch	Fare
count	891.000000	891.000000	891.000000	714.000000	891.000000	891.000000	891.000000
mean	446.000000	0.383838	2.308642	29.699118	0.523008	0.381594	32.204208
std	257.353842	0.486592	0.836071	14.526497	1.102743	0.806057	49.693429
min	1.000000	0.000000	1.000000	0.420000	0.000000	0.000000	0.000000
25%	223.500000	0.000000	2.000000	20.125000	0.000000	0.000000	7.910400
50%	446.000000	0.000000	3.000000	28.000000	0.000000	0.000000	14.454200
75%	668.500000	1.000000	3.000000	38.000000	1.000000	0.000000	31.000000
max	891.000000	1.000000	3.000000	80.000000	8.000000	6.000000	512.329200

3. Checking for Null Values

In [9]: `data.isnull().any()`

Out[9]:
```
PassengerId    False
Survived       False
Pclass         False
Name           False
Sex            False
Age             True
SibSp          False
Parch          False
Ticket         False
Fare           False
Cabin           True
Embarked        True
dtype: bool
```

In [10]: `data.isnull().sum()`

Out[10]:
```
PassengerId      0
Survived         0
Pclass           0
Name             0
Sex              0
Age            177
SibSp            0
Parch            0
Ticket           0
Fare             0
Cabin          687
Embarked         2
dtype: int64
```

In [11]: `mean=data["Age"].mean()`

```
In [12]: data["Age"]=data["Age"].fillna(mean)
```

```
In [13]: data["Age"].tail()
```

```
Out[13]: 886    27.000000
         887    19.000000
         888    29.699118
         889    26.000000
         890    32.000000
         Name: Age, dtype: float64
```

```
In [14]: data["Age"].isnull().sum()
```

```
Out[14]: 0
```

Filling the null values in embarked with mode

```
In [15]: Em_mode=data["Embarked"].mode()
```

```
In [16]: data["Embarked"]=data["Embarked"].fillna(Em_mode[0])
```

```
In [17]: data["Embarked"].isnull().sum()
```

```
Out[17]: 0
```

Filling the null values in cabin with mode

```
In [18]: Cabin_mode=data["Cabin"].mode()
```

```
In [19]: data["Cabin"]
```

```
Out[19]: 0        NaN
         1        C85
         2        NaN
         3        C123
         4        NaN

         886      NaN
         887      B42
         888      NaN
         889      C148
         890      NaN
         Name: Cabin, Length: 891, dtype: object
```

In [20]: ```python
Cabin_mode
```

Out[20]: 
```
0   B96 B98
1   C23 C25 C27
2   G6
Name: Cabin, dtype: object
```

In [21]: ```python
data["Cabin"]=data["Cabin"].fillna(Cabin_mode[2])
```

In [22]: ```python
data["Cabin"].isnull().sum()
```

Out[22]: 0

In [23]: ```python
data["Cabin"]
```

Out[23]:
```
0          G6
1         C85
2          G6
3        C123
4          G6

886        G6
887       B42
888        G6
889      C148
890        G6
Name: Cabin, Length: 891, dtype: object
```

In [24]: ```python
data.isnull().sum()
```

Out[24]: 
```
PassengerId   0
Survived   0
Pclass   0
Name   0
Sex   0
Age   0
SibSp   0
Parch   0
Ticket   0
Fare   0
Cabin   0
Embarked   0
dtype: int64
```

## Data Visualization

In [25]: `corr=data.corr()`

```
C:\Users\Prasanth Nimmala\AppData\Local\Temp\ipykernel_14212\2057684327.py:1:
FutureWarning: The default value of numeric_only in DataFrame.corr is depreca
ted. In a future version, it will default to False. Select only valid columns
or specify the value of numeric_only to silence this warning.
  corr=data.corr()
```

In [26]: `sns.heatmap(corr,annot=True)`

Out[26]: `<Axes: >`

4.Outlier Detection

Outlier detection for age

In [27]:
```python
sns.boxplot(data["Age"])
```

Out[27]: <Axes: >

In [28]:
```python
Age_q1=data.Age.quantile(0.25)
Age_q2=data.Age.quantile(0.75)
print(Age_q1)
print(Age_q2)
```

```
22.0
35.0
```

In [29]:
```python
IQR_Age=Age_q2-Age_q1
IQR_Age
```

Out[29]: 13.0

In [31]:
```python
upperlimit_Age=Age_q2+1.5*IQR_Age
upperlimit_Age
```

Out[31]: 54.5

In [32]:
```python
lowerlimit_Age=Age_q1-1.5*IQR_Age
lowerlimit_Age
```

Out[32]: 2.5

```
In [33]: medium_Age=data["Age"].median()
         medium_Age
```

Out[33]: 29.69911764705882

```
In [34]: data["Age"]=np.where(data["Age"]>upperlimit_Age,medium_Age,data["Age"])
```

```
In [36]: (data["Age"]>54.5).sum()
```

Out[36]: 0

```
In [37]: sns.boxplot(data["Age"])
```

Out[37]: <Axes: >


```
In [38]: data["Age"]=np.where(data["Age"]<lowerlimit_Age,medium_Age,data["Age"])
```

In [39]: `sns.boxplot(data["Age"])`

Out[39]: <Axes: >

Outlier detection for fare

In [40]:
```python
sns.boxplot(data["Fare"])
```

Out[40]: <Axes: >

In [41]:
```python
Fare_q1 = data.Fare.quantile(0.25)
Fare_q2 = data.Fare.quantile(0.75)
print(Fare_q1)
print(Fare_q2)
```

```
7.9104
31.0
```

In [42]:
```python
IQR_Fare=Fare_q2-Fare_q1
IQR_Fare
```

Out[42]: 23.0896

In [43]:
```python
upperlimit_Fare=Fare_q2+1.5*IQR_Fare
upperlimit_Fare
```

Out[43]: 65.6344

In [44]:
```python
lower_limit_Fare = Fare_q1-1.5*IQR_Fare
lower_limit_Fare
```

Out[44]: -26.724

```
In [45]: median_Fare=data["Fare"].median()
         median_Fare
```

Out[45]: 14.4542

```
In [46]: data['Fare'] = np.where(
          (data['Fare'] > upperlimit_Fare),
          median_Fare,
          data['Fare']
         )
```

```
In [47]: sns.boxplot(data["Fare"])
```

Out[47]: <Axes: >


```
In [48]: (data["Fare"]>65).sum()
```

Out[48]: 0

Droping the variables

```
In [49]: data.drop(['Name'],axis=1,inplace=True)
```

In [50]:
```
data
```

Out[50]:

	PassengerId	Survived	Pclass	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin
0	1	0	3	male	22.000000	1	0	A/5 21171	7.2500	G6
1	2	1	1	female	38.000000	1	0	PC 17599	14.4542	C85
2	3	1	3	female	26.000000	0	0	STON/O2. 3101282	7.9250	G6
3	4	1	1	female	35.000000	1	0	113803	53.1000	C123
4	5	0	3	male	35.000000	0	0	373450	8.0500	G6
...	...	...	...	...	...	...	...	...	...	...
886	887	0	2	male	27.000000	0	0	211536	13.0000	G6
887	888	1	1	female	19.000000	0	0	112053	30.0000	B42
888	889	0	3	female	29.699118	1	2	W./C. 6607	23.4500	G6
889	890	1	1	male	26.000000	0	0	111369	30.0000	C148
890	891	0	3	male	32.000000	0	0	370376	7.7500	G6

891 rows × 11 columns

In [51]:
```
data.drop(['Ticket'],axis=1,inplace=True)
```

In [52]:
```
data
```

Out[52]:

	PassengerId	Survived	Pclass	Sex	Age	SibSp	Parch	Fare	Cabin	Embarked
0	1	0	3	male	22.000000	1	0	7.2500	G6	S
1	2	1	1	female	38.000000	1	0	14.4542	C85	C
2	3	1	3	female	26.000000	0	0	7.9250	G6	S
3	4	1	1	female	35.000000	1	0	53.1000	C123	S
4	5	0	3	male	35.000000	0	0	8.0500	G6	S
...	...	...	...	...	...	...	...	...	...	...
886	887	0	2	male	27.000000	0	0	13.0000	G6	S
887	888	1	1	female	19.000000	0	0	30.0000	B42	S
888	889	0	3	female	29.699118	1	2	23.4500	G6	S
889	890	1	1	male	26.000000	0	0	30.0000	C148	C
890	891	0	3	male	32.000000	0	0	7.7500	G6	Q

891 rows × 10 columns

In [53]:
```
data.drop(["PassengerId"],axis=1,inplace=True)
```

In [54]: `data`

Out[54]:

	Survived	Pclass	Sex	Age	SibSp	Parch	Fare	Cabin	Embarked
0	0	3	male	22.000000	1	0	7.2500	G6	S
1	1	1	female	38.000000	1	0	14.4542	C85	C
2	1	3	female	26.000000	0	0	7.9250	G6	S
3	1	1	female	35.000000	1	0	53.1000	C123	S
4	0	3	male	35.000000	0	0	8.0500	G6	S
...	...	...	...	...	...	...	...	...	...
886	0	2	male	27.000000	0	0	13.0000	G6	S
887	1	1	female	19.000000	0	0	30.0000	B42	S
888	0	3	female	29.699118	1	2	23.4500	G6	S
889	1	1	male	26.000000	0	0	30.0000	C148	C
890	0	3	male	32.000000	0	0	7.7500	G6	Q

891 rows × 9 columns

In [55]: `data.drop(["Cabin"],axis=1,inplace=True)`

In [56]: `data`

Out[56]:

	Survived	Pclass	Sex	Age	SibSp	Parch	Fare	Embarked
0	0	3	male	22.000000	1	0	7.2500	S
1	1	1	female	38.000000	1	0	14.4542	C
2	1	3	female	26.000000	0	0	7.9250	S
3	1	1	female	35.000000	1	0	53.1000	S
4	0	3	male	35.000000	0	0	8.0500	S
...	...	...	...	...	...	...	...	...
886	0	2	male	27.000000	0	0	13.0000	S
887	1	1	female	19.000000	0	0	30.0000	S
888	0	3	female	29.699118	1	2	23.4500	S
889	1	1	male	26.000000	0	0	30.0000	C
890	0	3	male	32.000000	0	0	7.7500	Q

891 rows × 8 columns

5.Splitting Dependent and Independent variables

In [57]: `y=data["Survived"]`

In [58]: `y.head()`

Out[58]:
```
0    0
1    1
2    1
3    1
4    0
Name: Survived, dtype: int64
```

In [59]: `data`

Out[59]:

	Survived	Pclass	Sex	Age	SibSp	Parch	Fare	Embarked
0	0	3	male	22.000000	1	0	7.2500	S
1	1	1	female	38.000000	1	0	14.4542	C
2	1	3	female	26.000000	0	0	7.9250	S
3	1	1	female	35.000000	1	0	53.1000	S
4	0	3	male	35.000000	0	0	8.0500	S
...	...	...	...	...	...	...	...	...
886	0	2	male	27.000000	0	0	13.0000	S
887	1	1	female	19.000000	0	0	30.0000	S
888	0	3	female	29.699118	1	2	23.4500	S
889	1	1	male	26.000000	0	0	30.0000	C
890	0	3	male	32.000000	0	0	7.7500	Q

891 rows × 8 columns

6.Perform Encoding

In [60]: `from sklearn.preprocessing import LabelEncoder`

In [61]: `le=LabelEncoder()`

In [62]: `data["Sex"]=le.fit_transform(data["Sex"])`

```
In [63]: data["Sex"]
```

```
Out[63]: 0      1
         1      0
         2      0
         3      0
         4      1

         886    1
         887    0
         888    0
         889    1
         890    1
         Name: Sex, Length: 891, dtype: int32
```

```
In [64]: data.head()
```

Out[64]:

	Survived	Pclass	Sex	Age	SibSp	Parch	Fare	Embarked
0	0	3	1	22.0	1	0	7.2500	S
1	1	1	0	38.0	1	0	14.4542	C
2	1	3	0	26.0	0	0	7.9250	S
3	1	1	0	35.0	1	0	53.1000	S
4	0	3	1	35.0	0	0	8.0500	S

```
In [65]: data["Embarked"]=le.fit_transform(data["Embarked"])
```

```
In [66]: data.head()
```

Out[66]:

	Survived	Pclass	Sex	Age	SibSp	Parch	Fare	Embarked
0	0	3	1	22.0	1	0	7.2500	2
1	1	1	0	38.0	1	0	14.4542	0
2	1	3	0	26.0	0	0	7.9250	2
3	1	1	0	35.0	1	0	53.1000	2
4	0	3	1	35.0	0	0	8.0500	2

```
In [67]: data["Pclass"].nunique()
```

```
Out[67]: 3
```

```
In [68]: data["Pclass"].unique()
```

```
Out[68]: array([3, 1, 2], dtype=int64)
```

```
In [69]: data["Sex"].unique()
```

```
Out[69]: array([1, 0])
```

```
In [70]: data["Embarked"].unique()
```

```
Out[70]: array([2, 0, 1])
```

7. Splitting Data into Train and Test

```
In [71]: from sklearn.model_selection import train_test_split
         x_train,x_test,y_train,y_test=train_test_split(data,y,test_size=0.3,random_sta
```

```
In [72]: x_train.shape,x_test.shape,y_train.shape,y_test.shape
```

```
Out[72]: ((623, 8), (268, 8), (623,), (268,))
```

8. Feature Scaling

```
In [73]: from sklearn.preprocessing import StandardScaler
```

```
In [74]: sc=StandardScaler()
```

```
In [75]: x_train=sc.fit_transform(x_train)
```

```
In [76]: x_train
```

```
Out[76]: array([[ 1.25474307, -1.5325562 ,  0.72592065, ..., -0.47299765,
                  0.67925137,  0.56710989],
                [ 1.25474307, -1.5325562 , -1.37756104, ..., -0.47299765,
                 -0.26059483, -2.03075381],
                [-0.79697591,  0.84844757,  0.72592065, ...,  1.93253327,
                  2.26045064,  0.56710989],

                [-0.79697591,  0.84844757,  0.72592065, ..., -0.47299765,
                 -0.78281017, -0.73182196],
                [ 1.25474307,  0.84844757, -1.37756104, ..., -0.47299765,
                 -0.03170555,  0.56710989],
                [-0.79697591, -0.34205431,  0.72592065, ...,  0.72976781,
                  1.64661898,  0.56710989]])
```

```
In [77]: x_test=sc.fit_transform(x_test)
```

```
In [78]: x_test
```

```
Out[78]: array([[-0.77151675,  0.77963055,  0.76537495, ..., -0.47809977,
                  -0.15813988, -1.76531134],
                 [-0.77151675,  0.77963055,  0.76537495, ..., -0.47809977,
                  -0.72165412,  0.63014911],
                 [-0.77151675,  0.77963055,  0.76537495, ...,  0.87064484,
                   1.03823178, -0.56758111],

                 [-0.77151675,  0.77963055,  0.76537495, ..., -0.47809977,
                  -0.15847431, -1.76531134],
                 [ 1.29614814,  0.77963055, -1.30654916, ..., -0.47809977,
                  -0.72607524,  0.63014911],
                 [-0.77151675, -1.64991582,  0.76537495, ..., -0.47809977,
                   0.92369033, -1.76531134]])
```

```
In [ ]:
```