Name : G.Kiran kishore

Reg no : 21 BCE 9233

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns

dataset=pd.read_csv("car_crashes.csv")
dataset
```

	total	speeding	alcohol	not_distracted	no_previous	ins_premium	\
0	18.8	7.332	5.640	18.048	15.040	784.55	
1	18.1	7.421	4.525	16.290	17.014	1053.48	
2	18.6	6.510	5.208	15.624	17.856	899.47	
3	22.4	4.032	5.824	21.056	21.280	827.34	
4	12.0	4.200	3.360	10.920	10.680	878.41	
5	13.6	5.032	3.808	10.744	12.920	835.50	
6	10.8	4.968	3.888	9.396	8.856	1068.73	
7	16.2	6.156	4.860	14.094	16.038	1137.87	
8	5.9	2.006	1.593	5.900	5.900	1273.89	
9	17.9	3.759	5.191	16.468	16.826	1160.13	
10	15.6	2.964	3.900	14.820	14.508	913.15	
11	17.5	9.450	7.175	14.350	15.225	861.18	
12	15.3	5.508	4.437	13.005	14.994	641.96	
13	12.8	4.608	4.352	12.032	12.288	803.11	
14	14.5	3.625	4.205	13.775	13.775	710.46	
15	15.7	2.669	3.925	15.229	13.659	649.06	

16	17.8	4.806	4.272	13.706	15.130	780.45
17	21.4	4.066	4.922	16.692	16.264	872.51
18	20.5	7.175	6.765	14.965	20.090	1281.55

19	15.1	5.738	4.530	13.137	12.684	661.88
20	12.5	4.250	4.000	8.875	12.375	1048.78
21	8.2	1.886	2.870	7.134	6.560	1011.14
22	14.1	3.384	3.948	13.395	10.857	1110.61
23	9.6	2.208	2.784	8.448	8.448	777.18
24	17.6	2.640	5.456	1.760	17.600	896.07
25	16.1	6.923	5.474	14.812	13.524	790.32
26	21.4	8.346	9.416	17.976	18.190	816.21
27	14.9	1.937	5.215	13.857	13.410	732.28
28	14.7	5.439	4.704	13.965	14.553	1029.87
29	11.6	4.060	3.480	10.092	9.628	746.54
30	11.2	1.792	3.136	9.632	8.736	1301.52
31	18.4	3.496	4.968	12.328	18.032	869.85
32	12.3	3.936	3.567	10.824	9.840	1234.31
33	16.8	6.552	5.208	15.792	13.608	708.24
34	23.9	5.497	10.038	23.661	20.554	688.75
35	14.1	3.948	4.794	13.959	11.562	697.73
36	19.9	6.368	5.771	18.308	18.706	881.51
37	12.8	4.224	3.328	8.576	11.520	804.71
38	18.2	9.100	5.642	17.472	16.016	905.99
39	11.1	3.774	4.218	10.212	8.769	1148.99
40	23.9	9.082	9.799	22.944	19.359	858.97
41	19.4	6.014	6.402	19.012	16.684	669.31
42	19.5	4.095	5.655	15.990	15.795	767.91
43	19.4	7.760	7.372	17.654	16.878	1004.75
44	11.3	4.859	1.808	9.944	10.848	809.38

```
45    13.6     4.080    4.080           13.056       12.920        716.20

46    12.7     2.413    3.429           11.049       11.176        768.95
47   10.6     4.452    3.498            8.692        9.116        890.03
48   23.8     8.092    6.664           23.086       20.706        992.61
49   13.8     4.968    4.554            5.382       11.592        670.31
50   17.4     7.308    5.568           14.094       15.660        791.14
    ins_losses abbrev
0        145.08
         AL
1        133.93
         AK
2        110.35
         AZ
3        142.39
         AR
4        165.63
         CA
5        139.91
         CO
6        167.02
         CT
7        151.48
         DE
8        136.05
         DC
9        144.18
         FL
10       142.80
         GA
11       120.92
         HI
12       82.75     ID
13       139.15
         IL
14       108.92
         IN
15       114.47
         IA
16       133.80
         KS
17       137.13
         KY
18       194.78
         LA
19       96.57     ME
```

```
20        192.70
          MD
21        135.63
          MA
22        152.26
          MI
23        133.35
          MN
24        155.77
          MS
25        144.45
          MO
26        85.15     MT
27        114.82
          NE
28        138.71
          NV
29        120.21
          NH
30        159.85
          NJ
31        120.75
          NM
32        150.01
          NY
33        127.82
          NC
34        109.72
          ND
```

```
35       133.52
         OH
36       178.86
         OK
37       104.61
         OR
38       153.86
         PA
39       148.58
         RI
40       116.29
         SC
41       96.87     SD
42       155.57
         TN
43       156.83
         TX
44       109.48
         UT
45       109.61
         VT
46       153.72
         VA
47       111.62
         WA
48       152.56
         WV
49       106.62
         WI
50       122.04
         WY
dataset.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 51 entries, 0 to 50 Data
columns (total 8 columns):
 #   Column          Non-Null Count  Dtype  ---
------          --------------  -----
0    total           51 non-null     float64
1    speeding        51 non-null     float64 2   alcohol
51 non-null     float64
3    not_distracted  51 non-null     float64
4    no_previous     51 non-null     float64
5    ins_premium     51 non-null     float64
```

```
6    ins_losses      51 non-null     float64 7   abbrev          51
non-null     object dtypes: float64(7), object(1) memory usage: 3.3+
KB dataset.head(8)
```

	total	speeding	alcohol	not_distracted	no_previous	ins_premium
0	18.8	7.332	5.640	18.048	15.040	784.55
1	18.1	7.421	4.525	16.290	17.014	1053.48
2	18.6	6.510	5.208	15.624	17.856	899.47
3	22.4	4.032	5.824	21.056	21.280	827.34
4	12.0	4.200	3.360	10.920	10.680	878.41
5	13.6	5.032	3.808	10.744	12.920	835.50

```
6   10.8      4.968     3.888            9.396         8.856       1068.73
7   16.2      6.156     4.860           14.094        16.038       1137.87
   ins_losses abbrev
0      145.08     AL
1      133.93     AK
2      110.35     AZ
3      142.39     AR
4      165.63     CA
5      139.91     CO
6      167.02     CT
7      151.48     DE
```

```
sns.scatterplot(x="total",y="speeding",data=dataset)
```

```
<Axes: xlabel='total', ylabel='speeding'>
```




```
# Inference:from the plot we can say that as the total increases
speeding is  decreases
```

```
sns.pairplot(dataset)
plt.title("Pairplot of Car Crashes Dataset") plt.show()
```




```
# Inference: The pairplot provides a quick overview of the
relationships between numeric variables in the dataset. It
helps identify potential correlations or patterns.

sns.distplot(dataset["total"], bins=20, kde=True)
plt.title("Histogram of Total Number of Accidents")
plt.xlabel("Total Accidents")
```

```
plt.ylabel("Frequency")
plt.show()
```

```
<ipython-input-24-c2887f4da83f>:1: UserWarning:
`distplot` is a deprecated function and will be removed in seaborn
v0.14.0.

Please adapt your code to use either `displot` (a figure-level
function with
similar flexibility) or `histplot` (an axes-level function for
histograms).
For a guide to updating your code to use the new functions, please see
https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751

  sns.distplot(dataset["total"], bins=20, kde=True)
```




```
# Inference: The histogram shows the distribution of total accidents.
Most states have a relatively low number of accidents, with a few
outliers with significantly higher accident counts.
sns.boxplot(x="speeding", y="total", data=dataset) plt.title("Boxplot
of Speeding vs. Total Accidents") plt.xlabel("Speeding (Yes/No)")
plt.ylabel("Total Accidents") plt.show()
```




```
# Inference: The boxplot illustrates the relationship between speeding
(yes/no) and the total number of accidents. It indicates that states
with higher speeding rates tend to have a higher median total number
of accidents.

sns.barplot(x="alcohol", y="total", data=dataset, ci=None)
plt.title("Barplot of Alcohol Involvement vs. Total Accidents")
plt.xlabel("Alcohol Involvement (Yes/No)") plt.ylabel("Total
Accidents") plt.show()
```

```
<ipython-input-19-e9d4c62a021d>:1: FutureWarning:
The `ci` parameter is deprecated. Use `errorbar=None` for the same
effect.

  sns.barplot(x="alcohol", y="total", data=dataset, ci=None)
```




```
# Inference: The barplot compares the total number of accidents for
states with and without alcohol involvement. It suggests that states
with alcohol involvement tend to have a higher average number of
accidents.

correlation_matrix = dataset.corr()
sns.heatmap(correlation_matrix, annot=True, cmap="coolwarm")
plt.title("Correlation Heatmap") plt.show()
```

```
<ipython-input-21-f966e5b914d1>:1: FutureWarning: The default value of
numeric_only in DataFrame.corr is deprecated. In a future version, it
will default to False. Select only valid columns or specify the value
of numeric_only to silence this warning.   correlation_matrix =
dataset.corr()
```




```
# Inference: The heatmap displays the correlation between numeric
variables in the dataset. Positive correlations are shown in warmer
colors, while negative correlations are in cooler colors. It helps
identify potential relationships between variables.

sns.lineplot(x="alcohol",y="speeding",data=dataset)
plt.title("LINEPLOT")

Text(0.5, 1.0, 'LINEPLOT')
```




```
# Inference: The line plot comparing "Alcohol" and "Speeding"
incidents in car crashes shows that  alcohol with higher value have
higher speeding value.

sns.jointplot(x="total",y="speeding",data=dataset) plt.title("JOINT")

Text(0.5, 1.0, 'JOINT PLOT')
```




```
# INFERENCE :States with a higher rate of "Speeding" incidents tend to
have a wider range of total accidents, as indicated by the larger
interquartile range (IQR) and the presence of outliers.
```