

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
# Anish Narla 21BCE2018

ak = sns.load_dataset('car_crashes')
ak
```

	total	speeding	alcohol	not_distracted	no_previous	ins_premium
0	18.8	7.332	5.640	18.048	15.040	784.55
1	18.1	7.421	4.525	16.290	17.014	1053.48
2	18.6	6.510	5.208	15.624	17.856	899.47
3	22.4	4.032	5.824	21.056	21.280	827.34
4	12.0	4.200	3.360	10.920	10.680	878.41
5	13.6	5.032	3.808	10.744	12.920	835.50
6	10.8	4.968	3.888	9.396	8.856	1068.73
7	16.2	6.156	4.860	14.094	16.038	1137.87
8	5.9	2.006	1.593	5.900	5.900	1273.89
9	17.9	3.759	5.191	16.468	16.826	1160.13
10	15.6	2.964	3.900	14.820	14.508	913.15
11	17.5	9.450	7.175	14.350	15.225	861.18
12	15.3	5.508	4.437	13.005	14.994	641.96
13	12.8	4.608	4.352	12.032	12.288	803.11
14	14.5	3.625	4.205	13.775	13.775	710.46
15	15.7	2.669	3.925	15.229	13.659	649.06
16	17.8	4.806	4.272	13.706	15.130	780.45
17	21.4	4.066	4.922	16.692	16.264	872.51
18	20.5	7.175	6.765	14.965	20.090	1281.55
19	15.1	5.738	4.530	13.137	12.684	661.88
20	12.5	4.250	4.000	8.875	12.375	1048.78

21	8.2	1.886	2.870	7.134	6.560	1011.14
22	14.1	3.384	3.948	13.395	10.857	1110.61
23	9.6	2.208	2.784	8.448	8.448	777.18
24	17.6	2.640	5.456	1.760	17.600	896.07
25	16.1	6.923	5.474	14.812	13.524	790.32
26	21.4	8.346	9.416	17.976	18.190	816.21
27	14.9	1.937	5.215	13.857	13.410	732.28
28	14.7	5.439	4.704	13.965	14.553	1029.87
29	11.6	4.060	3.480	10.092	9.628	746.54
30	11.2	1.792	3.136	9.632	8.736	1301.52
31	18.4	3.496	4.968	12.328	18.032	869.85
32	12.3	3.936	3.567	10.824	9.840	1234.31
33	16.8	6.552	5.208	15.792	13.608	708.24
34	23.9	5.497	10.038	23.661	20.554	688.75
35	14.1	3.948	4.794	13.959	11.562	697.73
36	19.9	6.368	5.771	18.308	18.706	881.51
37	12.8	4.224	3.328	8.576	11.520	804.71
38	18.2	9.100	5.642	17.472	16.016	905.99
39	11.1	3.774	4.218	10.212	8.769	1148.99
40	23.9	9.082	9.799	22.944	19.359	858.97
41	19.4	6.014	6.402	19.012	16.684	669.31
42	19.5	4.095	5.655	15.990	15.795	767.91
43	19.4	7.760	7.372	17.654	16.878	1004.75
44	11.3	4.859	1.808	9.944	10.848	809.38
45	13.6	4.080	4.080	13.056	12.920	716.20
46	12.7	2.413	3.429	11.049	11.176	768.95

47	10.6	4.452	3.498	8.692	9.116	890.03
48	23.8	8.092	6.664	23.086	20.706	992.61
49	13.8	4.968	4.554	5.382	11.592	670.31
50	17.4	7.308	5.568	14.094	15.660	791.14

	ins_losses	abbrev
0	145.08	AL
1	133.93	AK
2	110.35	AZ
3	142.39	AR
4	165.63	CA
5	139.91	CO
6	167.02	CT
7	151.48	DE
8	136.05	DC
9	144.18	FL
10	142.80	GA
11	120.92	HI
12	82.75	ID
13	139.15	IL
14	108.92	IN
15	114.47	IA
16	133.80	KS
17	137.13	KY
18	194.78	LA
19	96.57	ME
20	192.70	MD
21	135.63	MA
22	152.26	MI
23	133.35	MN
24	155.77	MS
25	144.45	MO
26	85.15	MT
27	114.82	NE
28	138.71	NV
29	120.21	NH
30	159.85	NJ
31	120.75	NM
32	150.01	NY
33	127.82	NC
34	109.72	ND
35	133.52	OH
36	178.86	OK
37	104.61	OR
38	153.86	PA

39	148.58	RI
40	116.29	SC
41	96.87	SD
42	155.57	TN
43	156.83	TX
44	109.48	UT
45	109.61	VT
46	153.72	VA
47	111.62	WA
48	152.56	WV
49	106.62	WI
50	122.04	WY

```
ak.info()
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 51 entries, 0 to 50
```

```
Data columns (total 8 columns):
```

#	Column	Non-Null Count	Dtype
0	total	51 non-null	float64
1	speeding	51 non-null	float64
2	alcohol	51 non-null	float64
3	not_distracted	51 non-null	float64
4	no_previous	51 non-null	float64
5	ins_premium	51 non-null	float64
6	ins_losses	51 non-null	float64
7	abbrev	51 non-null	object

```
dtypes: float64(7), object(1)
```

```
memory usage: 3.3+ KB
```

```
ak.head()
```

	total	speeding	alcohol	not_distracted	no_previous	ins_premium
0	18.8	7.332	5.640	18.048	15.040	784.55
1	18.1	7.421	4.525	16.290	17.014	1053.48
2	18.6	6.510	5.208	15.624	17.856	899.47
3	22.4	4.032	5.824	21.056	21.280	827.34
4	12.0	4.200	3.360	10.920	10.680	878.41

	ins_losses	abbrev
0	145.08	AL
1	133.93	AK
2	110.35	AZ

```
3      142.39      AR
4      165.63      CA
```

```
ak.head(8)
```

	total	speeding	alcohol	not_distracted	no_previous	ins_premium
0	18.8	7.332	5.640	18.048	15.040	784.55
1	18.1	7.421	4.525	16.290	17.014	1053.48
2	18.6	6.510	5.208	15.624	17.856	899.47
3	22.4	4.032	5.824	21.056	21.280	827.34
4	12.0	4.200	3.360	10.920	10.680	878.41
5	13.6	5.032	3.808	10.744	12.920	835.50
6	10.8	4.968	3.888	9.396	8.856	1068.73
7	16.2	6.156	4.860	14.094	16.038	1137.87

	ins_losses	abbrev
0	145.08	AL
1	133.93	AK
2	110.35	AZ
3	142.39	AR
4	165.63	CA
5	139.91	CO
6	167.02	CT
7	151.48	DE

```
ak.tail()
```

	total	speeding	alcohol	not_distracted	no_previous	ins_premium
46	12.7	2.413	3.429	11.049	11.176	768.95
47	10.6	4.452	3.498	8.692	9.116	890.03
48	23.8	8.092	6.664	23.086	20.706	992.61
49	13.8	4.968	4.554	5.382	11.592	670.31
50	17.4	7.308	5.568	14.094	15.660	791.14

	ins_losses	abbrev
46	153.72	VA
47	111.62	WA

```

48      152.56      WV
49      106.62      WI
50      122.04      WY

```

```
ak.tail(6)
```

	total	speeding	alcohol	not_distracted	no_previous	ins_premium
\						
45	13.6	4.080	4.080	13.056	12.920	716.20
46	12.7	2.413	3.429	11.049	11.176	768.95
47	10.6	4.452	3.498	8.692	9.116	890.03
48	23.8	8.092	6.664	23.086	20.706	992.61
49	13.8	4.968	4.554	5.382	11.592	670.31
50	17.4	7.308	5.568	14.094	15.660	791.14

	ins_losses	abbrev
45	109.61	VT
46	153.72	VA
47	111.62	WA
48	152.56	WV
49	106.62	WI
50	122.04	WY

```
ak.shape
```

```
(51, 8)
```

```
ak.describe()
```

	total	speeding	alcohol	not_distracted	no_previous	\
count	51.000000	51.000000	51.000000	51.000000	51.000000	
mean	15.790196	4.998196	4.886784	13.573176	14.004882	
std	4.122002	2.017747	1.729133	4.508977	3.764672	
min	5.900000	1.792000	1.593000	1.760000	5.900000	
25%	12.750000	3.766500	3.894000	10.478000	11.348000	
50%	15.600000	4.608000	4.554000	13.857000	13.775000	
75%	18.500000	6.439000	5.604000	16.140000	16.755000	
max	23.900000	9.450000	10.038000	23.661000	21.280000	

	ins_premium	ins_losses
count	51.000000	51.000000
mean	886.957647	134.493137
std	178.296285	24.835922
min	641.960000	82.750000
25%	768.430000	114.645000

```
50%      858.970000    136.050000
75%     1007.945000    151.870000
max      1301.520000    194.780000
```

```
corr=ak.corr()
corr
```

```
<ipython-input-12-972edc9fcbe0>:1: FutureWarning: The default value of
numeric_only in DataFrame.corr is deprecated. In a future version, it
will default to False. Select only valid columns or specify the value
of numeric_only to silence this warning.
```


```
corr=ak.corr()
```

	total	speeding	alcohol	not_distracted
no_previous \				
total	1.000000	0.611548	0.852613	0.827560
0.956179				
speeding	0.611548	1.000000	0.669719	0.588010
0.571976				
alcohol	0.852613	0.669719	1.000000	0.732816
0.783520				
not_distracted	0.827560	0.588010	0.732816	1.000000
0.747307				
no_previous	0.956179	0.571976	0.783520	0.747307
1.000000				
ins_premium	-0.199702	-0.077675	-0.170612	-0.174856
0.156895				
ins_losses	-0.036011	-0.065928	-0.112547	-0.075970
0.006359				

	ins_premium	ins_losses
total	-0.199702	-0.036011
speeding	-0.077675	-0.065928
alcohol	-0.170612	-0.112547
not_distracted	-0.174856	-0.075970
no_previous	-0.156895	-0.006359
ins_premium	1.000000	0.623116
ins_losses	0.623116	1.000000

```
plt.subplots(figsize=(20,10))
sns.heatmap(corr,annot=True)
```

```
<Axes: >
```



```
ak["total"].value_counts()
```

```
14.1    2
12.8    2
13.6    2
21.4    2
19.4    2
23.9    2
14.9    1
14.7    1
11.6    1
11.2    1
18.4    1
12.3    1
16.8    1
19.9    1
17.6    1
18.2    1
11.1    1
19.5    1
11.3    1
12.7    1
10.6    1
23.8    1
13.8    1
16.1    1
18.8    1
9.6     1
```



```
18.1    1
18.6    1
22.4    1
12.0    1
10.8    1
16.2    1
5.9     1
17.9    1
15.6    1
17.5    1
15.3    1
14.5    1
15.7    1
17.8    1
20.5    1
15.1    1
12.5    1
8.2     1
17.4    1
Name: total, dtype: int64
```

```
ak.alcohol.value_counts()
```

```
5.208    2
5.640    1
4.218    1
4.704    1
3.480    1
3.136    1
4.968    1
3.567    1
10.038   1
4.794    1
5.771    1
3.328    1
5.642    1
9.799    1
9.416    1
6.402    1
5.655    1
7.372    1
1.808    1
4.080    1
3.429    1
3.498    1
6.664    1
4.554    1
5.215    1
5.474    1
4.525    1
```

```
5.456      1
5.824      1
3.360      1
3.808      1
3.888      1
4.860      1
1.593      1
5.191      1
3.900      1
7.175      1
4.437      1
4.352      1
4.205      1
3.925      1
4.272      1
4.922      1
6.765      1
4.530      1
4.000      1
2.870      1
3.948      1
2.784      1
5.568      1
Name: alcohol, dtype: int64
```

```
ak.isnull().any()
```


```
total      False
speeding   False
alcohol     False
not_distracted False
no_previous False
ins_premium False
ins_losses  False
abbrev      False
dtype: bool
```

```
ak.isnull().sum()
```


```
total      0
speeding    0
alcohol     0
not_distracted 0
no_previous 0
ins_premium 0
ins_losses  0
abbrev      0
dtype: int64
```

DATA VISUALIZATION


```
sns.scatterplot(x="total",y="alcohol",data=ak)
<Axes: xlabel='total', ylabel='alcohol'>
```



```
sns.scatterplot(x="abbrev",y="ins_losses",data=ak)
#Anish Narla
<Axes: xlabel='abbrev', ylabel='ins_losses'>
```



```
sns.lineplot(y="alcohol",x="total",data=ak)
#lineplot
<Axes: xlabel='total', ylabel='alcohol'>
```



```
sns.lineplot(y="alcohol",x="total",data=ak,ci=None)
```


```
#Anish Narla
```

```
<ipython-input-22-9f6db60ff336>:1: FutureWarning:
```


The `ci` parameter is deprecated. Use `errorbar=None` for the same effect.

```
sns.lineplot(y="alcohol",x="total",data=ak,ci=None)
```

```
<Axes: xlabel='total', ylabel='alcohol'>
```



```
sns.lineplot(x="ins_premium",y="speeding",data=ak)  
#Anish Narla  
<Axes: xlabel='ins_premium', ylabel='speeding'>
```



```
#Displot
```

```
sns.distplot(ak["total"])
```

```
<ipython-input-24-18a78abad740>:2: UserWarning:
```


```
`distplot` is a deprecated function and will be removed in seaborn  
v0.14.0.
```

Please adapt your code to use either ``displot`` (a figure-level function with similar flexibility) or ``histplot`` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot(ak["total"])
```

```
<Axes: xlabel='total', ylabel='Density'>
```



```
sns.distplot(ak["not_distracted"])
```

```
<ipython-input-25-bb0c8d7ed882>:1: UserWarning:
```


```
`distplot` is a deprecated function and will be removed in seaborn  
v0.14.0.
```

Please adapt your code to use either ``displot`` (a figure-level function with similar flexibility) or ``histplot`` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot(ak["not_distracted"])
```


```
<Axes: xlabel='not_distracted', ylabel='Density'>
```


```
#Relationplot
```

```
sns.relplot(x="total",y="ins_losses",data=ak,hue="abbrev")
```


```
<seaborn.axisgrid.FacetGrid at 0x79dd7fea6a40>
```



```
#Relationplot
sns.relplot(x="total",y="ins_losses",data=ak,hue="not_distracted")
<seaborn.axisgrid.FacetGrid at 0x79dd7de18430>
```




```
#barplot
plt.subplots(figsize=(22,15))
sns.barplot(x="total",y="ins_premium",data=ak)
# Anish Narla 21BCE2018
<Axes: xlabel='total', ylabel='ins_premium'>
```




```
#barplot
plt.subplots(figsize=(12,15))
sns.barplot(y="speeding",x="abbrev",data=ak)
#Anish Narla

<Axes: xlabel='abbrev', ylabel='speeding'>
```



```
sns.countplot(x="abbrev",data=ak)
#countplot
<Axes: xlabel='abbrev', ylabel='count'>
```



```
#boxplot
plt.subplots(figsize=(22,15))
sns.boxplot(x="total",y="ins_losses",data=ak)
# Anish Narla 21BCE2018

<Axes: xlabel='total', ylabel='ins_losses'>
```

