NumPy Exercises

Name : Brhama Devuni Manish

Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions.

Import NumPy as np `import`

```
numpy as np
```

Create an array of 10 zeros

```
import numpy as np
z=np.zeros(10) z

array([0., 0., 0., 0., 0., 0., 0., 0., 0., 0.])
```

Create an array of 10 ones

```
import numpy as np
u=np.ones(10) u

array([1., 1., 1., 1., 1., 1., 1., 1., 1., 1.])
```

Create an array of 10 fives

```
import numpy as np
u=np.ones(10)*5 u

array([5., 5., 5., 5., 5., 5., 5., 5., 5., 5.])
```

Create an array of the integers from 10 to 50

```
import numpy as np
np.linspace(10,50,41)
array([10., 11., 12., 13., 14., 15., 16., 17., 18., 19., 20., 21.,
22.,
       23., 24., 25., 26., 27., 28., 29., 30., 31., 32., 33., 34.,
35.,
       36., 37., 38., 39., 40., 41., 42., 43., 44., 45., 46., 47.,
48.,
       49., 50.])
```

Create an array of all the even integers from 10 to 50

```
import numpy as np
np.arange(10,50,2)
array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40,
42,
       44, 46, 48])
```

Create a 3x3 matrix with values ranging from 0 to 8

```
import numpy as np
x= np.arange(0,9).reshape(3,3)
print(x)

[[0 1 2]
 [3 4 5]
 [6 7 8]]
```

Create a 3x3 identity matrix

```
import numpy as np
x=np.eye(3)
x

array([[1., 0., 0.],
       [0., 1., 0.],
       [0., 0., 1.]])
```

Use NumPy to generate a random number between 0 and 1

```
import numpy as np import random
np.random.random()

0.90059587316123
```

Use NumPy to generate an array of 25 random numbers sampled from a standard normal distribution

```
import numpy as np
import random
print(np.random.normal(0,1,25))

[ 0.93447386  0.91783165 -0.16745643  1.33716909 -0.52944257
1.41075558
 -1.52727968  1.06580866 -1.43248983  0.29106652  1.80295804 -
1.32164583
 -1.78143885  0.51647873 -0.28363853 -0.02681304  2.72489431
1.04205511
  0.13516877  0.84726923  0.79255727 -0.52412636 -0.75312754
```

```
0.75070263

 -0.1043402 ]
```

Create the following matrix:

```
import numpy as np
x= np.arange(0.01,1.01,0.01).reshape(10,10)
print(x)
```

```
[[0.01 0.02 0.03 0.04 0.05 0.06 0.07 0.08 0.09 0.1 ]
 [0.11 0.12 0.13 0.14 0.15 0.16 0.17 0.18 0.19 0.2 ]
 [0.21 0.22 0.23 0.24 0.25 0.26 0.27 0.28 0.29 0.3 ]
 [0.31 0.32 0.33 0.34 0.35 0.36 0.37 0.38 0.39 0.4 ]
 [0.41 0.42 0.43 0.44 0.45 0.46 0.47 0.48 0.49 0.5 ]
 [0.51 0.52 0.53 0.54 0.55 0.56 0.57 0.58 0.59 0.6 ]
 [0.61 0.62 0.63 0.64 0.65 0.66 0.67 0.68 0.69 0.7 ]
 [0.71 0.72 0.73 0.74 0.75 0.76 0.77 0.78 0.79 0.8 ]
 [0.81 0.82 0.83 0.84 0.85 0.86 0.87 0.88 0.89 0.9 ]
 [0.91 0.92 0.93 0.94 0.95 0.96 0.97 0.98 0.99 1.  ]]
```

Create an array of 20 linearly spaced points between 0 and 1:

```
import numpy as np

num_line = np.linspace(0,1,20)
print(num_line)
```

```
[0.   0.05263158   0.10526316   0.15789474   0.21052632   0.26315789
0.31578947 0.36842105 0.42105263 0.47368421 0.52631579 0.57894737
 0.63157895 0.68421053 0.73684211 0.78947368 0.84210526 0.89473684
 0.94736842 1.        ]
```

Numpy Indexing and Selection

Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:

```
import numpy as np
mat = np.arange(1,26).reshape(5,5)
mat
```

```
array([[ 1,  2,  3,  4,  5],
[ 6,  7,  8,  9, 10],
       [11, 12, 13, 14, 15],
       [16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
import numpy as np
mat = np.arange(1,26).reshape(5,5)
mat1=mat[2:,1:] mat1
```

```
array([[12, 13, 14, 15],
[17, 18, 19, 20],
       [22, 23, 24, 25]])
```

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
import numpy as np
mat = np.arange(1,26).reshape(5,5)
mat1=mat[3:4,4:] mat1
array([[20]])
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
import numpy as np
mat = np.arange(1,26).reshape(5,5)
mat1=mat[0:3,1:2] mat1
```

```
array([[  2],
[ 7],
       [12]])
```

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
import numpy as np
mat = np.arange(1,26).reshape(5,5)
mat1=mat[4:,0:] mat1
array([[21, 22, 23, 24, 25]])
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
import numpy as np
mat = np.arange(1,26).reshape(5,5)
mat1=mat[3:,0:] mat1
```

```
array([[16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

Now do the following

Get the sum of all the values in mat

```
import numpy as np mat =
np.arange(1,26).reshape(5,5) mat1= np.sum(mat) mat1

325
```

Get the standard deviation of the values in mat

```
import numpy as np mat =
np.arange(1,26).reshape(5,5) mat1= np.std(mat) mat1

7.211102550927978
```

Get the sum of all the columns in mat

```
import numpy as np mat =
np.arange(1,26).reshape(5,5) mat1=
sum(mat) mat1 array([55, 60, 65,
70, 75])
```