NumPy Exercises

Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions.

Import NumPy as np

In [2]:
```
import numpy as np
```

Create an array of 10 zeros

In [3]:
```
z=np.zeros(10)
```

Create an array of 10 ones

In [4]:
```
z=np.ones(10)
```

Create an array of 10 fives

In [6]:
```
z=np.ones(10)*5
```

Create an array of the integers from 10 to 50

In [9]:
```
ar=np.arange(10,51,1)
```

Create an array of all the even integers from 10 to 50

In [10]:
```
ar=np.arange(10,52,2)
```

Create a 3x3 matrix with values ranging from 0 to 8

In [12]:
```
x=np.array([[0,1,2],[3,4,5],[6,7,8]])
```

Create a 3x3 identity matrix

In [13]:
```
np.eye(3)
```

Out[13]:
```
array([[1., 0., 0.],
       [0., 1., 0.],
       [0., 0., 1.]])
```

Use NumPy to generate a random number between 0 and 1

In [14]:
```
np.random.normal(0,1,1)
```

Out[14]:
```
array([-1.1326689])
```

Use NumPy to generate an array of 25 random numbers sampled from a standard normal distribution

In [15]:
```
np.random.rand(5,5)
```

Out[15]:
```
array([[0.86574092, 0.2758836 , 0.35071298, 0.91520345, 0.51724524],
       [0.14219619, 0.31322042, 0.46233206, 0.00901902, 0.66141269],
       [0.05036727, 0.23905392, 0.19251844, 0.01368774, 0.91966411],
       [0.44718535, 0.71006895, 0.31986083, 0.94773103, 0.80647045],
       [0.00302588, 0.47507866, 0.21908088, 0.74995847, 0.88812476]])
```

Create the following matrix:

In [16]:
```
np.linspace(0.01, 1, 100).reshape(10, 10)
```

Out[16]:
```
array([[0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1 ],
       [0.11, 0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18, 0.19, 0.2 ],
       [0.21, 0.22, 0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3 ],
       [0.31, 0.32, 0.33, 0.34, 0.35, 0.36, 0.37, 0.38, 0.39, 0.4 ],
       [0.41, 0.42, 0.43, 0.44, 0.45, 0.46, 0.47, 0.48, 0.49, 0.5 ],
       [0.51, 0.52, 0.53, 0.54, 0.55, 0.56, 0.57, 0.58, 0.59, 0.6 ],
       [0.61, 0.62, 0.63, 0.64, 0.65, 0.66, 0.67, 0.68, 0.69, 0.7 ],
       [0.71, 0.72, 0.73, 0.74, 0.75, 0.76, 0.77, 0.78, 0.79, 0.8 ],
       [0.81, 0.82, 0.83, 0.84, 0.85, 0.86, 0.87, 0.88, 0.89, 0.9 ],
       [0.91, 0.92, 0.93, 0.94, 0.95, 0.96, 0.97, 0.98, 0.99, 1.  ]])
```

Create an array of 20 linearly spaced points between 0 and 1:

In [3]:
```
import numpy as np
np.linspace(0, 1, 20)
```

Out[3]:
```
array([0.        , 0.05263158, 0.10526316, 0.15789474, 0.21052632,
       0.26315789, 0.31578947, 0.36842105, 0.42105263, 0.47368421,
       0.52631579, 0.57894737, 0.63157895, 0.68421053, 0.73684211,
       0.78947368, 0.84210526, 0.89473684, 0.94736842, 1.        ])
```

Numpy Indexing and Selection

Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:

In [0]:
```
mat = np.arange(1,26).reshape(5,5)
mat
```

Out[0]:
```
array([[ 1,  2,  3,  4,  5],
       [ 6,  7,  8,  9, 10],
       [11, 12, 13, 14, 15],
       [16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

In [0]:
```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [4]:
```
mat[2: ,1:]
```

Out[4]:
```
array([[12, 13, 14, 15],
       [17, 18, 19, 20],
       [22, 23, 24, 25]])
```

In [0]:
```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [3]:
```
import numpy as np
mat = np.arange(1,26).reshape(5,5)
mat[3][4]
```

Out[3]:
```
20
```

In [0]:
```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [5]:
```
mat[0:3,1:2]
```

Out[5]:
```
array([[ 2],
       [ 7],
       [12]])
```

In [0]:
```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [7]:
```
mat[4]
```

Out[7]:
```
array([21, 22, 23, 24, 25])
```

In [0]:
```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [8]:
```
mat[3:]
```

Out[8]:
```
array([[16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

Now do the following

Get the sum of all the values in mat

In [14]:
```
mat = np.arange(1,26).reshape(5,5)
mat.sum()
```

Out[14]:
```
325
```

Get the standard deviation of the values in mat

In [15]:
```
mat = np.arange(1,26).reshape(5,5)
sd=np.std(mat)
sd
```

Out[15]:
```
7.211102550927978
```

Get the sum of all the columns in mat

In [3]:
```
import numpy as np
mat = np.arange(1,26).reshape(5,5)
ans=np.sum(mat,axis=0)
ans
```

Out[3]:
```
array([55, 60, 65, 70, 75])
```