Katalon_Amazon_Test_Suites_001

Execution Environment

Host name Admin - LAPTOP-73RTQLDI

Local OS Windows 11 64bit

Katalon version 9.2.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/Recording_Modes_suite/Katalon_Amazon_Test_Suites_001

Description

Total 5

Passed 5 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 28-01-2024 14:27:08 End 28-01-2024 14:30:15

Elapsed 3m - 6.776s

#	ID	Description	Status
1	Test Cases/Katalon_Amazon_Recording_Modes/TC_Amazon_N nual_Mode_Login_001	Ла	PASSED
2	Test Cases/Katalon_Amazon_Recording_Modes/TC_Amazon_F gistration_Manual_Mode_001	Re	PASSED
3	Test Cases/Katalon_Amazon_Recording_Modes/TC_Amazon_F gistration_Script_Mode_001	Re	PASSED
4	Test Cases/Katalon_Amazon_Recording_Modes/TC_Amazon_s opping_Cart_Record_And_Playback_001	h	PASSED
5	Test Cases/Katalon_Amazon_Recording_Modes/TCSearch,B wsing_Record_And_Playback_001	ro	PASSED

Information

ID Test Cases/Katalon_Amazon_Recording_Modes/TC_Amazon_Manual_Mode_Login_001

Description

Tag

Start 28-01-2024 14:27:09 End 28-01-2024 14:29:48

Elapsed 2m - 38.865s

Status PASSED


Details

#	Description	Elapsed	Status
1	openBrowser("")	6.649s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("https://amazon.com") Navigate to 'https://amazon.com' successfully	2.802s	PASSED
3	setText(findTestObject("Manual_Login_OR/Page_Amazon.com/input_Try different image_field-keywords"), "LCAYJP")	1.565s	PASSED
	Text 'LCAYJP' is set on object 'Object Repository/Manual_Login_OR/Page_Amazon.com/input_Try different image_field-keywords'		
4	click(findTestObject("Manual_Login_OR/Page_Amazon.com/button_Continue shopping"))	1.275s	PASSED
	Object: 'Object Repository/Manual_Login_OR/Page_Amazon.com/button_Continue shopping' is clicked on		

#	Description	Elapsed	Status
5	click(findTestObject("Manual_Login_OR/Page_Amazon.com. Spend less. Smile more/span_Account Lists_nav-icon nav-arrow"))	35.497s	PASSED
	Unable to click on object 'Object Repository/Manual_Login_OR/Page_Amazon.com. Spend less. Smile more/span_Account Lists_nav-icon nav-arrow' (Root cause: com.kms.katalon. core.exception.StepFailedException: Unable to click on object 'Object		
	Repository/Manual_Login_OR/Page_Amazon.com. Spend less. Smile more/span_Account Lists_nav-icon nav-arrow		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
	at TC_Amazon_Manual_Mode_Login_001.run (TC_Amazon_Manual_Mode_Login_001:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180) at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/Manual_Login_OR/Page_Amazon.com. Spend less. Smile more/span_Account Lists_nav-icon nav-arrow' located by '//a[@id='nav-link-		
	accountList']/span/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1379)		

 $at\ com. kms. katalon. core. we bui. keyword. internal. We bUIAbstract Keyword.$

findWebElement(WebUIAbstractKeyword.groovy:27)




#	Description	Elapsed	Status
6	setText(findTestObject("Manual_Login_OR/Page_Amazon Sign-In/input_Email or mobile phone number_email"), "iamjohnghost@gmail.com")	33.546s	ERROR
	Unable to set text 'iamjohnghost@gmail.com' of object 'Object Repository/Manual_Login_OR/Page_Amazon Sign-In/input_Email or mobile phone number_email' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'iamjohnghost@gmail.com' of object 'Object Repository/Manual_Login_OR/Page_Amazon Sign-In/input_Email or mobile phone		
	number_email' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1019) at TC_Amazon_Manual_Mode_Login_001.run		
	(TC_Amazon_Manual_Mode_Login_001:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.InvalidElementStateException: invalid element state (Session info: chrome=120.0.6099.225)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

Elapsed

Status

```
Description
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:59716}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: b464efe69e89c2e5e2bde2256a40b717
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ org. open qa. selenium. remote. Remote Web Element. clear (Remote Web Element.
java:124)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.clear(Unknown Source)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.clear(EventFiringWebDriver.java:436)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKevwordMain.groovv:20)
          at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
```




Object: 'Object Repository/Manual_Login_OR/Page_Amazon Sign-In/input_Enter your email or mobile phone number_continue' is clicked on

# Description	Elapsed	Status
8 setEncryptedText(findTestObject("Manual_Login_OR/Page_Amazon Sign-In/input_Forgot	33.613s	ERROR
your password_password"), "vIW88jy3Ae0=")	33.0138	ERROR
Unable to set encrypted text for object 'Object Repository/Manual_Login_OR/Page_Amazon Sign-In/input_Forgot your password_password' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to set encrypted text for object 'Object Repository/Manual_Login_OR/Page_Amazon Sign-In/input_Forgot your		
password_password' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.		
setEncryptedText(SetEncryptedTextKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.		
execute(SetEncryptedTextKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText		
(WebUiBuiltInKeywords.groovy:1050) at TC_Amazon_Manual_Mode_Login_001.run		
(TC_Amazon_Manual_Mode_Login_001:35) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180) at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.InvalidElementStateException: invalid element state (Session info: chrome=120.0.6099.225)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		
arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617,		

Status

```
Description
                                                                                            Elapsed
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:59716}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: b464efe69e89c2e5e2bde2256a40b717
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openqa.selenium.remote.RemoteWebElement.clear(RemoteWebElement.
java:124)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.clear(Unknown Source)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.clear(EventFiringWebDriver.java:436)
         at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword$_setEncryptedText_closure1.doCall(SetEncryptedTextKeyword.
groovy:54)
          at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword$_setEncryptedText_closure1.call(SetEncryptedTextKeyword.
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
setEncryptedText(SetEncryptedTextKeyword.groovy:65)
          at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
execute(SetEncryptedTextKeyword.groovy:34)
          at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
```

executeKeywordForPlatform(KeywordExecutor.groovy:74)



#	Description	Elapsed	Status
9	click(findTestObject("Manual_Login_OR/Page_Amazon Sign-In/input_Enter your password_signInSubmit"))	4.012s	PASSED
	Unable to click on object 'Object Repository/Manual_Login_OR/Page_Amazon Sign-In/input_Enter your password_signInSubmit' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object Repository/Manual_Login_OR/Page_Amazon Sign-In/input_Enter your		
	password_signInSubmit'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
	at TC_Amazon_Manual_Mode_Login_001.run (TC_Amazon_Manual_Mode_Login_001:37)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed		
	from unknown error: web view not found (Session info: chrome=120.0.6099.225)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		
	arch: lamd641, os version: 10.01, java version: 17.0.71		

arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver

Status

```
Description
                                                                                          Elapsed
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:59716}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: b464efe69e89c2e5e2bde2256a40b717
*** Element info: {Using=xpath, value=//input[@id='signInSubmit']}
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
```

findElementsWithSelfHealing(WebUiCommonHelper.java:734)

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:718)
          at\ com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at\ com.kms. katalon.core.webui.keyword.builtin. Click Keyword \$\_click\_closure 1.
doCall(ClickKeyword.groovy:65)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
         at Script1706431755198.run(Script1706431755198.groovy:37)
         ... 15 more
)
```

10 closeBrowser() 0.932s PASSED

Browser is closed

Information

ID Test Cases/Katalon_Amazon_Recording_Modes/TC_Amazon_Registration_Manual_Mode_001

Description

Tag

Start 28-01-2024 14:29:48 End 28-01-2024 14:29:54

Elapsed 6.390s Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.466s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("https://www.amazon.com")	1.412s	PASSED
	Navigate to 'https://www.amazon.com' successfully		

# Description	Elapsed	Status
3 setText(findTestObject("Manual_Registration_OR/Page_Amazon.com/input_Try different image_field-keywords"), "HEUKBJ")	0.331s	PASSED
Unable to set text 'HEUKBJ' of object 'Object Repository/Manual_Registration_OR/Page_Amazon.com/input_Try different image_field-keywords' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'HEUKBJ' of object 'Object Repository/Manual_Registration_OR/Page_Amazon.		
com/input_Try different image_field-keywords' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)		
at TC_Amazon_Registration_Manual_Mode_001.run (TC_Amazon_Registration_Manual_Mode_001:24)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TastOvitaExecutor.iava:440)		
(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
already closed from unknown error: web view not found (Section infor already 120.0 6000.335)		
(Session info: chrome=120.0.6099.225) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		

arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver

```
Description
                                                                                           Elapsed
                                                                                                            Status
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60222}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: c2909a6ed7a7538d7feb9b133a56863d
*** Element info: {Using=xpath, value=//input[@id='captchacharacters']}
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.

findElementsWithSelfHealing(WebUiCommonHelper.java:734)

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at\ com.kms. katalon. core. we bui. keyword. builtin. Set Text Keyword. set Text
(SetTextKeyword.groovy:66)
          at\ com. kms. katalon. core. we bui. keyword. builtin. Set Text Keyword. execute
(SetTextKeyword.groovy:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:1019)
         at Script1706431755218.run(Script1706431755218.groovy:24)
         ... 15 more
```

#	Description	Elapsed	Status
4	click(findTestObject("Manual_Registration_OR/Page_Amazon.com/button_Continue shopping"))	0.286s	PASSED
	Unable to click on object 'Object Repository/Manual_Registration_OR/Page_Amazon.		
	com/button_Continue shopping' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object		
	Repository/Manual_Registration_OR/Page_Amazon.com/button_Continue shopping'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
	at TC_Amazon_Registration_Manual_Mode_001.run		
	(TC_Amazon_Registration_Manual_Mode_001:26)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: test Case Main. j$		
	180)		
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
	already closed		
	from unknown error: web view not found		
	(Session info: chrome=120.0.6099.225)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		
	arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

Elapsed

Status

```
Description
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60222}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: c2909a6ed7a7538d7feb9b133a56863d
*** Element info: {Using=xpath, value=//button[@type='submit']}
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
```

```
Description
                                                                                              Elapsed
                                                                                                                Status
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:65)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. click
(WebUiBuiltInKeywords.groovy:659)
          at Script1706431755218.run(Script1706431755218.groovy:26)
          ... 15 more
```

#	Description	Elapsed	Status
5	click(findTestObject("Amazon_Manual_Registration_OR/Page_Amazon.com. Spend less. Smile more/span_Account Lists"))	0.199s	PASSED
	Unable to click on object 'Object		
	Repository/Amazon_Manual_Registration_OR/Page_Amazon.com. Spend less. Smile more/span_Account Lists' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to click on object 'Object Repository/Amazon_Manual_Registration_OR/Page_Amazon.com. Spend less. Smile		
	more/span_Account Lists' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
	at TC_Amazon_Registration_Manual_Mode_001.run		
	(TC_Amazon_Registration_Manual_Mode_001:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
	already closed from unknown error: web view not found		
	(Session info: chrome=120.0.6099.225)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'I_APTOP-73PTOLDI' in: '169.254.189.53', os.name: 'Windows 11', os.		

System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.

arch: 'amd64', os.version: '10.0', java.version: '17.0.7'

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60222}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: c2909a6ed7a7538d7feb9b133a56863d
*** Element info: {Using=xpath, value=//a[@id='nav-link-accountList']/span}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements

```
Description
                                                                                             Elapsed
                                                                                                               Status
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. click
(WebUiBuiltInKeywords.groovy:659)
          at Script1706431755218.run(Script1706431755218.groovy:28)
```

... 15 more

Descri	otion	Elapsed	Status
	ndTestObject("Amazon_Manual_Registration_OR/Page_Amazon Sign-In/a_Create mazon account"), OPTIONAL)	0.164s	PASSED
Unable	to click on object 'Object		
	tory/Amazon_Manual_Registration_OR/Page_Amazon Sign-In/a_Create your		
	n account' (Root cause: com.kms.katalon.core.exception.StepFailedException:		
	to click on object 'Object		
	tory/Amazon_Manual_Registration_OR/Page_Amazon Sign-In/a_Create your		
Amazo	n account' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(Webl	IKeywordMain.groovy:64)		
(VVCDC	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebL	IKeywordMain.groovy:26)		
(at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy			
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(Clickk	eyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execut	eKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebL	iBuiltInKeywords.groovy:647)		
(TC A	at TC_Amazon_Registration_Manual_Mode_001.run		
(TC_A	mazon_Registration_Manual_Mode_001:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:1			
java. i	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:44			
1	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:43			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestC	aseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestC	aseExecutor.java:410)		
. 04	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:28			
(Comp	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase nonExecutor.java:65)		
(COIIII	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestS	uiteExecutor.java:148)		
(1000	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)			
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Metho			
(Notice	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(ivative	MethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Delea	at java.base/juk.internal.renect.belegatingiviethodAccessorimpl.invoke atingMethodAccessorImpl.java:43)		
	d by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
	closed		
	nknown error: web view not found		
	ion info: chrome=120.0.6099.225)		
	fo: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	n info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		
	md64', os.version: '10.0', java.version: '17.0.7'		

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60222}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: c2909a6ed7a7538d7feb9b133a56863d
*** Element info: {Using=xpath, value=//a[@id='createAccountSubmit']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements

```
Description
                                                                                              Elapsed
                                                                                                                Status
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:65)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. click
(WebUiBuiltInKeywords.groovy:647)
          at Script1706431755218.run(Script1706431755218.groovy:30)
          ... 15 more
```

Description	Elapsed	Status
setText(findTestObject("Amazon_Manual_Registration_OR/Page_Amazon Registration/input_Your name_customerName"), "john")	0.143s	PASSED
Unable to set text 'john' of object 'Object		
Repository/Amazon_Manual_Registration_OR/Page_Amazon Registration/input_Your		
name_customerName' (Root cause: com.kms.katalon.core.exception.StepFailedException	ո։	
Unable to set text 'john' of object 'Object Repository/Amazon_Manual_Registration_OR/Page_Amazon Registration/input_Your		
name_customerName'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed	b	
(WebUlKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywo	ord	
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.groovy:1019) at TC_Amazon_Registration_Manual_Mode_001.run		
(TC_Amazon_Registration_Manual_Mode_001:32)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
$at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.$		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.io.us.440)		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor)	•	
java:439)	•	
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhas	se	
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.ja	va:	
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java	•	
180)		
at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:3	86)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target wind	OW	
already closed		
from unknown error: web view not found		
(Session info: chrome=120.0.6099.225)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: bost: 'I APTOP-73RTOLDI' in: '169 254 189 53', os name: 'Windows 11', os		

System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.

arch: 'amd64', os.version: '10.0', java.version: '17.0.7'

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60222}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: c2909a6ed7a7538d7feb9b133a56863d
*** Element info: {Using=xpath, value=//input[@id='ap_customer_name']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements

```
Description
                                                                                           Elapsed
                                                                                                             Status
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at\ com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
          at\ com. kms. katalon. core. webui. keyword. builtin. Set Text Keyword. execute
(SetTextKeyword.groovy:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:1019)
         at Script1706431755218.run(Script1706431755218.groovy:32)
         ... 15 more
```

Descrip	tion	Elapsed	Status
	findTestObject("Amazon_Manual_Registration_OR/Page_Amazon tion/input_US 1_email"),	0.183s	PASSED
Unable t	o set text 'iamjohnghost@gmail.com' of object 'Object		
Reposito	ory/Amazon_Manual_Registration_OR/Page_Amazon Registration/input_US		
1_email	(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set		
text 'iam	johnghost@gmail.com' of object 'Object		
Reposito	pry/Amazon_Manual_Registration_OR/Page_Amazon Registration/input_US		
1_email	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(\Mahl III			
(webon	KeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
/\//abl.III			
(webuii	(eywordMain.groovy:26)		
(O-(T	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(Set l'ex	Keyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetText	Keyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execute	KeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUil	BuiltInKeywords.groovy:1019)		
	at TC_Amazon_Registration_Manual_Mode_001.run		
(TC_Am	azon_Registration_Manual_Mode_001:34)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
•	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439			
•	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:418)		
`	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:410)		
•	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285			
ja. ra. 20 0	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	nExecutor.java:65)		
(001111110	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	teExecutor.java:148)		
(100104)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	at confidence and in the confidence of the confi		
100)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)	at confidence and in the confidence and in t		
100)	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)			
wiethou)	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native)	MethodAccessorImpl.java:77)		
(i valivel)	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Dologo	ringMethodAccessorImpl.java:43)		
	by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
already			
	known error: web view not found		
	on info: chrome=120.0.6099.225)		
	o: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60222}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: c2909a6ed7a7538d7feb9b133a56863d
*** Element info: {Using=xpath, value=//input[@id='ap_email']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements

```
Description
                                                                                             Elapsed
                                                                                                               Status
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at\ com.kms. katalon. core. we bui. keyword. builtin. Set Text Keyword. set Text
(SetTextKeyword.groovy:66)
          at\ com. kms. katalon. core. we bui. keyword. builtin. Set Text Keyword. execute
(SetTextKeyword.groovy:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:1019)
          at Script1706431755218.run(Script1706431755218.groovy:34)
          ... 15 more
```

#	Description	Elapsed	Status
9	setEncryptedText(findTestObject("Amazon_Manual_Registration_OR/Page_Amazon Registration/input_Password_password"), "vIW88jy3Ae0=")	0.176s	PASSED
	Unable to set encrypted text for object 'Object		
	Repository/Amazon_Manual_Registration_OR/Page_Amazon		
	Registration/input_Password_password' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to set encrypted text for object 'Object		
	Repository/Amazon_Manual_Registration_OR/Page_Amazon		
	Registration/input_Password_password'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.		
	setEncryptedText(SetEncryptedTextKeyword.groovy:65)		
	$at\ com. kms. katalon. core. we bui. keyword. built in. Set Encrypted Text Keyword.$		
	execute(SetEncryptedTextKeyword.groovy:34)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText		
	(WebUiBuiltInKeywords.groovy:1050)		
	at TC_Amazon_Registration_Manual_Mode_001.run		
	(TC_Amazon_Registration_Manual_Mode_001:36)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180) at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
	already closed		
	from unknown error: web view not found		
	(Session info: chrome=120.0.6099.225)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'I_APTOP-73RTOLDI', in: '169.254.189.53', os.name: 'Windows 11', os.		

System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.

arch: 'amd64', os.version: '10.0', java.version: '17.0.7'

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60222}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: c2909a6ed7a7538d7feb9b133a56863d
*** Element info: {Using=xpath, value=//input[@id='ap_password']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements

```
Description
                                                                                          Elapsed
                                                                                                            Status
(WebUiCommonHelper.java:718)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword$_setEncryptedText_closure1.doCall(SetEncryptedTextKeyword.
groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword$_setEncryptedText_closure1.call(SetEncryptedTextKeyword.
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
setEncryptedText(SetEncryptedTextKeyword.groovy:65)
         at\ com. kms. katalon. core. we bui. keyword. builtin. Set Encrypted Text Keyword.
execute(SetEncryptedTextKeyword.groovy:34)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText
(WebUiBuiltInKeywords.groovy:1050)
         at Script1706431755218.run(Script1706431755218.groovy:36)
         ... 15 more
```

Descrip	tion	Elapsed	Status
	<pre>rptedText(findTestObject("Amazon_Manual_Registration_OR/Page_Amazon tion/input_Re-enter password_passwordCheck"), "vIW88jy3Ae0=")</pre>	0.262s	PASSED
Unable t	o set encrypted text for object 'Object		
Reposito	ory/Amazon_Manual_Registration_OR/Page_Amazon Registration/input_Re-enter		
passwor	d_passwordCheck' (Root cause: com.kms.katalon.core.exception.		
	edException: Unable to set encrypted text for object 'Object		
	ory/Amazon_Manual_Registration_OR/Page_Amazon Registration/input_Re-enter		
passwor	d_passwordCheck'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUll	KeywordMain.groovy:64)		
/\A/IIII	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUli	KeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.		
setEncry	/ptedText(SetEncryptedTextKeyword.groovy:65)		
ovecutor	at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.		
execute	SetEncryptedTextKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
evecute	KeywordForPlatform(KeywordExecutor.groovy:74)		
execute	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText		
(Webl JiF	BuiltInKeywords.groovy:1050)		
(**************************************	at TC_Amazon_Registration_Manual_Mode_001.run		
(TC Am	azon_Registration_Manual_Mode_001:39)		
(10_7	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
•	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285			
(0	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	nExecutor.java:65)		
(TootQui	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase teExecutor.java:148)		
(Testoui	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	at com.kms.kataion.core.main.restoutieExecutor.execute(restoutieExecutor.java.		
100)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)			
,	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)			
,	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeN	MethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	ingMethodAccessorImpl.java:43)		
	by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
already			
	known error: web view not found		
	on info: chrome=120.0.6099.225)		
	o: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60222}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: c2909a6ed7a7538d7feb9b133a56863d
*** Element info: {Using=xpath, value=//input[@id='ap_password_check']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements

```
Description
                                                                                           Elapsed
                                                                                                             Status
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword\$\_setEncryptedText\_closure1.doCall(SetEncryptedTextKeyword.
groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword$_setEncryptedText_closure1.call(SetEncryptedTextKeyword.
groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
setEncryptedText(SetEncryptedTextKeyword.groovy:65)
          at\ com. kms. katalon. core. we bui. keyword. builtin. Set Encrypted Text Keyword.
execute(SetEncryptedTextKeyword.groovy:34)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText
(WebUiBuiltInKeywords.groovy:1050)
         at Script1706431755218.run(Script1706431755218.groovy:39)
         ... 15 more
```

#	Description	Elapsed	Status
1	click(findTestObject("Amazon_Manual_Registration_OR/Page_Amazon Registration/input_Passwords must match_continue"))	0.152s	PASSED
	Unable to click on object 'Object		
	Repository/Amazon_Manual_Registration_OR/Page_Amazon Registration/input_Passwords must match_continue' (Root cause: com.kms.katalon.core.exception.StepFailedException:		
	Unable to click on object 'Object Repository/Amazon_Manual_Registration_OR/Page_Amazon Registration/input_Passwords must match_continue'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
	at TC_Amazon_Registration_Manual_Mode_001.run (TC_Amazon_Registration_Manual_Mode_001:42)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
	already closed		
	from unknown error: web view not found (Session info: chrome=120.0.6099.225)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'I_APTOP-73RTOLDI', in: '169.254.189.53', os. name: 'Windows 11', os.		

System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.

arch: 'amd64', os.version: '10.0', java.version: '17.0.7'

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60222}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: c2909a6ed7a7538d7feb9b133a56863d
*** Element info: {Using=xpath, value=//input[@id='continue']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements

```
Description
                                                                                            Elapsed
                                                                                                             Status
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. click
(WebUiBuiltInKeywords.groovy:659)
         at Script1706431755218.run(Script1706431755218.groovy:42)
         ... 15 more
)
```

12 closeBrowser() 0.252s PASSED

Browser is closed

Information

ID Test Cases/Katalon_Amazon_Recording_Modes/TC_Amazon_Registration_Script_Mode_001

Description

Tag

Start 28-01-2024 14:29:54 End 28-01-2024 14:29:59

Elapsed 5.456s Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.260s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("https://www.amazon.com/")	1.387s	PASSED
	Navigate to 'https://www.amazon.com/' successfully		

#	Description	Elapsed	Status
3	click(findTestObject("Object Repository/Amz_Registration_OR/Page_Amazon.com. Spend less. Smile more/span_Account Lists"))	0.334s	PASSED
	Unable to click on object 'Object Repository/Amz_Registration_OR/Page_Amazon.com. Spend less. Smile more/span_Account Lists' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object		
	Repository/Amz_Registration_OR/Page_Amazon.com. Spend less. Smile more/span_Account Lists'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:659) at TC_Amazon_Registration_Script_Mode_001.run		
	(TC_Amazon_Registration_Script_Mode_001:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
	already closed from unknown error: web view not found		
	(Session info: chrome=120.0.6099.225)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		

arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver

Status

```
Description
                                                                                          Elapsed
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60245}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: f87a56931ecb129dc727b4ad12077858
*** Element info: {Using=xpath, value=//a[@id='nav-link-accountList']/span}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
```

(WebUiCommonHelper.java:718)

```
Description
                                                                                           Elapsed
                                                                                                             Status
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
         at Script1706431755238.run(Script1706431755238.groovy:24)
```

	Elapsed	Status
click(findTestObject("Object Repository/Amz_Registration_OR/Page_Amazon Sign-In/a_Create your Amazon account_1"))	0.278s	PASSED
Unable to click on object 'Object Repository/Amz_Registration_OR/Page_Amazon Sign-In/a_Create your Amazon account_1' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to click on object 'Object		
Repository/Amz_Registration_OR/Page_Amazon Sign-In/a_Create your Amazon account_1'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
at TC_Amazon_Registration_Script_Mode_001.run		
(TC_Amazon_Registration_Script_Mode_001:26)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
already closed		
from unknown error: web view not found (Session info: chrome=120.0.6099.225)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		

Elapsed

Status

```
Description
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60245}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: f87a56931ecb129dc727b4ad12077858
*** Element info: {Using=xpath, value=//a[@id='createAccountSubmit']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
```

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
         at Script1706431755238.run(Script1706431755238.groovy:26)
```

Des	cription	Elapsed	Status
	ext(findTestObject("Object Repository/Amz_Registration_OR/Page_Amazon istration/input_customerName"), "john")	0.172s	PASSED
Reg	ible to set text 'john' of object 'Object Repository/Amz_Registration_OR/Page_Amazon pristration/input_customerName' (Root cause: com.kms.katalon.core.exception. pristration: Unable to set text 'john' of object 'Object		
	ository/Amz_Registration_OR/Page_Amazon Registration/input_customerName' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed bUIKeywordMain.groovy:64)		
(We	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywordbUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	TextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
•	TextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. cuteKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText bUiBuiltInKeywords.groovy:1019)		
(TC	at TC_Amazon_Registration_Script_Mode_001.run _Amazon_Registration_Script_Mode_001:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
java	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.:119)		
java	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. 2:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
•	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhasestCaseExecutor.java:418)		
•	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhasestCaseExecutor.java:410)		
java	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. :285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
, i	mmonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Te	stSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
180	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
Met	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native hod)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke tiveMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke legatingMethodAccessorImpl.java:43) ised by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
alre fron	ady closed n unknown error: web view not found		
Bui	ession info: chrome=120.0.6099.225) d info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' tem info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		
Driv	n: 'amd64', os.version: '10.0', java.version: '17.0.7' er info: com.kms.katalon.selenium.driver.CChromeDriver		

Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:

Status

```
Description
                                                                                           Elapsed
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60245}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: f87a56931ecb129dc727b4ad12077858
*** Element info: {Using=xpath, value=//input[@id='ap_customer_name']}
         at\ jdk. internal. reflect. Generated Constructor Accessor 24. new Instance (Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement

```
Description
                                                                                           Elapsed
                                                                                                            Status
(WebUiCommonHelper.java:1374)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at\ com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
          at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:1019)
         at Script1706431755238.run(Script1706431755238.groovy:28)
         ... 15 more
```

Description	Elapsed	Status
setText(findTestObject("Object Repository/Amz_Registration_OR/Page_Amazon Registration/input_email"), "iamjohnghost@gmail.com")	0.186s	PASSED
Unable to set text 'iamjohnghost@gmail.com' of object 'Object		
Repository/Amz_Registration_OR/Page_Amazon Registration/input_email' (Root cause:		
com.kms.katalon.core.exception.StepFailedException: Unable to set text		
'iamjohnghost@gmail.com' of object 'Object Repository/Amz_Registration_OR/Page_Amazon Registration/input_email'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywo	rd	
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.groovy:1019)		
at TC_Amazon_Registration_Script_Mode_001.run		
(TC_Amazon_Registration_Script_Mode_001:30)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase	e	
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.jav	a:	
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java		
180)	2)	
at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:30 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native	D)	
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target windo already closed	VV	
from unknown error: web view not found		
(Session info: chrome=120.0.6099.225)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		
arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
Differ thio. Com.kms.kataion.setemum.unver.ComoneDNVer		

Elapsed

Status

```
Description
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60245}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: f87a56931ecb129dc727b4ad12077858
*** Element info: {Using=xpath, value=//input[@id='ap_email']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
```

```
Description
                                                                                             Elapsed
                                                                                                               Status
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at\ com.kms. katalon. core. we bui. keyword. builtin. Set Text Keyword. set Text
(SetTextKeyword.groovy:66)
          at\ com.kms.katalon.core.webui.keyword.builtin.Set Text Keyword.execute
(SetTextKeyword.groovy:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:1019)
          at Script1706431755238.run(Script1706431755238.groovy:30)
          ... 15 more
```

Description	Elapsed	Statu
setEncryptedText(findTestObject("Object Repository/Amz_Registration_OR/Registration/input_password"), "vIW88jy3Ae0=")	Page_Amazon 0.184s	PASSI
Unable to set encrypted text for object 'Object		
Repository/Amz_Registration_OR/Page_Amazon Registration/input_passwo	ard' (Poot cause:	
com.kms.katalon.core.exception.StepFailedException: Unable to set encrypt	ed text for	
object 'Object Repository/Amz_Registration_OR/Page_Amazon		
Registration/input_password'	lain atan Failad	
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordM	lain.step-alled	
(WebUlKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordM	ain.runKeyword	
(WebUlKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextK	Keyword.	
setEncryptedText(SetEncryptedTextKeyword.groovy:65)		
at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextK	Keyword.	
execute(SetEncryptedTextKeyword.groovy:34)		
$at\ com. kms. katalon. core. keyword. internal. Keyword Executor.$		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.se	etEncryptedText	
(WebUiBuiltInKeywords.groovy:1050)		
at TC_Amazon_Registration_Script_Mode_001.run		
(TC_Amazon_Registration_Script_Mode_001:32)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:	194)	
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(S	ScriptEngine.	
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.run))	aseExecutor.	
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.do	CaseExecutor.	
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutio	nPhase	
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhas	se	
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCase	seExecutor.	
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestC	aseMainPhase	
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuite	MainPhase	
(TestSuiteExecutor.java:148)	Wilder Hadd	
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuit	teExecutor iava:	
106)	to Excoutor . Java.	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestC	SaseMain java:	
180)	asciviairi.java.	
at TempTestSuite1706432201976.run(TempTestSuite1706432201	1076 groova(:26)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(
	U(Native	
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)	-1	
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.inv	/oke	
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchWindowException: no such window	v: target window	
already closed		
from unknown error: web view not found		
(Session info: chrome=120.0.6099.225)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:2		
System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Win	dows 11', os.	
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		
Driver info: com.kms.katalon.selenium.driver.CChromeDriver		

Status

```
Description
                                                                                          Elapsed
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60245}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: f87a56931ecb129dc727b4ad12077858
*** Element info: {Using=xpath, value=//input[@id='ap_password']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
```

(WebUiCommonHelper.java:718)

```
Description
                                                                                          Elapsed
                                                                                                            Status
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword\$\_setEncryptedText\_closure1.doCall(SetEncryptedTextKeyword.
groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword$_setEncryptedText_closure1.call(SetEncryptedTextKeyword.
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
setEncryptedText(SetEncryptedTextKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
execute(SetEncryptedTextKeyword.groovy:34)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText
(WebUiBuiltInKeywords.groovy:1050)
         at Script1706431755238.run(Script1706431755238.groovy:32)
```

Description	Elapsed	Status
setEncryptedText(findTestObject("Object Repository/Amz_Registration_OR/Page_Amazor Registration/input_passwordCheck"), "vIW88jy3Ae0=")	n 0.168s	PASSED
Unable to set encrypted text for object 'Object		
Repository/Amz_Registration_OR/Page_Amazon Registration/input_passwordCheck' (Roc		
cause: com.kms.katalon.core.exception.StepFailedException: Unable to set encrypted text		
for object 'Object Repository/Amz_Registration_OR/Page_Amazon		
Registration/input_passwordCheck' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	rd	
(WebUIKeywordMain.groovy:26)		
$at\ com. kms. katalon. core. we bui. keyword. built in. Set Encrypted Text Keyword.$		
setEncryptedText(SetEncryptedTextKeyword.groovy:65)		
at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.		
execute(SetEncryptedTextKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedTe	xt	
(WebUiBuiltInKeywords.groovy:1050)		
at TC_Amazon_Registration_Script_Mode_001.run		
(TC_Amazon_Registration_Script_Mode_001:35)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
$at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase$		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase	9	
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.jav	a:	
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)		
at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36	6)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window)W	
already closed		
from unknown error: web view not found		
(Session info: chrome=120.0.6099.225)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		
Driver info: com.kms.katalon.selenium.driver.CChromeDriver		

Elapsed

Status

```
Description
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60245}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: f87a56931ecb129dc727b4ad12077858
*** Element info: {Using=xpath, value=//input[@id='ap_password_check']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
```

```
Description
                                                                                           Elapsed
                                                                                                            Status
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword\$\_setEncryptedText\_closure1.doCall(SetEncryptedTextKeyword.
groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword$_setEncryptedText_closure1.call(SetEncryptedTextKeyword.
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
setEncryptedText(SetEncryptedTextKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
execute(SetEncryptedTextKeyword.groovy:34)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText
(WebUiBuiltInKeywords.groovy:1050)
         at Script1706431755238.run(Script1706431755238.groovy:35)
         ... 15 more
```

Г	Description	Elapsed	Status
		•	
	click(findTestObject("Object Repository/Amz_Registration_OR/Page_Amazon Registration/inputcontinue"))	0.133s	PASSED
	Unable to click on object 'Object Repository/Amz_Registration_OR/Page_Amazon Registration/inputcontinue' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to click on object 'Object		
	Repository/Amz_Registration_OR/Page_Amazon Registration/inputcontinue		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:659)		
	at TC_Amazon_Registration_Script_Mode_001.run		
	(TC_Amazon_Registration_Script_Mode_001:38)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	ava:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
i	ava:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
į	ava:439)		
	$at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase$		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
i	ar com.kms.karaiom.core.maim.resicaseExecutor.execute(resicaseExecutor.		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.restoaseiviam.startrestSuite(restoaseiviam.java. 180)		
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
	caused by, org.openqa.seienium.NosuchwindowException, no such window, target window already closed		
	from unknown error: web view not found		
	(Session info: chrome=120.0.6099.225)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		
	arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
	THE PROPERTY OF THE PROPERTY OF THE PARTY OF THE PROPERTY OF T		

Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:

Status

```
Description
                                                                                           Elapsed
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60245}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: f87a56931ecb129dc727b4ad12077858
*** Element info: {Using=xpath, value=//input[@id='continue']}
         at\ jdk. internal. reflect. Generated Constructor Accessor 24. new Instance (Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement

```
Description
                                                                                                                                                                                                                                                                                           Elapsed
                                                                                                                                                                                                                                                                                                                                                   Status
 (WebUiCommonHelper.java:1374)
                              at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
 findWebElement(WebUIAbstractKeyword.groovy:27)
                               at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
 doCall(ClickKeyword.groovy:65)
                              at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
 (ClickKeyword.groovy)
                               at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
 (WebUIKeywordMain.groovy:20)
                              at\ com. kms. katalon. core. webui. keyword. builtin. Click Keyword. click (Click Keyword. builtin. Click Keyword. builtin. bui
                               at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
 (ClickKeyword.groovy:40)
                               at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                              at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. click
 (WebUiBuiltInKeywords.groovy:659)
                              at Script1706431755238.run(Script1706431755238.groovy:38)
                              ... 15 more
 )
```

10 closeBrowser() 0.158s PASSED

Browser is closed

Information

ID Test Cases/Katalon_Amazon_Recording_Modes/TC_Amazon_shopping_Cart_Record_And_Playback_001

Description

Tag

Start 28-01-2024 14:29:59 End 28-01-2024 14:30:05

Elapsed 5.546s
Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.069s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("https://www.amazon.com/")	1.069s	PASSED
	Navigate to 'https://www.amazon.com/' successfully		

Description	Elapsed	Status
click(findTestObject("Object Repository/Add_To_cart_OR/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in"))	0.206s	PASSED
Unable to click on object 'Object Repository/Add_To_cart_OR/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object		
Repository/Add_To_cart_OR/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
at TC_Amazon_shopping_Cart_Record_And_Playback_001.run		
(TC_Amazon_shopping_Cart_Record_And_Playback_001:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
already closed		
from unknown error: web view not found		
(Session info: chrome=120.0.6099.225)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		
Driver info: com kms katalon selenium driver CChromeDriver		

Driver info: com.kms.katalon.selenium.driver.CChromeDriver

Status

```
Description
                                                                                          Elapsed
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60269}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 715b91a77b7a2f52548173ca869108aa
*** Element info: {Using=xpath, value=//span[@id='nav-link-accountList-nav-line-1']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
```

(WebUiCommonHelper.java:718)

```
Description
                                                                                           Elapsed
                                                                                                             Status
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
         at Script1706431755257.run(Script1706431755257.groovy:24)
```

#	Description	Elapsed	Status
4	setText(findTestObject("Object Repository/Add_To_cart_OR/Page_Amazon Sign-In/input_email"), "iamjohnghost@gmail.com")	0.123s	PASSED
	Unable to set text 'iamjohnghost@gmail.com' of object 'Object Repository/Add_To_cart_OR/Page_Amazon Sign-In/input_email' (Root cause: com.kms. katalon.core.exception.StepFailedException: Unable to set text 'iamjohnghost@gmail.com' of object 'Object Repository/Add_To_cart_OR/Page_Amazon Sign-In/input_email'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1019) at TC_Amazon_shopping_Cart_Record_And_Playback_001.run		
	(TC_Amazon_shopping_Cart_Record_And_Playback_001:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		
	(Session info: chrome=120.0.6099.225) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

Elapsed

Status

```
Description
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60269}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 715b91a77b7a2f52548173ca869108aa
*** Element info: {Using=xpath, value=//input[@id='ap_email']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
```

```
Description
                                                                                            Elapsed
                                                                                                              Status
(WebUiCommonHelper.java:1374)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at\ com.kms. katalon. core. we bui. keyword. builtin. Set Text Keyword. set Text
(SetTextKeyword.groovy:66)
         at\ com.kms.katalon.core.webui.keyword.builtin.Set Text Keyword.execute
(SetTextKeyword.groovy:37)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:1019)
         at Script1706431755257.run(Script1706431755257.groovy:26)
         ... 15 more
```

Description	Elapsed	Status
	0.145s	PASSED
click(findTestObject("Object Repository/Add_To_cart_OR/Page_Amazon Sign-In/inputcontinue"))	0.1458	PASSED
Unable to click on object 'Object Repository/Add_To_cart_OR/Page_Amazon Sign-In/inputcontinue' (Root cause: com.kms.katalon.core.exception.StepFailedException:		
Unable to click on object 'Object Repository/Add_To_cart_OR/Page_Amazon Sign-In/inputcontinue'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
at TC_Amazon_shopping_Cart_Record_And_Playback_001.run (TC_Amazon_shopping_Cart_Record_And_Playback_001:28)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
already closed		
from unknown error: web view not found		
(Session info: chrome=120.0.6099.225) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		
Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
Canabilities (accentles acure Certs: false browserName: chrome browserVersion:		

Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:

Status

```
Description
                                                                                           Elapsed
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60269}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 715b91a77b7a2f52548173ca869108aa
*** Element info: {Using=xpath, value=//input[@id='continue']}
         at\ jdk. internal. reflect. Generated Constructor Accessor 24. new Instance (Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement

(WebUiCommonHelper.java:718)

```
Description
                                                                                                                                                                                                                                                                                            Elapsed
                                                                                                                                                                                                                                                                                                                                                   Status
 (WebUiCommonHelper.java:1374)
                              at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
 findWebElement(WebUIAbstractKeyword.groovy:27)
                               at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
 doCall(ClickKeyword.groovy:65)
                              at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
 (ClickKeyword.groovy)
                               at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
 (WebUIKeywordMain.groovy:20)
                              at\ com. kms. katalon. core. webui. keyword. builtin. Click Keyword. click (Click Keyword. builtin. Click Keyword. builtin. bui
                               at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
 (ClickKeyword.groovy:40)
                               at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                              at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. click
 (WebUiBuiltInKeywords.groovy:659)
                              at Script1706431755257.run(Script1706431755257.groovy:28)
                              ... 15 more
```

#	Description	Elapsed	Status
6	setEncryptedText(findTestObject("Object Repository/Add_To_cart_OR/Page_Amazon Sign-In/input_password"), "vIW88jy3Ae0=")	0.161s	PASSED
	Unable to set encrypted text for object 'Object Repository/Add_To_cart_OR/Page_Amazon Sign-In/input_password' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set encrypted text for object 'Object Repository/Add_To_cart_OR/Page_Amazon		
	Sign-In/input_password' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. setEncryptedText(SetEncryptedTextKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.execute(SetEncryptedTextKeyword.groovy:34)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText		
	(WebUiBuiltInKeywords.groovy:1050) at TC_Amazon_shopping_Cart_Record_And_Playback_001.run		
	(TC_Amazon_shopping_Cart_Record_And_Playback_001:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed		
	from unknown error: web view not found (Session info: chrome=120.0.6099.225)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

Elapsed

Status

```
Description
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60269}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 715b91a77b7a2f52548173ca869108aa
*** Element info: {Using=xpath, value=//input[@id='ap_password']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
```

```
Description
                                                                                             Elapsed
                                                                                                               Status
(WebUiCommonHelper.java:1374)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword\$\_setEncryptedText\_closure1.doCall(SetEncryptedTextKeyword.
groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword\$\_setEncryptedText\_closure1.call(SetEncryptedTextKeyword.
groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
setEncryptedText(SetEncryptedTextKeyword.groovy:65)
          at\ com. kms. katalon. core. we bui. keyword. builtin. Set Encrypted Text Keyword.
execute(SetEncryptedTextKeyword.groovy:34)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords. setEncryptedText
(WebUiBuiltInKeywords.groovy:1050)
          at Script1706431755257.run(Script1706431755257.groovy:30)
          ... 15 more
```

Descri	ption	Elapsed	Status
	ndTestObject("Object Repository/Add_To_cart_OR/Page_Amazon Sign-tsignInSubmit"))	0.138s	PASSED
Unable	to click on object 'Object Repository/Add_To_cart_OR/Page_Amazon Sign-		
	tsignInSubmit' (Root cause: com.kms.katalon.core.exception.StepFailedException:		
	to click on object 'Object Repository/Add_To_cart_OR/Page_Amazon Sign-		
In/inpu	tsignInSubmit'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebU	IKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebU	IKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy			
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickK	(eyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execut	eKeywordForPlatform(KeywordExecutor.groovy:74)		
(\Mahl	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(webc	iBuiltInKeywords.groovy:659) at TC_Amazon_shopping_Cart_Record_And_Playback_001.run		
(TC A	mazon_shopping_Cart_Record_And_Playback_001:32)		
(IC_A	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:11			
java	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:44			
J	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:43			
•	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestC	aseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestC	aseExecutor.java:410)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$		
java:28			
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Comn	nonExecutor.java:65)		
(T .0	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestS	uiteExecutor.java:148)		
400)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	at com kma katalan cara main TastCasaMain atartTastSuita/TastCasaMain isya		
180)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
100)	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method			
Wiotilio	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native	MethodAccessorImpl.java:77)		
(* ************************************	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Deleg	atingMethodAccessorImpl.java:43)		
	d by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
	/ closed		
	nknown error: web view not found		
(Sess	ion info: chrome=120.0.6099.225)		
	nfo: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	n info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		
	amd64', os.version: '10.0', java.version: '17.0.7'		
	info: com.kms.katalon.selenium.driver.CChromeDriver		
Canah	ilities (accentlnsecureCerts: false hrowserName: chrome hrowserVersion:		

Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:

Status

```
Description
                                                                                           Elapsed
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60269}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 715b91a77b7a2f52548173ca869108aa
*** Element info: {Using=xpath, value=//input[@id='signInSubmit']}
         at\ jdk. internal. reflect. Generated Constructor Accessor 24. new Instance (Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement

```
Description
                                                                                                                                                                                                                                                                                              Elapsed
                                                                                                                                                                                                                                                                                                                                                     Status
 (WebUiCommonHelper.java:1374)
                              at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
 findWebElement(WebUIAbstractKeyword.groovy:27)
                               at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
 doCall(ClickKeyword.groovy:65)
                              at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
 (ClickKeyword.groovy)
                               at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
 (WebUIKeywordMain.groovy:20)
                              at\ com. kms. katalon. core. webui. keyword. builtin. Click Keyword. click (Click Keyword. builtin. Click Keyword. builtin. bui
                               at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
 (ClickKeyword.groovy:40)
                               at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                              at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. click
 (WebUiBuiltInKeywords.groovy:659)
                              at Script1706431755257.run(Script1706431755257.groovy:32)
```

... 15 more

Description	Elapsed	Status
selectOptionByValue(findTestObject("Object Repository/Add_To_cart_OR/Page_Amazon. com. Spend less. Smile more/select_All Departments	0.206s	PASSED
Unable to select option by value 'search-alias=stripbooks-intl-ship' of object 'Object		
Repository/Add_To_cart_OR/Page_Amazon.com. Spend less. Smile more/select_All Departments Arts Crafts _135c92' using regular expression (Root cause: com.kms. katalon.core.exception.StepFailedException: Unable to select option by value 'search-		
alias=stripbooks-intl-ship' of object 'Object Repository/Add_To_cart_OR/Page_Amazon. com. Spend less. Smile more/select_All Departments		
regular expression at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.		
selectOptionByValue(SelectOptionByValueKeyword.groovy:99) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.		
execute(SelectOptionByValueKeyword.groovy:71) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
selectOptionByValue(WebUiBuiltInKeywords.groovy:1207) at TC_Amazon_shopping_Cart_Record_And_Playback_001.run		
(TC_Amazon_shopping_Cart_Record_And_Playback_001:34) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
already closed from unknown error: web view not found		
(Session info: chrome=120.0.6099.225) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		

Elapsed

Status

```
Description
System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60269}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 715b91a77b7a2f52548173ca869108aa
*** Element info: {Using=xpath, value=//select[@id='searchDropdownBox']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
```

```
Description
                                                                                          Elapsed
                                                                                                           Status
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at\ com. kms. katalon. core. we bui. common. WebUiCommon Helper. find WebElements
(WebUiCommonHelper.java:718)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SelectOptionByValueKeyword$_selectOptionByValue_closure1.doCall
(SelectOptionByValueKeyword.groovy:86)
         at com.kms.katalon.core.webui.keyword.builtin.
SelectOptionByValueKeyword$_selectOptionByValue_closure1.call
(SelectOptionByValueKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.
selectOptionByValue(SelectOptionByValueKeyword.groovy:99)
         at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.
execute(SelectOptionByValueKeyword.groovy:71)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.
selectOptionByValue(WebUiBuiltInKeywords.groovy:1207)
         at Script1706431755257.run(Script1706431755257.groovy:34)
         ... 15 more
```

#	Description	Elapsed	Status
9	setText(findTestObject("Object Repository/Add_To_cart_OR/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), "da vinci code")	0.155s	PASSED
	Unable to set text 'da vinci code' of object 'Object Repository/Add_To_cart_OR/Page_Amazon.com. Spend less. Smile more/input_field-keywords' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'da vinci code' of object 'Object Repository/Add_To_cart_OR/Page_Amazon.com.		
	Spend less. Smile more/input_field-keywords' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1019) at TC_Amazon_shopping_Cart_Record_And_Playback_001.run		
	(TC_Amazon_shopping_Cart_Record_And_Playback_001:37) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180) at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
	already closed from unknown error: web view not found		
	(Session info: chrome=120.0.6099.225) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		

arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver

Status

```
Description
                                                                                          Elapsed
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60269}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 715b91a77b7a2f52548173ca869108aa
*** Element info: {Using=xpath, value=//input[@id='twotabsearchtextbox']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
```

(WebUiCommonHelper.java:718)

```
Description
                                                                                           Elapsed
                                                                                                             Status
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at\ com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
          at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:1019)
         at Script1706431755257.run(Script1706431755257.groovy:37)
```

Description	Elapsed	Status
click(findTestObject("Object Repository/Add_To_cart_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button"))	0.156s	PASSED
Unable to click on object 'Object Repository/Add_To_cart_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button' (Root cause: com.kms.katalon.core.		
exception.StepFailedException: Unable to click on object 'Object Repository/Add_To_cart_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
at TC_Amazon_shopping_Cart_Record_And_Playback_001.run (TC_Amazon_shopping_Cart_Record_And_Playback_001:40)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		
(Session info: chrome=120.0.6099.225) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		
Driver info: com.kms.katalon.selenium.driver.CChromeDriver		

Elapsed

Status

```
Description
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60269}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 715b91a77b7a2f52548173ca869108aa
*** Element info: {Using=xpath, value=//input[@id='nav-search-submit-button']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
```

```
Description
                                                                                           Elapsed
                                                                                                             Status
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
         at Script1706431755257.run(Script1706431755257.groovy:40)
```

Description	Clones -	Ctotur
Description	Elapsed	Status
click(findTestObject("Object Repository/Add_To_cart_OR/Page_Amazon.com da vinci code/img_s-image"))	0.191s	PASSED
Unable to click on object 'Object Repository/Add_To_cart_OR/Page_Amazon.com da vinci code/img_s-image' (Root cause: com.kms.katalon.core.exception.StepFailedException:		
Unable to click on object 'Object Repository/Add_To_cart_OR/Page_Amazon.com da vinci code/img_s-image'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:659) at TC_Amazon_shopping_Cart_Record_And_Playback_001.run		
(TC_Amazon_shopping_Cart_Record_And_Playback_001:42)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:448)		
(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180) at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed		
from unknown error: web view not found		
(Session info: chrome=120.0.6099.225) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		
Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
Canabilities (acceptlineacure Certs: false hrowserName: chrome hrowserVersion:		

Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:

Status

```
Description
                                                                                           Elapsed
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60269}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 715b91a77b7a2f52548173ca869108aa
*** Element info: {Using=xpath, value=//div[@id='search']/div/div/div/span/div/div[7]
/div/div/span/div/div/div/div/div[2]/div/span/a/div/img}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
```

(WebUiCommonHelper.java:718)

```
Description
                                                                                           Elapsed
                                                                                                             Status
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
         at Script1706431755257.run(Script1706431755257.groovy:42)
```

Description	Elapsed	Status
click(findTestObject("Object Repository/Add_To_cart_OR/Page_The Da Vinci Code (Large Print) Brown,_a09dbd/input_submit.add-to-cart"))	0.166s	PASSED
Unable to click on object 'Object Repository/Add_To_cart_OR/Page_The Da Vinci Code (Large Print) Brown,_a09dbd/input_submit.add-to-cart' (Root cause: com.kms.katalon.core exception.StepFailedException: Unable to click on object 'Object		
Repository/Add_To_cart_OR/Page_The Da Vinci Code (Large Print) Brown, _a09dbd/input_submit.add-to-cart'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword.		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword		
groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
at TC_Amazon_shopping_Cart_Record_And_Playback_001.run (TC_Amazon_shopping_Cart_Record_And_Playback_001:44)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase)	
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java	a:	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native	5)	
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target windo already closed	W	
from unknown error: web view not found (Session info: chrome=120.0.6099.225) Puild info: vergion: 12.141.501 revision: 1982be7d2581 time: 12018.11.14T08:25:531		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		
Driver info: com.kms.katalon.selenium.driver.CChromeDriver		

Elapsed

Status

```
Description
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60269}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 715b91a77b7a2f52548173ca869108aa
*** Element info: {Using=xpath, value=//input[@id='add-to-cart-button']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
```

```
Description
                                                                                           Elapsed
                                                                                                             Status
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
         at Script1706431755257.run(Script1706431755257.groovy:44)
```

Description	Elapsed	Status
•	·	
click(findTestObject("Object Repository/Add_To_cart_OR/Page_Amazon.com Shopping Cart/span_nav-cart-icon nav-sprite"))	0.176s	PASSED
Unable to click on object 'Object Repository/Add_To_cart_OR/Page_Amazon.com Shopping Cart/span_nav-cart-icon nav-sprite' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to click on object 'Object Repository/Add_To_cart_OR/Page_Amazon.com Shopping Cart/span_nav-cart-icon nav-		
sprite' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
at TC_Amazon_shopping_Cart_Record_And_Playback_001.run		
(TC_Amazon_shopping_Cart_Record_And_Playback_001:46)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
$at\ com. kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: the context of th$		
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)		
at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed		
from unknown error: web view not found		
(Session info: chrome=120.0.6099.225)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		

Status

```
Description
                                                                                          Elapsed
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60269}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 715b91a77b7a2f52548173ca869108aa
*** Element info: {Using=xpath, value=//div[@id='nav-cart-count-container']/span[2]}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
```

(WebUiCommonHelper.java:718)

```
Description
                                                                                             Elapsed
                                                                                                               Status
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. click
(WebUiBuiltInKeywords.groovy:659)
          at Script1706431755257.run(Script1706431755257.groovy:46)
)
```

14 closeBrowser() 0.238s PASSED

Browser is closed

Information

ID Test Cases/Katalon_Amazon_Recording_Modes/TC__Search,Browsing_Record_And_Playback_001

Description

Tag

Start 28-01-2024 14:30:05 End 28-01-2024 14:30:10

Elapsed 5.353s Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.185s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("https://www.amazon.com/") Navigate to 'https://www.amazon.com/' successfully	1.065s	PASSED

#	Description	Elapsed	Status
3	click(findTestObject("Object Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon.com. Spend less. Smile more/span_nav-icon nav-arrow"))	0.299s	PASSED
	Unable to click on object 'Object		
	Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon.com. Spend less. Smile more/span_nav-icon nav-arrow' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object		
	Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon.com. Spend less. Smile more/span_nav-icon nav-arrow'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
	at TCSearch,Browsing_Record_And_Playback_001.run(TCSearch, Browsing_Record_And_Playback_001:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
	at rempresionie 1700402201970.tdn(rempresionie 1700402201970.groovy.so) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed		
	from unknown error: web view not found (Session info: chrome=120.0.6099.225)		
	Ruild info: version: '3 1/1 50', revision: 'e82he7d358', time: '2018-11-1/T08:25:53'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.

Elapsed

Status

```
Description
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
\{debuggerAddress: localhost: 60295\}, javascript Enabled: true, network Connection Enabled: \\
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 3399d29041fc23a77ac4061a1c8e1e37
*** Element info: {Using=xpath, value=//a[@id='nav-link-accountList']/span/span}
          at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
          at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
```

findElementsWithSelfHealing(WebUiCommonHelper.java:734)

```
Description
                                                                                             Elapsed
                                                                                                               Status
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at\ com.kms. katalon.core.webui.keyword.builtin. Click Keyword \$\_click\_closure 1.
doCall(ClickKeyword.groovy:65)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
          at Script1706431755301.run(Script1706431755301.groovy:24)
```

Description	Elapsed	Status
setText(findTestObject("Object	0.185s	PASSED
Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon Sign-		
In/input_email"), "iamjohnghost@gmail.com")		
Unable to set text 'iamjohnghost@gmail.com' of object 'Object		
Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon Sign-In/input_email	T'	
(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text	•	
'iamjohnghost@gmail.com' of object 'Object		
Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon Sign-In/input_email	T'	
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywor	rd	
(WebUlKeywordMain.groovy:26)	u	
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.groovy:1019)		
at TCSearch,Browsing_Record_And_Playback_001.run(TCSearch,		
Browsing_Record_And_Playback_001:26)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase)	
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java	a:	
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)		
at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36	5)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target windo	W	
already closed		
from unknown error: web view not found		
(Session info: chrome=120.0.6099.225)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		

Elapsed

Status

```
Description
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60295}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 3399d29041fc23a77ac4061a1c8e1e37
*** Element info: {Using=xpath, value=//input[@id='ap_email']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements

```
Description
                                                                                             Elapsed
                                                                                                               Status
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at\ com.kms.katalon.core.webui.keyword.builtin.Set Text Keyword.set Text
(SetTextKeyword.groovy:66)
          at\ com. kms. katalon. core. we bui. keyword. builtin. Set Text Keyword. execute
(SetTextKeyword.groovy:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.set Text
(WebUiBuiltInKeywords.groovy:1019)
          at Script1706431755301.run(Script1706431755301.groovy:26)
          ... 15 more
```

#	Description	Elapsed	Status
5	click(findTestObject("Object Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon Sign- In/inputcontinue"))	0.158s	PASSED
	Unable to click on object 'Object Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon Sign-		
	In/inputcontinue' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon Sign-In/inputcontinue'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
	at TCSearch,Browsing_Record_And_Playback_001.run(TCSearch, Browsing_Record_And_Playback_001:29)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
	already closed from unknown error: web view not found (Session info: chrome=120.0.6099.225)		
	Duild info: varcion: '2 141 50' revision: '999b97d359' time: '2019 11 14T09:25:53'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.

Elapsed

Status

```
Description
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
\{debuggerAddress: localhost: 60295\}, javascript Enabled: true, network Connection Enabled: \\
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 3399d29041fc23a77ac4061a1c8e1e37
*** Element info: {Using=xpath, value=//input[@id='continue']}
          at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
          at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
```

findElementsWithSelfHealing(WebUiCommonHelper.java:734)

```
Description
                                                                                             Elapsed
                                                                                                               Status
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at\ com.kms. katalon.core.webui.keyword.builtin. Click Keyword \$\_click\_closure 1.
doCall(ClickKeyword.groovy:65)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
          at Script1706431755301.run(Script1706431755301.groovy:29)
```

‡	Description	Elapsed	Status
	setEncryptedText(findTestObject("Object	0.175s	PASSED
	Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon Sign-		
	In/input_password"), "vIW88jy3Ae0=")		
	Unable to set encrypted text for object 'Object		
	Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon Sign-		
	In/input_password' (Root cause: com.kms.katalon.core.exception.StepFailedException:		
	Unable to set encrypted text for object 'Object		
	Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon Sign-		
	In/input_password'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.		
	setEncryptedText(SetEncryptedTextKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.		
	execute(SetEncryptedTextKeyword.groovy:34)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText		
	(WebUiBuiltInKeywords.groovy:1050)		
	at TCSearch,Browsing_Record_And_Playback_001.run(TCSearch, Browsing_Record_And_Playback_001:31)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
	already closed		
	from unknown error: web view not found		
	(Session info: chrome=120.0.6099.225)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		

Elapsed

Status

```
Description
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60295}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 3399d29041fc23a77ac4061a1c8e1e37
*** Element info: {Using=xpath, value=//input[@id='ap_password']}
          at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at\ com. kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at\ java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
          at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
```

findElementsWithSelfHealing(WebUiCommonHelper.java:734)

```
Description
                                                                                           Elapsed
                                                                                                             Status
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:718)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword\$\_setEncryptedText\_closure1.doCall(SetEncryptedTextKeyword.
          at com.kms.katalon.core.webui.keyword.builtin.
SetEncryptedTextKeyword$_setEncryptedText_closure1.call(SetEncryptedTextKeyword.
groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
setEncryptedText(SetEncryptedTextKeyword.groovy:65)
          at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword.
execute(SetEncryptedTextKeyword.groovy:34)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText
(WebUiBuiltInKeywords.groovy:1050)
         at Script1706431755301.run(Script1706431755301.groovy:31)
         ... 15 more
```

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon Sign- In/inputsignInSubmit"))	0.186s	PASSED
	Unable to click on object 'Object		
	Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon Sign-In/inputsignInSubmit' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon Sign-In/inputsignInSubmit'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
	at TCSearch,Browsing_Record_And_Playback_001.run(TCSearch, Browsing_Record_And_Playback_001:34)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed		
	from unknown error: web view not found (Session info: chrome=120.0.6099.225)		
	Ruild info: version: '3 1/1 50', ravision: 'a82ha7d358', time: '2018-11-1/T08:25:53'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.

Elapsed

Status

```
Description
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
\{debuggerAddress: localhost: 60295\}, javascript Enabled: true, network Connection Enabled: \\
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 3399d29041fc23a77ac4061a1c8e1e37
*** Element info: {Using=xpath, value=//input[@id='signInSubmit']}
          at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
          at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
```

findElementsWithSelfHealing(WebUiCommonHelper.java:734)

```
Description
                                                                                             Elapsed
                                                                                                                Status
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at\ com.kms. katalon. core. we bui. keyword. builtin. Click Keyword \$\_click\_closure 1.
doCall(ClickKeyword.groovy:65)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
          at Script1706431755301.run(Script1706431755301.groovy:34)
```

Description	Elapsed	Status
selectOptionByValue(findTestObject("Object Repository/Search_Browse_Record_and_Playback_OR/Page_A Smile more/select_All Departments Arts Crafts _135c92"), intl-ship", true)	0.179s Amazon.com. Spend less. "search-alias=stripbooks-	PASSEI
Unable to select option by value 'search-alias=stripbooks-intl-sh Repository/Search_Browse_Record_and_Playback_OR/Page_A Smile more/select_All Departments Arts Crafts _135c92' u (Root cause: com.kms.katalon.core.exception.StepFailedExcept by value 'search-alias=stripbooks-intl-ship' of object 'Object	Amazon.com. Spend less. sing regular expression	
Repository/Search_Browse_Record_and_Playback_OR/Page_/ Smile more/select_All Departments Arts Crafts _135c92' u at com.kms.katalon.core.webui.keyword.internal.Webl	sing regular expression	
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebU	UIKeywordMain.runKeyword	
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.Select selectOptionByValue(SelectOptionByValueKeyword.groovy:99)		
at com.kms.katalon.core.webui.keyword.builtin.Selecte execute(SelectOptionByValueKeyword.groovy:71) at com.kms.katalon.core.keyword.internal.KeywordEx		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltIn		
selectOptionByValue(WebUiBuiltInKeywords.groovy:1207) at TCSearch,Browsing_Record_And_Playback_001	I.run(TCSearch,	
Browsing_Record_And_Playback_001:36) at com.kms.katalon.core.main.ScriptEngine.run(ScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.ScriptEngine.runScriptAtcom.kms.katalon.core.main.scriptEngine.runScriptAtcom.kms.katalon.core.main.scriptEngine.runScriptAtcom.kms.katalon.core.main.scriptEngine.runScriptAtcom.kms.katalon.core.main.scriptAtc		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runS		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doE	xecute(TestCaseExecutor.	
java:439) at com.kms.katalon.core.main.TestCaseExecutor.prod	cessExecutionPhase	
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.acco	essMainPhase	
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.exe	cute(TestCaseExecutor.	
java:285) at com.kms.katalon.core.common.CommonExecutor.a	accessTestCaseMainPhase	
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.acce	essTestSuiteMainPhase	
(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.exec	cute(TestSuiteExecutor.java:	
106) at com.kms.katalon.core.main.TestCaseMain.startTes	stSuite(TestCaseMain.java:	
180) at TempTestSuite1706432201976.run(TempTestSuite at java.base/jdk.internal.reflect.NativeMethodAccesso		
Method) at java.base/jdk.internal.reflect.NativeMethodAccesso at java.base/jdk.internal.reflect.NativeMethodAccesso		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAcce		
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no		
already closed from unknown error: web view not found		

Elapsed

Status

```
Description
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60295}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 3399d29041fc23a77ac4061a1c8e1e37
*** Element info: {Using=xpath, value=//select[@id='searchDropdownBox']}
          at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ or g. open qa. selenium. remote. Remote Web Driver. find Elements By XP at h
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements
(RemoteWebDriver.java:311)
          at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
          at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at\ com.kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsByDefault(WebUiCommonHelper.java:888)
```

```
Description
                                                                                          Elapsed
                                                                                                           Status
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:718)
         at\ com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SelectOptionByValueKeyword$_selectOptionByValue_closure1.doCall
(SelectOptionByValueKeyword.groovy:86)
         at com.kms.katalon.core.webui.keyword.builtin.
SelectOptionByValueKeyword$_selectOptionByValue_closure1.call
(SelectOptionByValueKeyword.groovy)
         at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.
selectOptionByValue(SelectOptionByValueKeyword.groovy:99)
         at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.
execute(SelectOptionByValueKeyword.groovy:71)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.
selectOptionByValue(WebUiBuiltInKeywords.groovy:1207)
         at Script1706431755301.run(Script1706431755301.groovy:36)
         ... 15 more
```

Description	Elapsed	Status
setText(findTestObject("Object	0.142s	PASSED
Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), "Homo Deus")		
Unable to set text 'Homo Deus' of object 'Object		
Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon.com. Spend less.		
Smile more/input_field-keywords' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to set text 'Homo Deus' of object 'Object		
Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon.com. Spend less.		
Smile more/input_field-keywords'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.groovy:1019)		
at TCSearch,Browsing_Record_And_Playback_001.run(TCSearch,		
Browsing_Record_And_Playback_001:39)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)		
at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
already closed from unknown error: web view not found		
tram unknown arrar: wah waw not taund		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.

Elapsed

Status

```
Description
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
\{debuggerAddress: localhost: 60295\}, javascript Enabled: true, network Connection Enabled: \\
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 3399d29041fc23a77ac4061a1c8e1e37
*** Element info: {Using=xpath, value=//input[@id='twotabsearchtextbox']}
          at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
          at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
```

findElementsWithSelfHealing(WebUiCommonHelper.java:734)

```
Description
                                                                                           Elapsed
                                                                                                             Status
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at\ com.kms. katalon. core. we bui. keyword. builtin. Set Text Keyword. set Text
(SetTextKeyword.groovy:66)
          at\ com. kms. katalon. core. we bui. keyword. builtin. Set Text Keyword. execute
(SetTextKeyword.groovy:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:1019)
         at Script1706431755301.run(Script1706431755301.groovy:39)
         ... 15 more
```

# Des	scription	Elapsed	Status
0 clic	k(findTestObject("Object	0.158s	PASSED
Re	pository/Search_Browse_Record_and_Playback_OR/Page_Amazon.com. Spend less. ile more/inputnav-search-submit-button"))	0.1000	770025
Una	able to click on object 'Object		
Re	pository/Search_Browse_Record_and_Playback_OR/Page_Amazon.com. Spend less.		
	ile more/inputnav-search-submit-button' (Root cause: com.kms.katalon.core.exception. pFailedException: Unable to click on object 'Object		
Re	pository/Search_Browse_Record_and_Playback_OR/Page_Amazon.com. Spend less. ile more/inputnav-search-submit-button'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywordebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
gro	ovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(Cli	ckKeyword.groovy:40)		
exe	at com.kms.katalon.core.keyword.internal.KeywordExecutor. cuteKeywordForPlatform(KeywordExecutor.groovy:74)		
(\\/)	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.clickebUiBuiltInKeywords.groovy:659)		
•	at TCSearch,Browsing_Record_And_Playback_001.run(TCSearch,		
Bro	wsing_Record_And_Playback_001:42) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java	a:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java	a:448)		
java	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.a:439)		
(To	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase stCaseExecutor.java:418)		
(16	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(Te	stCaseExecutor.java:410)		
java	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:285)		
(Cc	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase mmonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Te	stSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106			
180	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36)		
Me	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native thod)		
(Nic	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke tiveMethodAccessorImpl.java:77)		
(IVa	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	elegatingMethodAccessorImpl.java:43) used by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
alre	eady closed		
	n unknown error: web view not found ession info: chrome=120.0.6099.225)		
Bui	ld info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	Id info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14108:25:53' stem info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.		

Elapsed

Status

```
Description
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60295}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 3399d29041fc23a77ac4061a1c8e1e37
*** Element info: {Using=xpath, value=//input[@id='nav-search-submit-button']}
         at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at\ com. kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
         at\ java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
```

```
Description
                                                                                             Elapsed
                                                                                                               Status
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at\ com.kms. katalon. core. we bui. keyword. builtin. Click Keyword \$\_click\_closure 1.
doCall(ClickKeyword.groovy:65)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
          at Script1706431755301.run(Script1706431755301.groovy:42)
          ... 15 more
```

#	Description	Elapsed	Status
11	click(findTestObject("Object Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon.com Homo Deus/img_s-image"))	0.126s	PASSED
	Unable to click on object 'Object		
	Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon.com Homo Deus/img_s-image' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	Repository/Search_Browse_Record_and_Playback_OR/Page_Amazon.com Homo Deus/img_s-image'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
	at TCSearch,Browsing_Record_And_Playback_001.run(TCSearch, Browsing_Record_And_Playback_001:44)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
	at TempTestSuite1706432201976.run(TempTestSuite1706432201976.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed		
	from unknown error: web view not found (Session info: chrome=120.0.6099.225)		
	Ruild info: version: '3 1/1 50', revision: 'a82ha7d358', time: '2018-11-1/T08:25:53'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-73RTQLDI', ip: '169.254.189.53', os.name: 'Windows 11', os.

Elapsed

Status

```
Description
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
\{debuggerAddress: localhost: 60295\}, javascript Enabled: true, network Connection Enabled: \\
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 3399d29041fc23a77ac4061a1c8e1e37
*** Element info: {Using=xpath, value=//div[@id='search']/div/div/div/span/div/div[2]
/div/div/span/div/div/div/div/div[2]/div/span/a/div/img}
          at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown
Source)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at\ com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
          at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:915)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
```

at com.kms.katalon.core.webui.common.WebUiCommonHelper.

```
Description
                                                                                            Elapsed
                                                                                                              Status
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:718)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
         at Script1706431755301.run(Script1706431755301.groovy:44)
         ... 15 more
```

12 closeBrowser() 0.275s PASSED

Browser is closed