Started by user Rachit Sood

Running as SYSTEM

Building in workspace C:\Users\rachi\.jenkins\workspace\test_01

The recommended git tool is: NONE

using credential fb9574d3-0dbc-4cdd-99d3-e4b7cdcc4d11

Cloning the remote Git repository

Cloning repository https://github.com/RACHIT1139/Amazon-Testing-.git

> git.exe init C:\Users\rachi\.jenkins\workspace\test_01 # timeout=10

Fetching upstream changes from https://github.com/RACHIT1139/Amazon-Testing-.git

> git.exe --version # timeout=10

> git --version # 'git version 2.43.0.windows.1'

using GIT_ASKPASS to set credentials

- > git.exe fetch --tags --force --progress -- https://github.com/RACHIT1139/Amazon-Testing-.git
- +refs/heads/*:refs/remotes/origin/* # timeout=10
- > git.exe config remote.origin.url https://github.com/RACHIT1139/Amazon-Testing-.git # timeout=10
- > git.exe config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10 Avoid second fetch
- > git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10

Checking out Revision 3d806f05e685d0b1dd40e4539922638ef20bf13e (refs/remotes/origin/main)

- > git.exe config core.sparsecheckout # timeout=10
- > git.exe checkout -f 3d806f05e685d0b1dd40e4539922638ef20bf13e # timeout=10

Commit message: "Add files via upload"

First time build. Skipping changelog.

[test 01] \$ cmd /c call C:\Users\rachi\AppData\Local\Temp\jenkins2386664281959255194.bat

'C:\Users\rachi\git\Amazon-Testing-' is not recognized as an internal or external command, operable program or batch file.

C:\Users\rachi\.jenkins\workspace\test_01>git pull https://github.com/RACHIT1139/Amazon-Testing-git main

From https://github.com/RACHIT1139/Amazon-Testing-

* branch main -> FETCH_HEAD

Already up to date.

 $\label{lem:c:stable} C:\Users\rachi\Downloads\Katalon_Studio_Engine_Windows_64-9.3.0\katalonc -noSplash -runMode=console -projectPath="C:\Users\rachi\git\Amazon-Testing-Amazon-Testing-prj" -retry=0 -testSuitePath="Test" -retry=0 -testSuitePath=0 -$

 $Suites/Amazon_TestSuite_Login/Amazon_TestSuite_Login" - browserType="Chrome" - browserTyp$

executionProfile="default"-apiKey="ec3f51a5-6ef5-4e00-9254-bc488b27676c"--config-

proxy.auth.option=NO PROXY -proxy.system.option=NO PROXY -

proxy.system.applyToDesiredCapabilities=true -webui.autoUpdateDrivers=true

 $Katalon\ workspace\ folder\ is\ set\ to\ default\ location:\ C:\ Users\ rachi\ AppData\ Local\ Temp\ session-637f7b33$

Starting Groovy-Eclipse compiler resolver. Specified compiler level: unspecified

167 org.codehaus.groovy_3.0.17.v202303311542-e2303 ACTIVE

Activating...

Start getting machine ID on Windows

Start appending additional signatures

hardwareSerialNumber 5cd122knrg

osDependentUsername rachi

End appending additional signatures 3825313e-53a6-4baf-add3-b6c14a0f3481_rachi

End getting machine ID on Windows 9431565601965b6a76987f5e1ea7cf5b

Start activating offline...

Search for valid offline licenses in folder: C:\Users\rachi\.katalon\license

The number of valid offline licenses: 0

Start activating online...

Activated successfully with Katalon Runtime Engine license.

Failed to activate with TestCloud license.

INFO: Katalon Version: 9.3.0 INFO: Command-line arguments: -runMode=console -projectPath=C:\Users\rachi\git\Amazon-Testing-\Amazon-Testing-.prj -retry=0 -testSuitePath=Test Suites/Amazon_TestSuite_Login/Amazon_TestSuite_Login -browserType=Chrome executionProfile=default -apiKey=******* --config -proxy.auth.option=NO_PROXY proxy.system.option=NO_PROXY -proxy.system.applyToDesiredCapabilities=true webui.autoUpdateDrivers=true INFO: User working dir: C:\Users\rachi\.jenkins\workspace\test_01 INFO: Error log: C:/Users/rachi/AppData/Local/Temp/session-637f7b33/.metadata/.log INFO: Katalon KatOne server URL: https://admin.katalon.com INFO: Katalon TestOps server URL: https://testops.katalon.io INFO: Katalon Store server URL: https://store.katalon.com INFO: User home: C:\Users\rachi INFO: Java vendor: Eclipse Adoptium INFO: Java version: 17.0.7 INFO: Local OS: Windows 11 64bit INFO: CPU load: 2% INFO: Total memory: 7539 MB INFO: Free memory: 495 MB INFO: Machine ID: 9431565601965b6a76987f5e1ea7cf5b Delete folder: bin Delete folder: Libs Cleaning up workspace Opening project file: C:\Users\rachi\git\Amazon-Testing-\Amazon-Testing-.prj Generating global variables... Project 'Amazon-Testing-' opened Start reloading plugins... Katalon version: 9.3.0 Plugin info URL: https://store.katalon.com/api/products/ks?appVersion=9.3.0&appType=ENGINE&licenseType=TRIAL Start checking license task Chrome driver is located at: C:\Users\rachi\Downloads\Katalon Studio Engine Windows 64-9.3.0\configuration\resources\temp\webdriver\chromedriver.exe INFO: KATALON_JAVA_HOME: null Test Suites/Amazon_TestSuite_Login/Amazon_TestSuite_Login - Chrome - 20240207_12 1513......0/1(0%) 2024-02-07 12:15:25.463 INFO c.k.katalon.core.main.TestSuiteExecutor - START Test Suites/Amazon_TestSuite_Login/Amazon_TestSuite_Login 2024-02-07 12:15:25.555 INFO c.k.katalon.core.main.TestSuiteExecutor - hostName = rachi - BEATRIX-2024-02-07 12:15:25.557 INFO c.k.katalon.core.main.TestSuiteExecutor - os = Windows 11 64bit 2024-02-07 12:15:25.557 INFO c.k.katalon.core.main.TestSuiteExecutor - hostAddress = 192.168.40.1 2024-02-07 12:15:25.557 INFO c.k.katalon.core.main.TestSuiteExecutor - katalonVersion = 9.3.0.212 Test Suites/Amazon_TestSuite_Login/Amazon_TestSuite_Login 2024-02-07 12:15:25.883 INFO c.k.katalon.core.main.TestCaseExecutor ------2024-02-07 12:15:25.890 INFO c.k.katalon.core.main.TestCaseExecutor - START Test Cases/Amazon/TC_Amazon_Login 2024-02-07 12:15:25.993 INFO c.k.katalon.core.main.TestCaseExecutor - (Default) userame = rachit.sood2992@gmail.com 2024-02-07 12:15:26.013 INFO c.k.katalon.core.main.TestCaseExecutor - (Default) Password =

srm@123

```
Feb 07, 2024 12:15:26 PM org.openga.selenium.remote.DesiredCapabilities chrome
INFO: Using `new ChromeOptions()` is preferred to `DesiredCapabilities.chrome()`
2024-02-07 12:15:26.559 INFO c.k.k.core.webui.driver.DriverFactory - Action delay is set to 0
milliseconds
Starting ChromeDriver 121.0.6167.85 (3f98d690ad7e59242ef110144c757b2ac4eef1a2-refs/branch-
heads/6167@{#1539}) on port 33074
Only local connections are allowed.
Please see <a href="https://chromedriver.chromium.org/security-considerations">https://chromedriver.chromium.org/security-considerations</a> for suggestions on keeping
ChromeDriver safe.
ChromeDriver was started successfully.
Feb 07, 2024 12:15:29 PM org.openga.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
2024-02-07 12:15:30.003 INFO c.k.k.core.webui.driver.DriverFactory - sessionId =
d172f91e8364a11169130577fa2fec2c
2024-02-07 12:15:30.835 INFO c.k.k.core.webui.driver.DriverFactory - browser = Chrome 121.0.0.0
2024-02-07 12:15:30.835 INFO c.k.k.core.webui.driver.DriverFactory - platform = Windows 11
2024-02-07 12:15:30.835 INFO c.k.k.core.webui.driver.DriverFactory - seleniumVersion = 3.141.59
2024-02-07 12:15:30.842 INFO c.k.k.core.webui.driver.DriverFactory - proxyInformation =
ProxyInformation { proxyOption=NO PROXY, proxyServerType=HTTP, username=, password=********,
proxyServerAddress=, proxyServerPort=0, executionList="", isApplyToDesiredCapabilities=true }
2024-02-07 12:15:32.746 DEBUG testcase.TC_Amazon_Login
                                                                   - 1: openBrowser("")
2024-02-07 12:15:32.813 WARN c.k.k.core.webui.driver.DriverFactory - A browser is already opened.
Closing browser and opening a new one
2024-02-07 12:15:33.475 INFO c.k.k.core.webui.driver.DriverFactory - Starting 'Chrome' driver
Feb 07, 2024 12:15:33 PM org.openga.selenium.remote.DesiredCapabilities chrome
INFO: Using `new ChromeOptions()` is preferred to `DesiredCapabilities.chrome()`
2024-02-07 12:15:33.483 INFO c.k.k.core.webui.driver.DriverFactory - Action delay is set to 0
Starting ChromeDriver 121.0.6167.85 (3f98d690ad7e59242ef110144c757b2ac4eef1a2-refs/branch-
heads/6167@{#1539}) on port 24583
Only local connections are allowed.
Please see <a href="https://chromedriver.chromium.org/security-considerations">https://chromedriver.chromium.org/security-considerations</a> for suggestions on keeping
ChromeDriver safe.
ChromeDriver was started successfully.
Test Suites/Amazon TestSuite Login/Amazon TestSuite Login - Chrome - 20240207 12
1513......0/1(0%)
Feb 07, 2024 12:15:34 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
2024-02-07 12:15:35.008 INFO c.k.k.core.webui.driver.DriverFactory - sessionId =
80ae91d18c02c3f427a2f96b415cb670
2024-02-07 12:15:35.040 INFO c.k.k.core.webui.driver.DriverFactory - browser = Chrome 121.0.0.0
2024-02-07 12:15:35.042 INFO c.k.k.core.webui.driver.DriverFactory - platform = Windows 11
2024-02-07 12:15:35.043 INFO c.k.k.core.webui.driver.DriverFactory - seleniumVersion = 3.141.59
2024-02-07 12:15:35.043 INFO c.k.k.core.webui.driver.DriverFactory - proxyInformation =
ProxyInformation { proxyOption=NO_PROXY, proxyServerType=HTTP, username=, password=*******,
proxyServerAddress=, proxyServerPort=0, executionList="", isApplyToDesiredCapabilities=true }
2024-02-07 12:15:35.057 DEBUG testcase.TC_Amazon_Login
navigateToUrl("https://www.amazon.in/")
2024-02-07 12:15:36.479 DEBUG testcase.TC_Amazon_Login
                                                                   - 3: click(findTestObject("Object
Repository/Amazon_OR/Page_Online Shopping site in India Shop Onl_10c5f3/span_Sign in"))
2024-02-07 12:15:38.315 DEBUG testcase.TC_Amazon_Login
                                                                   - 4: setText(findTestObject("Object
Repository/Amazon_OR/Page_Amazon Sign In/input_email"), username)
```

2024-02-07 12:15:26.479 INFO c.k.k.core.webui.driver.DriverFactory - Starting 'Chrome' driver

```
2024-02-07 12:15:38.768 ERROR c.k.k.core.keyword.internal.KeywordMain - X Unable to set text 'null'
of object 'Object Repository/Amazon_OR/Page_Amazon Sign In/input_email' (Root cause:
com.kms.katalon.core.exception.StepFailedException: Unable to set text 'null' of object 'Object
Repository/Amazon_OR/Page_Amazon Sign In/input_email'
com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groo
vv:64)
com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.gr
oovv:26)
com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setTextKeyword.groovy:85)
com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:39)
com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.exe
r.groovy:74)
com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:10
                at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call(Unknown
Source)
                at TC_Amazon_Login.run(TC_Amazon_Login:26)
                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
                at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
                at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
com.kms.katalon.core.main.Test Case Executor.process Execution Phase (Test Case Executor.java: 418)\\
                at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
                at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)
com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)\\
                at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
                at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
                at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
                at TempTestSuite1707288313137.run(TempTestSuite1707288313137.groovy:36)
                at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
java.base/jdk.internal.reflect.Native Method Accessor Impl. invoke (Native Method Accessor Impl. java: 77)\\
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.jav
Caused by: java.lang.IllegalArgumentException: Text is null
com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword$ setText_closure1.doCall(SetTextKeyword
.groovy:50)
com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword$ setText_closure1.call(SetTextKeyword.gr
oovy)
com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.gr
oovy:20)
com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setTextKeyword.groovy:85)
com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:39)
```

```
com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.exe
r.groovy:74)
19)
                              at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call(Unknown
Source)
                             at Script1706972183002.run(Script1706972183002.groovy:26)
                             ... 16 more
2024-02-07 12:15:38.776 ERROR c.k.katalon.core.main.TestCaseExecutor - X Test
Cases/Amazon/TC_Amazon_Login FAILED.
Reason:
com.kms.katalon.core.exception.StepFailedException: Unable to set text 'null' of object 'Object
Repository/Amazon_OR/Page_Amazon Sign In/input_email'
com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groothead) and the state of the
vy:64)
com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.gr
oovv:26)
com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setTextKeyword.groovy:85)
com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:39)
com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.exec
r.groovy:74)
19)
                              at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call(Unknown
Source)
                             at TC_Amazon_Login.run(TC_Amazon_Login:26)
                             at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                             at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
                             at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
                             at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)\\
                             at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
                             at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)
com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
                             at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
                             at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
                             at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
                             at TempTestSuite1707288313137.run(TempTestSuite1707288313137.groovy:36)
                             at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.jav
Caused by: java.lang.IllegalArgumentException: Text is null
```

nt.

 $com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.doCall(SetTextAeyword\$_setText_closure1.doCall(SetTextAeyword\$_setText_closure1.doCall(SetTextAeyword\$_setText_closure1.doCall(SetTextAeyword\$_setText_closure1.doCall(S$

at

 $com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)$

at

com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)

... 22 more

2024-02-07 12:15:39.368 INFO c.k.katalon.core.main.TestCaseExecutor - END Test

Cases/Amazon/TC_Amazon_Login

Test Suites/Amazon_TestSuite_Login/Amazon_TestSuite_Login

2024-02-07 12:15:39.973 INFO com.kms.katalon.core.util.KeywordUtil - Start generating HTML report folder at: C:\Users\rachi\git\Amazon-Testing-

 $\label{login-log$

2024-02-07 12:15:40.733 INFO com.kms.katalon.core.util.KeywordUtil - HTML report generated

2024-02-07 12:15:40.733 INFO com.kms.katalon.core.util.KeywordUtil - Start generating CSV report folder at: C:\Users\rachi\git\Amazon-Testing-

 $\label{login-log$

2024-02-07 12:15:40.773 INFO com.kms.katalon.core.util.KeywordUtil - CSV report generated

2024-02-07 12:15:40.843 INFO c.k.katalon.core.main.TestSuiteExecutor - --------

2024-02-07 12:15:40.843 INFO c.k.katalon.core.main.TestSuiteExecutor - END Test

Suites/Amazon_TestSuite_Login/Amazon_TestSuite_Login

Start writing execution.uuid file to folder: C:\Users\rachi\git\Amazon-Testing-

\Reports\20240207_121458\Amazon_TestSuite_Login\Amazon_TestSuite_Login\20240207_121513 Start generating || Unit report folder at: C:\Users\rachi\git\Amazon-Testing-

\Reports\20240207_121458\Amazon_TestSuite_Login\Amazon_TestSuite_Login\20240207_121513... JUnit report were generated at folder: C:\Users\rachi\git\Amazon-Testing-

\Reports\20240207_121458\Amazon_TestSuite_Login\Amazon_TestSuite_Login\20240207_121513 For real-time monitoring and better reporting capabilities please integrate this project with Katalon TestOps (more details at https://docs.katalon.com/katalon-analytics/docs/integration-with-katalon-studio.html#enable-integration)

For real-time monitoring and better reporting capabilities please integrate this project with Katalon TestOps (more details at https://docs.katalon.com/katalon-analytics/docs/integration-with-katalon-studio.html#enable-integration)

Test Suites/Amazon_TestSuite_Login/Amazon_TestSuite_Login - Chrome - 20240207_12 1513......1/1(100%)

Execution completed. Exit code: 1.

Start clean up session

End check license task

End clean up session

Start release license task

License released

End release license task

All launchers terminated

C:\Users\rachi\.jenkins\workspace\test_01>git status HEAD detached at 3d806f0 nothing to commit, working tree clean

 $\label{lem:c:users} $$C:\Users\rachi\.jenkins\workspace\test_01>git\ add\ .$

C:\Users\rachi\.jenkins\workspace\test_01>git commit -m "Add the project" Author identity unknown

*** Please tell me who you are.

Run

git config --global user.email "you@example.com" git config --global user.name "Your Name"

to set your account's default identity.

Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'rachi@BEATRIX-HP.(none)')

C:\Users\rachi\.jenkins\workspace\test_01>git push -u https://github.com/RACHIT1139/Amazon-Testing-.git main

error: src refspec main does not match any

error: failed to push some refs to 'https://github.com/RACHIT1139/Amazon-Testing-.git'

C:\Users\rachi\.jenkins\workspace\test_01>echo success success

C:\Users\rachi\.jenkins\workspace\test_01>exit 1
Build step 'Execute Windows batch command' marked build as failure
Finished: FAILURE