Amazon_TestSuite_Cart_004

Execution Environment

Host name rmesw - MARIES
Local OS Windows 11 64bit

Katalon version 9.0.0.212 Browser Firefox 121.0

Summary

ID Test Suites/Amazon_TestSuite/Amazon_TestSuite_Cart_004

Description

Total 4

Passed 3 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2024-01-17 14:03:11 End 2024-01-17 14:13:39

Elapsed 10m - 27.984s

#	ID	Description	Status
1	Test Cases/Amazon/TC_Amazon_Cart_013		PASSED
2	Test Cases/Amazon/TC_Amazon_Cart_014		PASSED
3	Test Cases/Amazon/TC_Amazon_Cart_016		PASSED
4	Test Cases/Amazon/TC_Amazon_Cart_015		FAILED

Information

ID Test Cases/Amazon/TC_Amazon_Cart_013

Description

Tag

Start 2024-01-17 14:03:16 End 2024-01-17 14:05:03

Elapsed 1m - 46.886s

Status PASSED

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase Object: 'Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_AddItem/Page_Amazon Sign-In/input_Enter your password_signInSubmit' is clicked on	15.780s	PASSED
2	Start listener action : sampleBeforeTestCase Object: 'Object Repository/Amazon_Pages/Amazon_Signin/Valid credential/Page_Amazon.com. Spend less. Smile more/span_Account Lists' is clicked on	13.039s	PASSED
3	click(findTestObject("Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_AddItem/Page_Amazon.com . Spend less. Smile more/span_Cart")) Object: 'Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_AddItem/Page_Amazon.com . Spend less. Smile more/span_Cart' is clicked on	8.271s	PASSED
4	click(findTestObject("Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_AddItem/Page_Amazon.com Shopping Cart/input_Added to Cart_submit.addToCart")) Object: 'Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_AddItem/Page_Amazon.com Shopping Cart/input_Added to Cart_submit.addToCart' is clicked on	20.904s	PASSED

D	escription	Flanced	Status
	•	Elapsed	
S	tart listener action : sampleAfterTestCase	24.237s	ERROR
С	om.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	epository/Amazon_Pages/Amazon_Signin/Logout/Page_Amazon.com. Spend less. Smile		
	nore/a_Sign Out'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(\	NebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
()	NebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
g	roovy:74)		
,,	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
((ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. xecuteKeywordForPlatform(KeywordExecutor.groovy:74)		
Е	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
Λ	WebUiBuiltInKeywords.groovy:620)		
()	at Amazon_TL_Cart.sampleAfterTestCase(Amazon_TL_Cart.groovy:57)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Ν	lethod)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(1	NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(I	DelegatingMethodAccessorImpl.java:43)		
	$at\ com. kms. katalon. core. context. internal. Test Hooker. invoke Method (Test Hooker.)$		
ja	ava:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
9	5)		
/-	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(FestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
<i>(</i> -	FestListenerCollector.java:88)		
•	at com.kms.katalon.core.context.internal.TestListenerCollector.		
h	andleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(1	ExecutionEventManager.java:36)		
`	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
ja	ava:315)		
	$at\ com. kms. katalon. core. common. Common Executor. access Test Case Main Phase$		
((CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(FestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
1	06)		
ı	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
1	87)		
	at TempTestSuite1705480388342.run(TempTestSuite1705480388342.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
N	lethod)		
ıv	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(1	NativeMethodAccessorImpl.java:77)		
ζ,	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
([DelegatingMethodAccessorImpl.java:43)		
	aused by: org.openqa.selenium.ElementNotInteractableException: Element <a class="</td><td></td><td></td></tr><tr><td></td><td>menu-item" href="javascript:void(0)"> could not be scrolled into view		
	uild info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
0	vistem info: host: 'MARIES', in: '102 168 224 64', os name: 'Windows 11', os arch: 'amd64'		

System info: host: 'MARIES', ip: '192.168.224.64', os.name: 'Windows 11', os.arch: 'amd64',

os.version: '10.0', java.version: '17.0.7'

Status

```
Description
                                                                                            Elapsed
Driver info: com.kms.katalon.core.webui.driver.firefox.CGeckoDriver
Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 121.0.1,
javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20240108143603,
moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:
processID: 20088, moz:profile: C:\Users\rmesw\AppData\Loca..., moz:shutdownTimeout:
60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal,
platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(direct), setWindowRect:
true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},
unhandledPromptBehavior: dismiss and notify}
Session ID: 14d2b0c4-84d5-4bed-aa76-794f7145220c
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
27)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ org. open qa. selenium. remote. Remote Web Element. click (Remote Web Element.
java:84)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.aroovy)
          at java.base/idk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.iava:77)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
```

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.


Description Elapsed Status

doCall(ClickKeyword.groovy:67)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$

... 23 more



6 Start listener action : sampleAfterTestCase

Object: 'Object Repository/Amazon_Pages/Amazon_Signin/Logout/Page_Amazon.com. Spend less. Smile more/a_Sign Out' is clicked on

24.571s PASSED

Information

ID Test Cases/Amazon/TC_Amazon_Cart_014

Description

Tag

Start 2024-01-17 14:08:40 End 2024-01-17 14:11:40

Elapsed 3m - 0.682s Status PASSED


Details

Description Elapsed Status

D	escription	Elapsed	Stat
S	tart listener action : sampleBeforeTestCase	58.679s	ERR
C	om.kms.katalon.core.exception.StepFailedException: Unable to set text		
'rr	meswar003@gmail.com' of object 'Object		
R	epository/Amazon_Pages/Amazon_CartFuntionality/Amazon_AddItem/Page_Amazon		
S	ign-In/input_Email or mobile phone number_email'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(V	VebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(\	VebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(8	SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(8	SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
e	xecuteKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(\	VebUiBuiltInKeywords.groovy:980)		
	at Amazon_TL_Cart.sampleBeforeTestCase(Amazon_TL_Cart.groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
M	lethod)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(1)	NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(E	DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
ja	va:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
9			
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(1	TestHooker.java:94)		
/-	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(1	estListenerCollector.java:88)		
ь.	at com.kms.katalon.core.context.internal.TestListenerCollector.		
na	andleListenerEvent(TestListenerCollector.java:85)		
/ [at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
([ExecutionEventManager.java:36)		
:-	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
Jd	va:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
io	va:369)		
Ja	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
10	CommonExecutor.java:65)		
(at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
/٦	estSuiteExecutor.java:148)		
('	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
1/	at conf.kms.katalon.core.main. restouteezecutor.execute(restouteezecutor.java. 96)		
- 11	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
11	at conf.kms.katalon.core.main.restcasewam.startrestsuite(restcasewam.java. 87)		
- 11	at TempTestSuite1705480388342.run(TempTestSuite1705480388342.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
N/	ethod)		
IV	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(N	NativeMethodAccessorImpl.java:77)		
(1)	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
/Γ	DelegatingMethodAccessorImpl.java:43)		
	aused by: org.openqa.selenium.InvalidElementStateException: Unable to clear element		
	aused by, org.openqa.selenium.invalid=lementstate=xception, oriable to clear element at cannot be edited:		


```
Description
                                                                                             Elapsed
                                                                                                               Status
attribute" name="dropdown-selection" type="hidden">
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'MARIES', ip: '192.168.224.64', os.name: 'Windows 11', os.arch: 'amd64',
os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.core.webui.driver.firefox.CGeckoDriver
Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 121.0.1,
javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20240108143603,
moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:
processID: 20088, moz:profile: C:\Users\rmesw\AppData\Loca..., moz:shutdownTimeout:
60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal,
platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(direct), setWindowRect:
true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},
unhandledPromptBehavior: dismiss and notify}
Session ID: 14d2b0c4-84d5-4bed-aa76-794f7145220c
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.iava:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
27)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.clear(RemoteWebElement.
java:124)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
          at jdk.proxy2/jdk.proxy2.$Proxy27.clear(Unknown Source)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.clear(EventFiringWebDriver.java:436)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$ setText closure1.doCall(SetTextKeyword.groovy:53)
          at com.kms.katalon.core.webui.kevword.builtin.
SetTextKeyword$ setText closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
```

(WebUIKeywordMain.groovy:20)
... 24 more



Object: 'Object Repository/Amazon_Pages/Amazon_Signin/Logout/Page_Amazon.com. Spend less. Smile more/a_Sign Out' is clicked on

Description	Elapsed	Status
Start listener action : sampleAfterTestCase	49.918s	ERROR
com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
Repository/Amazon_Pages/Amazon_Signin/Logout/Page_Amazon.com. Spend less. Smil	le	
more/span_All'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed	b	
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywo	ord	
(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword	4	
groovy:74)	J.	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:620) at Amazon_TL_Signin.sampleAfterTestCase(Amazon_TL_Signin.groovy:46)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker	•	
java:111)	•	
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java	a:	
95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:315) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhas	se	
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.jav 106)	va:	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java	ı•	
187)	••	
at TempTestSuite1705480388342.run(TempTestSuite1705480388342.groovy:3	86)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
element with id: 'Object Repository/Amazon_Pages/Amazon_Signin/Logout/Page_Amazo		
com. Spend less. Smile more/span_All' located by '//a[@id='nav-hamburger-menu']/span'		



Information

ID Test Cases/Amazon/TC_Amazon_Cart_016

Description

Tag

Start 2024-01-17 14:11:40 End 2024-01-17 14:13:37

Elapsed 1m - 57.205s

Status PASSED

Details

Description Elapsed Status

Descrip	otion	Elapsed	Stat
Start lis	tener action : sampleBeforeTestCase	52.131s	ERR
	so tratalan core exposition Oten Failed Expositions I leable to aliety on abject 10 biest		
	ns.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	ory/Amazon_Pages/Amazon_CartFuntionality/Amazon_AddItem/Page_Amazon.		
com. S	pend less. Smile more/span_Account Lists'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebU	KeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebU	KeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy	74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickK	eyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execute	eKeywordForPlatform(KeywordExecutor.groovy:74)		
07100011	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(\Mehl I	BuiltInKeywords.groovy:620)		
(Webo	at Amazon_TL_Cart.sampleBeforeTestCase(Amazon_TL_Cart.groovy:33)		
	at Amazon_re_cart.samplebelorerestcase(Amazon_re_cart.groovy.ss) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Mothod			
Method			
AL C	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native	MethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Delega	atingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:11			
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95)			
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestH	poker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestLi	stenerCollector.java:88)		
•	at com.kms.katalon.core.context.internal.TestListenerCollector.		
handle	ListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(Execu	ionEventManager.java:36)		
(LXOOU	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:26			
java.20	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Comm			
(Comin	onExecutor.java:65)		
/T +0	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestS)	uiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)			
	at TempTestSuite1705480388342.run(TempTestSuite1705480388342.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native	MethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Delega	atingMethodAccessorImpl.java:43)		
	l by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	t with id: 'Object		
	cory/Amazon_Pages/Amazon_CartFuntionality/Amazon_AddItem/Page_Amazon.		
	pend less. Smile more/span_Account Lists' located by '//a[@id='nav-link-		

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) 23 more		
	Sign in Email or mobile phone number Continue By continuing, you agree to Arnazon's Conditions of Use and Privacy Notice. Need help? Buying for work? Shop on Arnazon Business New to Arnazon? Create your Arnazon account Conditions of Use Privacy Notice Help © 1996-2024, Anazon.com, Inc. or its affiliates		
2	Start listener action : sampleBeforeTestCase Object: 'Object Repository/Amazon_Pages/Amazon_Signin/Valid credential/Page_Amazon.com. Spend less. Smile more/span_Account Lists' is clicked on	11.494s	PASSED
3	openBrowser("") Browser is opened with url: "	2.869s	PASSED
4	navigateToUrl("https://www.amazon.com/") Navigate to 'https://www.amazon.com/" successfully	2.231s	PASSED
5	click(findTestObject("Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Ama zon.com. Spend less. Smile more/span_Account Lists")) Object: 'Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Ama zon.com. Spend less. Smile more/span_Account Lists' is clicked on	4.012s	PASSED

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Ama zon Sign-In/input_Email or mobile phone number_email"), "rmeswar003@gmail.com") Text 'rmeswar003@gmail.com' is set on object 'Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Ama zon Sign-In/input_Email or mobile phone number_email'	1.233s	PASSED
7	click(findTestObject("Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Ama zon Sign-In/input_Enter your email or mobile phone numb_fc7402")) Object: 'Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Ama zon Sign-In/input_Enter your email or mobile phone numb_fc7402' is clicked on	1.801s	PASSED
8	setEncryptedText(findTestObject("Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Ama zon Sign-In/input_Forgot your password_password"), "9JFooAukEDskz1iD1pcpuw==") Text ****** has been set on object 'Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Ama zon Sign-In/input_Forgot your password_password'	1.537s	PASSED
9	click(findTestObject("Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Ama zon Sign-In/input_Enter your password_signInSubmit")) Object: 'Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Ama zon Sign-In/input_Enter your password_signInSubmit' is clicked on	3.099s	PASSED
10	click(findTestObject("Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Ama zon.com. Spend less. Smile more/span_Cart")) Object: 'Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Ama zon.com. Spend less. Smile more/span_Cart' is clicked on	4.024s	PASSED

#	Description	Elapsed	Status
11	click(findTestObject("Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Amazon.com Shopping Cart/input_Update_submit.save-for-later.ac746a9c_0a36af"))	31.645s	PASSED
	Object: 'Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_cart_saveforlater/Page_Amazon.com Shopping Cart/input_Update_submit.save-for-later.ac746a9c_0a36af' is clicked on		
12	closeBrowser()	1.009s	PASSED
	Browser is closed		

Description	Elapsed	Stati
Start listener action : sampleAfterTestCase	0.036s	ERR
·		
com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
Repository/Amazon_Pages/Amazon_Signin/Logout/Page_Amazon.com. Spend less. S	Smile	
more/span_All'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFa	ailed	
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKey	yword	
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyw	vord.	
groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:620)		
at Amazon_TL_Cart.sampleAfterTestCase(Amazon_TL_Cart.groovy:55)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.invokem.in	oker.	
java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.	java:	
95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEven	nt	
(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecuto	r.	
java:315)	•	
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPl	hase	
(CommonExecutor.java:65)	naoo	
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhas	0	
(TestSuiteExecutor.java:148)	C	
	riova	
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor	r.java.	
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.ja	ava:	
187)		
at TempTestSuite1705480388342.run(TempTestSuite1705480388342.groov	vy:36)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'MARIES' in: '102 168 22/ 6/' os name: 'Windows 11' os arch: 'am	-10.41	

System info: host: 'MARIES', ip: '192.168.224.64', os.name: 'Windows 11', os.arch: 'amd64',

os.version: '10.0', java.version: '17.0.7'

Elapsed

Status

Description Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 27) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) $at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath$ (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBvSelectedMethod(WebUiCommonHelper.iava:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBvSelectedMethod(WebUiCommonHelper.iava:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more

Description	Elapsed	Status
Start listener action : sampleAfterTestCase	0.037s	ERROR
Start listerier action : sampleArter restoase	0.0375	ERROR
com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Amazon_Pages/Amazon_Signin/Logout/Page_Amazon.com. Spend less. Smile more/span_All'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)	d	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:620) at Amazon_TL_Signin.sampleAfterTestCase(Amazon_TL_Signin.groovy:46)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java	:	
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
at TempTestSuite1705480388342.run(TempTestSuite1705480388342.groovy:36))	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'MARIES', ip: '192.168.224.64', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		

Status

Description Elapsed Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) $at\ or g. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 27) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) $at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath$ (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBvSelectedMethod(WebUiCommonHelper.iava:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBvSelectedMethod(WebUiCommonHelper.iava:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more

Information

ID Test Cases/Amazon/TC_Amazon_Cart_015

Description

Tag

Start 2024-01-17 14:13:38 End 2024-01-17 14:13:38

Elapsed 0.191s Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Status
Start listener action : sampleBeforeTestCase	0.047s	ERROF
com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_AddItem/Page_Amazon.		
com. Spend less. Smile more/span_Account Lists'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	rd	
(WebUIKeywordMain.groovy:26)	i u	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword		
groovy:74)	•	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:620)		
at Amazon_TL_Cart.sampleBeforeTestCase(Amazon_TL_Cart.groovy:33)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
$at\ com. kms. katalon. core. context. internal. Test Hooker. invoke Method (Test Hooker. invoke Method) at the common state of the common state $		
java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java	:	
95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase	Э	
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.jav	a:	
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)		
at TempTestSuite1705480388342.run(TempTestSuite1705480388342.groovy:36	6)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		

Status

Description Elapsed (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MARIES', ip: '192.168.224.64', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 27) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openga.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.iava:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBvNormalMethods(WebUiCommonHelper.iava:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) $at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements$ (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20)

... 26 more

2 Start listener action : sampleBeforeTestCase com.kms.katalon.core.exception.StepFailedException: Unable to navigate to 'https://www.amazon.com/' at.com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groov):26) at.com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groov):26) at.com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83) at.com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigataToUrlKeyword.groovy:67) at.com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at.com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.axecute (NebUlBuilltnKeywords.groovy:187) at.ac.ms.kms.katalon.core.webui.keyword.WebUlBuiltnKeywords.navigateToUrl (WebUBuiltnKeywords.groovy:187) at.ac.ms.ms.katalon.core.webui.keyword.WebUlBuiltnKeywords.navigateToUrl (NebUBuiltnKeywords.groovy:187) at.ac.ms.ms.kms.latlon.core.webui.keyword.webUlBuiltnKeywords.navigateToUrl (NebUBuiltnKeywords.groovy:187) at.ac.ms.ms.kms.latlon.core.webui.keywordExecutor.groovy:74) at.ac.ms.ms.kms.latlon.core.comtext.internal.reflect.NativeMethodAccessorfmpl.invoke(Native Method) at.java.basejdk.internal.reflect.NativeMethodAccessorfmpl.invoke (NativeMethodAccessorfmpl.java:43) at.com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:11) at.com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at.com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestListenerCollector.java:86) at.com.kms.katalon.core.context.internal.TestListenerCollector. handle.listenerEvent(TestListenerCollector.handle.secutionEventManager.java:36) at.com.kms.katalon.core.context.internal.TestListenerCollector. handle.listenerEvent(TestListenerCollector.java:86) at.com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at.com.kms.katalon.core.main.TestCaseExecut
com.kms.katalon.core.exception.StepFalledException: Unable to navigate to 'https://www.amazon.com/' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrlKeyword.groovy:87) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.webUlBuiltinKeywords.navigateToUrl (WebUlBuiltinKeywords.groovy:187) at Amazon. TL. Signin.sampleBeforeTestCase(Amazon_TL. Signin.groovy:33) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native MethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:11) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:89) at com.kms.katalon.core.context.internal.TestListenerCollector. bandle.ListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.commain.TestCaseExecutor.accessTestCaseMainPhase
amazon.com/ at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.keyword.webUlBuiltinKeywords.navigateToUrl (WebUlBuiltinKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.navigateToUrl (WebUlBuiltinKeywords.groovy:187) at Amazon.TL_Signin.sampleBeforeTestCase(Amazon_TL_Signin.groovy:33) at at avabase/dk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke0(Native Method (DelegatingMethodAccessorImpl.java:73) at om.kms.katalon.core.context.internal.TestHooker.invokeOntextMethod(TestHooker.java:39) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:38) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.cor
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:84) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.navigateToUrl (WebUlBuiltInKeywords.groovy:187) at Amazon_TL_Signin.sampleBeforeTestCase(Amazon_TL_Signin.groovy:33) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native MethodAccessorImpl.java:47) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.execute(TestCaseExecutor.java:369)
(WebUlKeywordMain.groovy:54) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrlKeyword.groovy:33) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.navigateToUrl (WebUlBuiltInKeywords.groovy:187) at Amazon_TL_Signin.sampleBeforeTestCase(Amazon_TL_Signin.groovy:33) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Native Method) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (NelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.navigateToUrl (WebUlBuiltInKeywords.groovy:187) at Amazon_TL_Signin.sampleBeforeTestCase(Amazon_TL_Signin.groovy:33) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:38) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:38) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:187) at Amazon_TL_Signin.sampleBeforeTestCase(Amazon_TL_Signin.groovy:33) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.ExetListenerCollector. at com.kms.katalon.core.context.internal.ExetListenerCollector. at com.kms.katalon.core.context.internal.ExetListenerCollector. at com.kms.katalon.core.context.internal.ExetListenerCollector. at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.ac
navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUBuiltInKeywords.navigateToUrl (WebUBuiltinKeywords.groovy:187) at Amazon_TL_Signin.sampleBeforeTestCase(Amazon_TL_Signin.groovy:33) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.comian.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.execute(TestCaseMainPhase
at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords.navigateToUrl (WebUiBuiltinKeywords.groovy:187) at Amazon_TL_Signin.sampleBeforeTestCase(Amazon_TL_Signin.groovy:33) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.comtext.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.commain.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.commain.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.commoin.CommonExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.commoin.CommonExecutor.accessTestCaseMainPhase
(NavigateToUriKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUri (WebUiBuiltInKeywords.groovy:187) at Amazon_TL_Signin.sampleBeforeTestCase(Amazon_TL_Signin.groovy:33) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at Java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:11) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:11) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:86) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:269) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.commin.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.commin.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.commin.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.commin.TestCaseExecutor.execute(TestCaseExecutor.java:369)
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordFordInfrm(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:187) at Amazon_TL_Signin.sampleBeforeTestCase(Amazon_TL_Signin.groovy:33) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:269) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:187) at Amazon_TL_Signin.sampleBeforeTestCase(Amazon_TL_Signin.groovy:33) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(WebUiBuiltInKeywords.groovy:187) at Amazon_TL_Signin.sampleBeforeTestCase(Amazon_TL_Signin.groovy:33) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at Amazon_TL_Signin.sampleBeforeTestCase(Amazon_TL_Signin.groovy:33) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.execute(TestCaseMainPhase
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.execute(TestCaseMainPhase
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.execute(TestCaseMainPhase
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
java:268) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor lava:pp)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:148)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
187)
at TempTestSuite1705480388342.run(TempTestSuite1705480388342.groovy:36)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)

Description Elapsed Status Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MARIES', ip: '192.168.224.64', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openga.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) $at\ org. open qa. selenium. remote. service. Driver Command Executor. execute$ (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 27) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java: 277) $at\ org. open qa. selenium. remote. Remote Web Driver \$ Remote Navigation. to$ (RemoteWebDriver.java:857) at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword\$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword\$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) ... 26 more

Description	Elapsed	Status
click(findTestObject("Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_TotalCheck/Page_Amazon.com. Spend less. Smile more/span_Cart"))	0.039s	FAILED
Unable to click on object 'Object		
Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_TotalCheck/Page_Amazon.com. Spend less. Smile more/span_Cart' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to click on object 'Object Repository/Amazon_Pages/Amazon_CartFuntionality/Amazon_TotalCheck/Page_Amazon.		
com. Spend less. Smile more/span_Cart'		
$at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. step Failed (WebUIKeyword Main. groovy: 64)$		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)	d	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)		
at TC_Amazon_Cart_015.run(TC_Amazon_Cart_015:37) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
$at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.)$		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java	a:	
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187)		
at TempTestSuite1705480388342.run(TempTestSuite1705480388342.groovy:36 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native)	
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		

```
Description
                                                                                          Elapsed
                                                                                                            Status
WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'MARIES', ip: '192.168.224.64', os.name: 'Windows 11', os.arch: 'amd64',
os.version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
         at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
27)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementBvNormalMethods(WebUiCommonHelper.iava:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.kevword.WebUiBuiltInKevwords.click
(WebUiBuiltInKeywords.groovy:620)
         at Script1705381789232.run(Script1705381789232.groovy:37)
```

... 18 more

Description Elapsed Status

Description	Elapsed	Status
Start listener action : sampleAfterTestCase	0.031s	ERROR
com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
Repository/Amazon_Pages/Amazon_Signin/Logout/Page_Amazon.com. Spend less. Smile more/span_All'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeywor (WebUIKeywordMain.groovy:26)	d	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:620)		
at Amazon_TL_Cart.sampleAfterTestCase(Amazon_TL_Cart.groovy:55)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:315) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65))	
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java 106)	d:	
$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java:$		
187) at TempTestSuite1705480388342.run(TempTestSuite1705480388342.groovy:36	3)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native	7	
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		

Description Elapsed Status (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MARIES', ip: '192.168.224.64', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 27) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openga.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.iava:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBvNormalMethods(WebUiCommonHelper.iava:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) $at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements$ (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) ... 26 more

#	Description	Elapsed	Status
5	Start listener action : sampleAfterTestCase	0.034s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	Repository/Amazon_Pages/Amazon_Signin/Logout/Page_Amazon.com. Spend less. Smile		
	more/span_All'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:620)		
	at Amazon_TL_Signin.sampleAfterTestCase(Amazon_TL_Signin.groovy:46)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
	java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
	95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
	(ExecutionEventManager.java:36)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
	java:315)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	187)		
	at TempTestSuite1705480388342.run(TempTestSuite1705480388342.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		

(NativeMethodAccessorImpl.java:77)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

Description Elapsed Status (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MARIES', ip: '192.168.224.64', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 27) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openga.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.iava:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBvNormalMethods(WebUiCommonHelper.iava:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) $at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements$ (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20)

... 26 more