TS_Amazon_CategorySearch_002

Execution Environment

Host name akash - LAPTOP-GQIN8V4C

Local OS Windows 11 64bit

Katalon version 9.2.0.212

Browser Chrome 121.0.0.0

Summary

ID Test Suites/Amazon_TestSuite/TS_Amazon_CategorySearch_002

Description

Total 3

Passed 3 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 31-01-2024 16:22:42 End 31-01-2024 16:24:13

Elapsed 1m - 31.141s

#	ID	Description	Status
1	Test Cases/Amazon_Category_Search_Page/TC_Amazon_Home _001	3	PASSED
2	Test Cases/Amazon_Category_Search_Page/TC_Amaazon_Home_002	1	PASSED
3	Test Cases/Amazon_Category_Search_Page/TC_Amazon_Home _003	}	PASSED

Information

ID Test Cases/Amazon_Category_Search_Page/TC_Amazon_Home_001

Description

Tag

Start 31-01-2024 16:22:42 End 31-01-2024 16:23:13

Elapsed 31.336s Status PASSED

Details

Description Elapsed Status

Descrip	tion	Elapsed	Status
Start lis	tener action : sampleBeforeTestCase	0.625s	ERROI
Reposit	s.katalon.core.exception.StepFailedException: Unable to click on object 'Object ory/Amazon_Validate_Inputfields_OR/TestListener_Amazon_Registration_OR/Page on.com. Spend less. Smile more/a_Hello, sign in Account Lists' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	KeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	KeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute eyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. KeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click BuiltInKeywords.groovy:659)		
•	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click.call wn Source)		
(Amazo	at Amazon_TL_Validate_Registration.sampleBeforeTestCase n_TL_Validate_Registration.groovy:33)		
Method			
(Nativel	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke MethodAccessorImpl.java:77)		
(Delega	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke tingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:11			
95)	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
(TestHo	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestLis	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 tenerCollector.java:88)		
handleL	at com.kms.katalon.core.context.internal.TestListenerCollector. istenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(Execut	ionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:26	· ·		
(Comm	onExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	at TempTestSuite1706698354624.run(TempTestSuite1706698354624.groovy:36)		
Method	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nativel	MethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Delega	tingMethodAccessorImpl.java:43)		

Description	Elapsed	Status
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
is not opened		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'LAPTOP-GQIN8V4C', ip: '192.168.0.192', os.name: 'Windows 11', os.		
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'		
Driver info: driver.version: unknown		
at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
(DriverFactory.java:1014)		
at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
(DriverFactory.java:999)		
at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.		
java:985)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementByNormalMethods(WebUiCommonHelper.java:1009)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsBySelectedMethod(WebUiCommonHelper.java:915)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsBySelectedMethod(WebUiCommonHelper.java:897)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsBySelectedMethod(WebUiCommonHelper.java:892)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsByDefault(WebUiCommonHelper.java:888)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsWithSelfHealing(WebUiCommonHelper.java:734)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements		
(WebUiCommonHelper.java:718)		
$at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$		
(WebUiCommonHelper.java:1374)		
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
findWebElement(WebUIAbstractKeyword.groovy:27)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
doCall(ClickKeyword.groovy:65)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
(ClickKeyword.groovy)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:20)		
25 more		

2	openBrowser("")	2.764s	PASSED
	Browser is opened with url: "		
3	navigateToUrl("https://www.amazon.com/")	1.204s	PASSED

Navigate to 'https://www.amazon.com/' successfully

#	Description	Elapsed	Status
4	setText(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon.com/input_field-keywords"), "AMBKUY") Text 'AMBKUY' is set on object 'Object	1.013s	PASSED
5	click(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon.com/button_Continue shopping")) Object: 'Object	0.857s	PASSED
6	selectOptionByValue(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon.com. Spend less. Smile more/select_All Departments	16.263s	PASSED
7	setText(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), "Walkers") Text 'Walkers' is set on object 'Object Repository/Amazon_Category_Search_OR/Page_Amazon.com. Spend less. Smile	1.332s	PASSED
8	click(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button")) Object: 'Object Repository/Amazon_Category_Search_OR/Page_Amazon.com. Spend less.	6.657s	PASSED
9	closeBrowser()	0.439s	PASSED

Browser is closed

#	Description	Elapsed	Status
# 10	Start listener action : sampleAfterTestCase	0.072s	ERROR
10	Start listerier action : sampleArter restCase	0.0725	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	Repository/Amazon_Validate_Inputfields_OR/TestListener_Amazon_Registration_OR/Page		
	_Amazon.com ponds moisturizer/a_Sign Out'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:659)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click.call		
	(Unknown Source)		
	at Amazon_TL_Validate_Registration.sampleAfterTestCase (Amazon_TL_Validate_Registration.groovy:53)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
	java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
	95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
	(ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1706698354624.run(TempTestSuite1706698354624.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		

Description Elapsed Status Caused by: org.openga.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-GQIN8V4C', ip: '192.168.0.192', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBvNormalMethods(WebUiCommonHelper.iava:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) $at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements$ (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 25 more

Information

ID Test Cases/Amazon_Category_Search_Page/TC_Amaazon_Home_002

Description

Tag

Start 31-01-2024 16:23:13 End 31-01-2024 16:23:39

Elapsed 26.045s Status PASSED

Details

Description Elapsed Status

Description	Elapsed	Status
Start listener action : sampleBeforeTestCase	0.106s	ERROR
com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Amazon_Validate_Inputfields_OR/TestListener_Amazon_Registration_OR/Page _Amazon.com. Spend less. Smile more/a_Hello, sign in Account Lists'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click.call (Unknown Source)		
at Amazon_TL_Validate_Registration.sampleBeforeTestCase (Amazon_TL_Validate_Registration.groovy:33) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1706698354624.run(TempTestSuite1706698354624.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		

```
Description
                                                                                          Elapsed
                                                                                                           Status
Caused by: org.openga.selenium.NoSuchSessionException: Session ID is null. Using
WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-GQIN8V4C', ip: '192.168.0.192', os.name: 'Windows 11', os.
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementBvNormalMethods(WebUiCommonHelper.iava:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
```

2 openBrowser("") 0.943s PASSED

Browser is opened with url: "

... 25 more

#	Description	Elapsed	Status
3	navigateToUrl("https://www.amazon.com/") Navigate to 'https://www.amazon.com/' successfully	1.100s	PASSED
4	setText(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon.com/input_field-keywords"), "BGLXFM") Text 'BGLXFM' is set on object 'Object	0.775s	PASSED
5	click(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon.com/button_Continue shopping")) Object: 'Object	0.594s	PASSED
6	click(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in")) Object: 'Object Repository/Amazon_Category_Search_OR/Page_Amazon.com. Spend less.	14.976s	PASSED
7	click(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon Sign-In/a_Create your Amazon account")) Object: 'Object Repository/Amazon_Category_Search_OR/Page_Amazon Sign-In/a_Create your Amazon account' is clicked on	1.872s	PASSED
8	setText(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon Registration/input_customerName"), "Madhavi") Text 'Madhavi' is set on object 'Object Repository/Amazon_Category_Search_OR/Page_Amazon Registration/input_customerName'	1.335s	PASSED
9	setText(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon Registration/input_email"), "madhumudedla.ms5@gmail.com") Text 'madhumudedla.ms5@gmail.com' is set on object 'Object Repository/Amazon_Category_Search_OR/Page_Amazon Registration/input_email'	0.855s	PASSED

#	Description	Elapsed	Status
10	setEncryptedText(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon Registration/input_password"), "E7HzuEZzy+zoR/HfJi0dbQ==") Text ****** has been set on object 'Object Repository/Amazon_Category_Search_OR/Page_Amazon Registration/input_password'	0.596s	PASSED
11	setEncryptedText(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon Registration/input_passwordCheck"), "E7HzuEZzy+zoR/HfJi0dbQ==") Text ****** has been set on object 'Object Repository/Amazon_Category_Search_OR/Page_Amazon Registration/input_passwordCheck'	0.682s	PASSED
12	click(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon Registration/inputcontinue")) Object: 'Object Repository/Amazon_Category_Search_OR/Page_Amazon Registration/inputcontinue' is clicked on	1.602s	PASSED
13	closeBrowser()	0.414s	PASSED

Browser is closed

#	Description	Elapsed	Status
14	Start listener action : sampleAfterTestCase	0.082s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Amazon_Validate_Inputfields_OR/TestListener_Amazon_Registration_OR/Page		
	_Amazon.com ponds moisturizer/a_Sign Out'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:659) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click.call		
	(Unknown Source)		
	at Amazon_TL_Validate_Registration.sampleAfterTestCase		
	(Amazon_TL_Validate_Registration.groovy:53) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
	java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
	95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
	(ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1706698354624.run(TempTestSuite1706698354624.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		

Description Elapsed Status Caused by: org.openga.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-GQIN8V4C', ip: '192.168.0.192', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBvNormalMethods(WebUiCommonHelper.iava:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) $at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements$ (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 25 more

Information

ID Test Cases/Amazon_Category_Search_Page/TC_Amazon_Home_003

Description

Tag

Start 31-01-2024 16:23:39 End 31-01-2024 16:24:11

Elapsed 31.933s Status PASSED

Details

Description Elapsed Status

Descrip	otion	Elapsed	Statu
Start lis	tener action : sampleBeforeTestCase	0.219s	ERRC
com kn	ns.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	cory/Amazon_Validate_Inputfields_OR/TestListener_Amazon_Registration_OR/Page		
	on.com. Spend less. Smile more/a_Hello, sign in Account Lists'		
_Amaz			
0.47 1.11	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebU	KeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebU	KeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:	74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickK	eyword.groovy:40)		
(0	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
ovecute	eKeywordForPlatform(KeywordExecutor.groovy:74)		
execute	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(\A/= - - -			
(webu	BuiltInKeywords.groovy:659)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click.call		
(Unkno	wn Source)		
	at Amazon_TL_Validate_Registration.sampleBeforeTestCase		
(Amazo	on_TL_Validate_Registration.groovy:33)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native	MethodAccessorImpl.java:77)		
(Halivo	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Dologo	at java.base/jak.internal.renect.belegating/wethod/accessorimpl.invoke		
(Delega			
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:11			
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95)			
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHo	poker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestLis	stenerCollector.java:88)		
`	at com.kms.katalon.core.context.internal.TestListenerCollector.		
handlel	ListenerEvent(TestListenerCollector.java:85)		
Hariatol	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(Evocut	ionEventManager.java:36)		
(Execu			
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:26			
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Comm	onExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSt	iiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
j	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)	2. 22		
100)	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
C			
Source			
	at TempTestSuite1706698354624.run(TempTestSuite1706698354624.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native	MethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	at java.base/jak.internal.reneet.belegating/itetnod/accessorimpl.invoke		

```
Description
                                                                                          Elapsed
                                                                                                           Status
Caused by: org.openga.selenium.NoSuchSessionException: Session ID is null. Using
WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-GQIN8V4C', ip: '192.168.0.192', os.name: 'Windows 11', os.
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementBvNormalMethods(WebUiCommonHelper.iava:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
```

2 openBrowser("") 0.938s PASSED

Browser is opened with url: "

... 25 more

#	Description	Elapsed	Status
3	maximizeWindow() Current window maximized	0.150s	PASSED
4	navigateToUrl("https://www.amazon.com/") Navigate to 'https://www.amazon.com/' successfully	0.891s	PASSED
5	setText(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon.com/input_field-keywords"), "FUNFYY") Text 'FUNFYY' is set on object 'Object	3.911s	PASSED
6	click(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon.com/button_Continue shopping")) Object: 'Object	0.988s	PASSED
7	selectOptionByValue(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon.com. Spend less. Smile more/select_All Departments	18.838s	PASSED
8	setText(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), "Da vinci code") Text 'Da vinci code' is set on object 'Object Repository/Amazon_Category_Search_OR/Page_Amazon.com. Spend less. Smile	1.953s	PASSED
9	click(findTestObject("Object Repository/Amazon_Category_Search_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button")) Object: 'Object Repository/Amazon_Category_Search_OR/Page_Amazon.com. Spend less.	3.657s	PASSED

0.268s	PASSED

Desc	iption	Elapsed	Status
Start	istener action : sampleAfterTestCase	0.036s	ERRO
com k	ms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	sitory/Amazon_Validate_Inputfields_OR/TestListener_Amazon_Registration_OR/Page		
	zon.com ponds moisturizer/a_Sign Out'		
_,	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(Web	JIKeywordMain.groovy:64)		
(*****	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(Web	JIKeywordMain.groovy:26)		
(*****	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groov			
groov	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(Click	Keyword.groovy:40)		
(Olick	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
OVOCI	teKeywordForPlatform(KeywordExecutor.groovy:74)		
exect	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(Mah			
(vveb	JiBuiltInKeywords.groovy:659) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click.call		
/Links			
(UTIKI	own Source)		
()	at Amazon_TL_Validate_Registration.sampleAfterTestCase		
(Ama	zon_TL_Validate_Registration.groovy:53)		
Math	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Metho			
(NI=4):	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nativ	eMethodAccessorImpl.java:77)		
(D - I -	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Dele	gatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:1			
05)	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95)	at any long latelan and anti-state of Tarthanian in the Contact Mathada		
/T 41	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(Testi	Hooker.java:94)		
/T 41	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(Testi	istenerCollector.java:88)		
L 11	at com.kms.katalon.core.context.internal.TestListenerCollector.		
nandi	eListenerEvent(TestListenerCollector.java:85)		
(E	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(Exec	utionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:3			
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Com	monExecutor.java:65)		
(-	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Test	SuiteExecutor.java:148)		
4.5.53	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
. =	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Sourc			
	at TempTestSuite1706698354624.run(TempTestSuite1706698354624.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Metho			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nativ	eMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Dele	gatingMethodAccessorImpl.java:43)		

Description Elapsed Status Caused by: org.openga.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-GQIN8V4C', ip: '192.168.0.192', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openga.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBvNormalMethods(WebUiCommonHelper.iava:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) $at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements$ (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

... 25 more