### CURA\_Validation\_TC

#### **Execution Environment**

Host name vishnu - vishnu Local OS Linux 64bit Katalon version 9.2.0.212

Browser Chrome 121.0.0.0

Summary

ID Test Suites/TS\_CURA/CURA\_Validation\_TC

Description

Total 1

Passed 1 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 31-01-2024 15:10:27 End 31-01-2024 15:11:20

Elapsed 53.051s

# ID Description Status

1 Test Cases/TC\_CURA/CURA\_Name\_validation/CURA PASSED Heading validation

#### Information

ID Test Cases/TC\_CURA/CURA\_Name\_validation/CURA Heading validation

Description

Tag

Start 31-01-2024 15:10:28 End 31-01-2024 15:11:20

Elapsed 52.380s Status PASSED

#### Details

# Description Elapsed Status

Description	Elapsed	Status
Start listener action : sampleBeforeTestCase	1.456s	ERROR
com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare		
Service/input_username'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
stepFailed(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
runKeyword(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.groovy:1019)		
at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
(TestHooker.java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.		
java:95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.		
publicEvent(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268)		
at com.kms.katalon.core.common.CommonExecutor.		
accessTestCaseMainPhase(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
java:106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
java:180)		
at TempTestSuite1706693997202.run(TempTestSuite1706693997202.groovy:		
36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java hase/idk internal reflect Delegating Mathed Accessor Implinyoko		

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(Delegating Method Accessor Impl. java: 43)

#	Description	Elapsed	Status
	Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException:		
	Browser is not opened		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version:		
	'6.5.0-15-generic', java.version: '17.0.9'		
	Driver info: driver.version: unknown		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
	(DriverFactory.java:1014)		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
	(DriverFactory.java:999)		
	at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver		
	(DriverFactory.java:985)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementByNormalMethods(WebUiCommonHelper.java:1009)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:915)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:897)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:892)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsByDefault(WebUiCommonHelper.java:888)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsWithSelfHealing(WebUiCommonHelper.java:734)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findWebElements(WebUiCommonHelper.java:718)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUIKeywordMain.groovy:20)		
	23 more		
0	ones Provides (III)	6 100-	DACCED
2	openBrowser("")	6.138s	PASSED
	Browser is opened with url: "		
	Diowaci ia openeu with thi.		
3	navigateToUrl("https://katalon-demo-cura.herokuapp.com/")	6.057s	PASSED

Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully

Description	Elapsed	Status
verifyElementPresent(findTestObject("cura_healthcare_obj/Cura_name_validation/h1_CUR A Healthcare Service"), 0)	0.860s	PASSED
Object 'Object Repository/cura_healthcare_obj/Cura_name_validation/h1_CURA Healthcare Service' is present		
	verifyElementPresent(findTestObject("cura_healthcare_obj/Cura_name_validation/h1_CUR A Healthcare Service"), 0)  Object 'Object Repository/cura_healthcare_obj/Cura_name_validation/h1_CURA Healthcare	verifyElementPresent(findTestObject("cura_healthcare_obj/Cura_name_validation/h1_CUR 0.860s A Healthcare Service"), 0)  Object 'Object Repository/cura_healthcare_obj/Cura_name_validation/h1_CURA Healthcare

#	Description	Elapsed	Status
5	Start listener action : sampleAfterTestCase	37.352s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
	object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare		
	Service/input_username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1019)		
	at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
	(TestHooker.java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.		
	java:95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.		
	publicEvent(ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:315)		
	at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
	java:106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:180)		
	at TempTestSuite1706693997202.run(TempTestSuite1706693997202.groovy:		
	36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		

(DelegatingMethodAccessorImpl.java:43)

# Description Elapsed Status

Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL\_CURA\_OBJ/Page\_CURA Healthcare

Service/input\_username' located by '//input[@id='txt-username']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.

findWebElement(WebUiCommonHelper.java:1379)

 $at\ com. kms. katalon. core. we bui. keyword. internal. WebUIAbstract Keyword.$ 

findWebElement(WebUIAbstractKeyword.groovy:27)

 $at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.$ 

findWebElement(WebUIAbstractKeyword.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$\_setText\_closure1.doCall(SetTextKeyword.groovy:51)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$\_setText\_closure1.call(SetTextKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.

runKeyword(WebUIKeywordMain.groovy:20)

... 23 more

