CURA_History-Logout

Execution Environment

Host name vishnu - vishnu Local OS Linux 64bit
Katalon version 9.2.0.212
Browser Firefox 122.0

Summary

ID Test Suites/TS_CURA/CURA_History-Logout

Description

Total 2

Passed 2 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 02-02-2024 14:51:51 End 02-02-2024 14:55:15

Elapsed 3m - 23.733s

| # | ID | Description | Status |
|---|---|-------------|--------|
| 1 | Test Cases/TC_CURA/CURA_History/History | | PASSED |
| 2 | Test Cases/TC_CURA/CURA_Logout/Logout | | PASSED |

Information

ID Test Cases/TC_CURA/CURA_History/History

Description

Tag

Start 02-02-2024 14:51:52 End 02-02-2024 14:53:43

Elapsed 1m - 51.678s

Status PASSED

Details

Description Elapsed Status

| Description | Elapsed | Status |
|--|---------|---------|
| Start listener action : sampleBeforeTestCase | 1.170s | ERROR |
| Clark hoterior assisting assistance of the contract of the con | | Entroit |
| com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of | | |
| object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare | | |
| Service/input_username' | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| stepFailed(WebUIKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| runKeyword(WebUIKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| (SetTextKeyword.groovy:66) | | |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| (SetTextKeyword.groovy:37) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText | | |
| (WebUiBuiltInKeywords.groovy:1019) | | |
| at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeMethod | | |
| (TestHooker.java:111) | | |
| at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker. | | |
| java:95) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| (TestHooker.java:94) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| (TestListenerCollector.java:88) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| handleListenerEvent(TestListenerCollector.java:85) | | |
| at com.kms.katalon.core.context.internal.ExecutionEventManager. | | |
| publicEvent(ExecutionEventManager.java:36) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:268) | | |
| at com.kms.katalon.core.common.CommonExecutor. | | |
| accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuiteExecutor.java:148) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. | | |
| java:106) | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. | | |
| java:180) | | |
| at TempTestSuite1706865338876.run(TempTestSuite1706865338876.groovy: | | |
| 36) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java base/idk internal reflect DelegatingMethodAssessorImpl invoke | | |

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(DelegatingMethodAccessorImpl.java:43)

Description Elapsed Status Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 23 more

2 callTestCase(findTestCase("TC_CURA/CURA_Makeappointment/appointment booking"), ["Hospital":Hospital, "Set_Date":date, "Comment":comment], STOP_ON_FAILURE)


1m - 12.939s

PASSED

Call Test Case 'Test Cases/TC_CURA/CURA_Makeappointment/appointment booking' successfully

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 3 | click(findTestObject("cura_healthcare_obj/Cura_History/History/i_CURA Healthcare_fa fabars")) | 0.654s | PASSED |
| | Object: 'Object Repository/cura_healthcare_obj/Cura_History/History/i_CURA Healthcare_fa fa-bars' is clicked on | | |
| 4 | click(findTestObject("cura_healthcare_obj/Cura_History/History/a_History")) | 1.062s | PASSED |
| | Object: 'Object Repository/cura_healthcare_obj/Cura_History/History/a_History' is clicked on | | |
| 5 | verifyElementPresent(findTestObject("cura_healthcare_obj/Cura_History/History/h2_History"), 0) | 0.501s | PASSED |
| | Object 'Object Repository/cura healthcare obj/Cura History/History/h2 History' is present | | |

| Description | Elapsed | Status |
|---|---------|--------|
| Start listener action : sampleAfterTestCase | 34.892s | ERROR |
| com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of | | |
| object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare | | |
| Service/input_username' | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| stepFailed(WebUlKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| runKeyword(WebUIKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| (SetTextKeyword.groovy:66) | | |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| (SetTextKeyword.groovy:37) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText | | |
| (WebUiBuiltInKeywords.groovy:1019) | | |
| at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeMethod | | |
| (TestHooker.java:111) | | |
| at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker. | | |
| java:95) | | |
| $at\ com. kms. katalon. core. context. internal. Test Hooker. invoke Context Methods$ | | |
| (TestHooker.java:94) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| (TestListenerCollector.java:88) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| handleListenerEvent(TestListenerCollector.java:85) | | |
| at com.kms.katalon.core.context.internal.ExecutionEventManager. | | |
| publicEvent(ExecutionEventManager.java:36) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:315) | | |
| at com.kms.katalon.core.common.CommonExecutor. | | |
| accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuiteExecutor.java:148) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. | | |
| java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. | | |
| java:180) | | |
| at TempTestSuite1706865338876.run(TempTestSuite1706865338876.groovy: | | |
| 36) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) | | |



Information

ID Test Cases/TC_CURA/CURA_Logout/Logout

Description

Tag

Start 02-02-2024 14:53:43 End 02-02-2024 14:55:15

Elapsed 1m - 31.370s

Status PASSED


Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

| Description | Elapsed | Status |
|--|---------|--------|
| | 45.753s | ERROR |
| Start listener action : sampleBeforeTestCase | 45.7538 | ERROR |
| com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of | | |
| object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare | | |
| Service/input_username' | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| stepFailed(WebUIKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| runKeyword(WebUIKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| (SetTextKeyword.groovy:66) | | |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| (SetTextKeyword.groovy:37) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| $at\ com. kms. katalon. core. we bui. keyword. Web UiBuilt In Keywords. set Text$ | | |
| (WebUiBuiltInKeywords.groovy:1019) | | |
| at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeMethod | | |
| (TestHooker.java:111) | | |
| at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker. | | |
| java:95) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| (TestHooker.java:94) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| (TestListenerCollector.java:88) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| handleListenerEvent(TestListenerCollector.java:85) | | |
| at com.kms.katalon.core.context.internal.ExecutionEventManager. | | |
| publicEvent(ExecutionEventManager.java:36) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:268) | | |
| at com.kms.katalon.core.common.CommonExecutor. | | |
| accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuiteExecutor.java:148) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. | | |
| java:106) | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. | | |
| java:180) | | |
| at TempTestSuite1706865338876.run(TempTestSuite1706865338876.groovy: | | |
| 36) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| | | |

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(DelegatingMethodAccessorImpl.java:43)



| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 5 | verifyElementVisible(findTestObject("cura_healthcare_obj/Cura_Logout/Logout/div_HOME") | 0.524s | PASSED |
| | Object 'Object Repository/cura_healthcare_obj/Cura_Logout/Logout/div_HOME' is visible | | |
| 6 | closeBrowser() | 3.210s | PASSED |
| | Browser is closed | | |

| Start listener action: sampleAfterTestCase com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. stepFailed(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. runKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | 0.116s | ERRO |
|--|--------|------|
| object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. stepFailed(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. runKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. stepFailed(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. runKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| Service/input_username' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. stepFailed(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. runKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. stepFailed(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. runKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| stepFailed(WebUlKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. runKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| runKeyword(WebUIKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| | | |
| | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeMethod | | |
| (TestHooker.java:111) | | |
| at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker. | | |
| java:95) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| (TestHooker.java:94) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| (TestListenerCollector.java:88) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| handleListenerEvent(TestListenerCollector.java:85) | | |
| at com.kms.katalon.core.context.internal.ExecutionEventManager. | | |
| publicEvent(ExecutionEventManager.java:36) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:315) | | |
| at com.kms.katalon.core.common.CommonExecutor. | | |
| accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuiteExecutor.java:148) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. | | |
| java:106) | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. | | |
| java:180) | | |
| at TempTestSuite1706865338876.run(TempTestSuite1706865338876.groovy: 36) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |

(DelegatingMethodAccessorImpl.java:43)

Elapsed

Status

Description Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openga.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver. java:28) at org.openga.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) $at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath$ (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)

... 23 more