CURA_Appointment_TC

Execution Environment

Host name vishnu - vishnu
Local OS Linux 64bit
Katalon version 9.2.0.212
Browser null

Summary

ID Test Suites/TS_CURA/CURA_Appointment_TC

Description

Total 1

Passed 0 Failed 0 Error 1 Incomplete 0

Skipped 0

Start 31-01-2024 14:47:53 End 31-01-2024 14:47:57

Elapsed 4.728s

ID Description Status

1 Test ERROR

Cases/TS_CURA/CURA_Makeappointment/appointment booking

Information

ID Test Cases/TS_CURA/CURA_Makeappointment/appointment booking

Description

Tag

Start 31-01-2024 14:47:57 End 31-01-2024 14:47:57

Elapsed 0.569s Status ERROR

Details

Description Elapsed Status

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.222s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
	object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare		
	Service/input_username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1019)		
	at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
	(TestHooker.java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.		
	java:95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.		
	publicEvent(ExecutionEventManager.java:36)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$		
	java:268)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
	java:106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:180)		
	100 TO 10		

at TempTestSuite1706692504583.run(TempTestSuite1706692504583.groovy:

36)

Status

Description Elapsed at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.$ findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)

... 26 more

Descrip	tion	Elapsed	Status
"Name"	Case(findTestCase("null"), ["link":"https://katalon-demo-cura.herokuapp.com/", findTestData("CURA_login_data/login_data").getValue(1, 1), "Password": Data("CURA_login_data/login_data").getValue(2, 1)], STOP_ON_FAILURE)	0.016s	ERROR
Test Ca	ses/TS_CURA/CURA_Makeappointment/appointment booking FAILED.		
Reason			
java.lan	g.IllegalArgumentException: Cannot find test case 'Test Cases/null' at com.kms.katalon.core.testcase.TestCaseFactory.findTestCase		
(TestCa	seFactory.java:75)		
	at appointment booking.run(appointment booking:20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptE	ngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448	3)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCa	seExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:28			
:000	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369			
iovo.260	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369			
java.50	at com.kms.katalon.core.common.CommonExecutor.		
access	estCaseMainPhase(CommonExecutor.java:65)		
400000	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:148)		
(100100	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
java:10			
,	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
java:180			
•	at TempTestSuite1706692504583.run(TempTestSuite1706692504583.groovy:		
36)			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nativel	MethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Delega	tingMethodAccessorImpl.java:43)		

.,			04.4
#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestCase	0.188s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
	object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare		
	Service/input_username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1019)		
	at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
	(TestHooker.java:111)		
	$at\ com. kms. katalon. core. context. internal. Test Hooker. lambda \$3 (Test Hooker.$		
	java:95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.		
	publicEvent(ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:315)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
	java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:180)		
	at TempTestSuite1706692504583.run(TempTestSuite1706692504583.groovy:		
	36)		
	50)		

Status

Description Elapsed at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.$ findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)

... 26 more