# CURA\_Login\_TS

#### **Execution Environment**

Host name vishnu - vishnu Local OS Linux 64bit Katalon version 9.2.0.212

Browser Chrome 121.0.0.0

Summary

ID Test Suites/TS\_CURA/CURA\_Login\_TS

Description

Total 1

Passed 0 Failed 0 Error 1 Incomplete 0

Skipped 0

Start 31-01-2024 14:31:50 End 31-01-2024 14:34:54

Elapsed 3m - 4.120s

| # | # ID | Description | Status |
|---|------|-------------|--------|
|   |      |             |        |

Test Cases/TS\_CURA/CURA\_Login/Login ERROR

### Information

ID Test Cases/TS\_CURA/CURA\_Login/Login

Description

Tag

Start 31-01-2024 14:34:02 End 31-01-2024 14:34:54

Elapsed 52.584s
Status ERROR

### Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

| # | Description                                                                                                        | Elapsed | Status |
|---|--------------------------------------------------------------------------------------------------------------------|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase                                                                       | 35.372s | ERROR  |
|   | com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of                               |         |        |
|   | object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare                                                         |         |        |
|   | Service/input_username'                                                                                            |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.                                                   |         |        |
|   | stepFailed(WebUIKeywordMain.groovy:64)                                                                             |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.                                                   |         |        |
|   | runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText        |         |        |
|   | (SetTextKeyword.groovy:66)                                                                                         |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute                                               |         |        |
|   | (SetTextKeyword.groovy:37)                                                                                         |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.                                                          |         |        |
|   | executeKeywordForPlatform(KeywordExecutor.groovy:74)                                                               |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText                                                 |         |        |
|   | (WebUiBuiltInKeywords.groovy:1019)                                                                                 |         |        |
|   | at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)                                           |         |        |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native                                          |         |        |
|   | Method)                                                                                                            |         |        |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke                                                  |         |        |
|   | (NativeMethodAccessorImpl.java:77)                                                                                 |         |        |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke                                              |         |        |
|   | (DelegatingMethodAccessorImpl.java:43)                                                                             |         |        |
|   | at com.kms.katalon.core.context.internal.TestHooker.invokeMethod                                                   |         |        |
|   | (TestHooker.java:111)                                                                                              |         |        |
|   | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.                                          |         |        |
|   | java:95)                                                                                                           |         |        |
|   | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods                                           |         |        |
|   | (TestHooker.java:94)                                                                                               |         |        |
|   | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3                                           |         |        |
|   | (TestListenerCollector.java:88)                                                                                    |         |        |
|   | at com.kms.katalon.core.context.internal.TestListenerCollector.                                                    |         |        |
|   | handleListenerEvent(TestListenerCollector.java:85)                                                                 |         |        |
|   | at com.kms.katalon.core.context.internal.ExecutionEventManager.                                                    |         |        |
|   | publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. |         |        |
|   | java:268)                                                                                                          |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                            |         |        |
|   | java:369)                                                                                                          |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                            |         |        |
|   | java:369)                                                                                                          |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                            |         |        |
|   | java:369)                                                                                                          |         |        |
|   | at com.kms.katalon.core.common.CommonExecutor.                                                                     |         |        |
|   | accessTestCaseMainPhase(CommonExecutor.java:65)                                                                    |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase                                            |         |        |
|   | (TestSuiteExecutor.java:148)                                                                                       |         |        |
|   | $at\ com. kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor.)$                           |         |        |
|   | java:106)                                                                                                          |         |        |
|   | $at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main.$                             |         |        |
|   | java:180)                                                                                                          |         |        |
|   | · T                                                                                                                |         |        |

at TempTestSuite1706691592562.run(TempTestSuite1706691592562.groovy:

36)

#### # Description Elapsed Status

at java.base/jdk.internal.reflect. Native Method Accessor Impl. invoke 0 (Native Method Accessor Impl. invoke 2) and the property of the pro

Method)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke

(NativeMethodAccessorImpl.java:77)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(DelegatingMethodAccessorImpl.java:43)

Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException:

Web element with id: 'Object Repository/TL\_CURA\_OBJ/Page\_CURA Healthcare

Service/input\_username' located by '//input[@id='txt-username']' not found

at com.kms.katalon.core.webui.common.WebUiCommonHelper.

findWebElement(WebUiCommonHelper.java:1379)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.

findWebElement(WebUIAbstractKeyword.groovy:27)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.

findWebElement(WebUIAbstractKeyword.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$\_setText\_closure1.doCall(SetTextKeyword.groovy:51)


at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$\_setText\_closure1.call(SetTextKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.

runKeyword(WebUIKeywordMain.groovy:20)

... 26 more



2 callTestCase(findTestCase("TS\_CURA/CURA\_Name\_validation/CURA Heading validation"), ["link":"https://katalon-demo-cura.herokuapp.com/"], STOP\_ON\_FAILURE)

10.314s

**PASSED** 

Call Test Case 'Test Cases/TS\_CURA/CURA\_Name\_validation/CURA Heading validation' successfully

| # | Description                                                                                                                                                             | Elapsed | Status |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| 3 | click(findTestObject("cura_healthcare_obj/Cura_LOGIN/Cura_login/i_CURA Healthcare_fa fa-bars"))                                                                         | 0.798s  | PASSED |
|   | Object: 'Object Repository/cura_healthcare_obj/Cura_LOGIN/Cura_login/i_CURA Healthcare_fa fa-bars' is clicked on                                                        |         |        |
| 4 | click(findTestObject("cura_healthcare_obj/Cura_LOGIN/Cura_login/a_Login"))  Object: 'Object Repository/cura_healthcare_obj/Cura_LOGIN/Cura_login/a_Login' is clicked on | 1.471s  | PASSED |
|   |                                                                                                                                                                         |         |        |

| # | Description                                                                                                | Elapsed | Status |
|---|------------------------------------------------------------------------------------------------------------|---------|--------|
| 5 | setText(findTestObject("Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username"), Name) | 0.083s  | ERROR  |
|   | Test Cases/TS_CURA/CURA_Login/Login FAILED. Reason:                                                        |         |        |
|   | groovy.lang.MissingPropertyException: No such property: Name for class: Script1706544636857                |         |        |
|   | at Login.run(Login:27)                                                                                     |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)                                       |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText                                               |         |        |
|   | (ScriptEngine.java:119)                                                                                    |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)                         |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.doExecute                                                    |         |        |
|   | (TestCaseExecutor.java:439)                                                                                |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase                                        |         |        |
|   | (TestCaseExecutor.java:418)                                                                                |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase                                              |         |        |
|   | (TestCaseExecutor.java:410)                                                                                |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                    |         |        |
|   | java:285)                                                                                                  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                    |         |        |
|   | java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                          |         |        |
|   | java:369)                                                                                                  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                    |         |        |
|   | java:369)                                                                                                  |         |        |
|   | at com.kms.katalon.core.common.CommonExecutor.                                                             |         |        |
|   | accessTestCaseMainPhase(CommonExecutor.java:65)                                                            |         |        |
|   | $at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$                     |         |        |
|   | (TestSuiteExecutor.java:148)                                                                               |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.                                  |         |        |
|   | java:106)                                                                                                  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.                                     |         |        |
|   | java:180)                                                                                                  |         |        |
|   | at TempTestSuite1706691592562.run(TempTestSuite1706691592562.groovy: 36)                                   |         |        |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native                                  |         |        |
|   | Method)                                                                                                    |         |        |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke                                          |         |        |
|   | (NativeMethodAccessorImpl.java:77)                                                                         |         |        |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke                                      |         |        |
|   | (Delegating Method Assesser Implies (p. 42)                                                                |         |        |

6 Start listener action : sampleAfterTestCase

(Delegating Method Accessor Impl. java: 43)

4.367s

PASSED

Object: 'Object Repository/TL\_CURA\_OBJ/Page\_CURA Healthcare Service/button\_Login' is clicked on