## CURA\_Validation\_TC

#### **Execution Environment**

Host name vishnu - vishnu
Local OS Linux 64bit
Katalon version 9.2.0.212
Browser null

#### Summary

ID Test Suites/TS\_CURA/CURA\_Validation\_TC

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 31-01-2024 13:32:50 End 31-01-2024 13:33:23

Elapsed 33.066s

#	ID	Description	Status
1	Tost Cases/TS, CLIPA/CLIPA, Name, validation/CLIPA		EALLED

Test Cases/TS\_CURA/CURA\_Name\_validation/CURA Heading validation

**FAILED** 

### Information

ID Test Cases/TS\_CURA/CURA\_Name\_validation/CURA Heading validation

Description

Tag

Start 31-01-2024 13:33:18 End 31-01-2024 13:33:23

Elapsed 5.022s Status FAILED

#### Details

# Description Elapsed Status

Description	Elapsed	Status
Start listener action : sampleBeforeTestCase	0.553s	ERROR
com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare		
Service/input_username'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
stepFailed(WebUlKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
runKeyword(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.groovy:1019)		
at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32	)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
(TestHooker.java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.		
java:95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.		
publicEvent(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.		
accessTestCaseMainPhase(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
$at\ com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.atticles) at a com.kms.katalon.core.main.TestSuiteExecutor.atticles at a com.kms.katalon.core.main.TestSuiteExecutor.atticles attacks at a com.kms.katalon.core.main.TestSuiteExecutor.atticles attacks attacks attacks attacks at a com.kms.katalon.core.main.TestSuiteExecutor.attacks attacks a$		
java:106)		
$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main.$		
java:180)		

at TempTestSuite1706688129223.run(TempTestSuite1706688129223.groovy:

36)

Status

Description Elapsed at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)  $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.$ findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText\_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$\_setText\_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)

... 26 more

Description	Elapsed	Status
openBrowser("")	3.632s	FAILED
Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to open browser with url: "		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
stepFailed(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
runKeyword(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
openBrowser(OpenBrowserKeyword.groovy:81)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
execute(OpenBrowserKeyword.groovy:67)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
openBrowser(WebUiBuiltInKeywords.groovy:64)		
at CURA Heading validation.run(CURA Heading validation:20)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.		
accessTestCaseMainPhase(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
java:106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
java:180)		
at TempTestSuite1706688129223.run(TempTestSuite1706688129223.groovy:		
36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote		
response: Response: 402, Code: TCS10007, Message: The quota has expired		

Status

```
Description
                                                                                            Elapsed
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:115)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
          at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute
(CRemoteWebDriver.java:30)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
          at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.
java:131)
          at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init>
(CRemoteWebDriver.java:20)
         at com.kms.katalon.core.webui.driver.DriverFactory.
createNewRemoteWebDriver(DriverFactory.java:547)
         at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser
(DriverFactory.java:336)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:262)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$ openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
         at Script1706546313848.run(Script1706546313848.groovy:20)
         ... 18 more
Caused by: org.openga.selenium.json.JsonException: Unable to determine type from:
R. Last 1 characters read: R
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version:
'6.5.0-15-generic', java.version: '17.0.9'
Driver info: driver.version: CRemoteWebDriver
          at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122)
          at org.openqa.selenium.json.JsonTypeCoercer.lambda$null$6
(JsonTypeCoercer.java:140)
          at org.openga.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java:
126)
         at org.openga.selenium.json.Json.toType(Json.java:69)
         at org.openqa.selenium.json.Json.toType(Json.java:55)
         at org.openqa.selenium.json.Json.toType(Json.java:50)
```

at org.openqa.selenium.remote.ProtocolHandshake.createSession

```
# Description Elapsed Status

(ProtocolHandshake.java:112)
... 36 more
)
```

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestCase	0.401s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
	object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare		
	Service/input_username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1019)		
	at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
	(TestHooker.java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.		
	java:95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.		
	publicEvent(ExecutionEventManager.java:36)		
	$at\ com.kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
	java:315)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
	java:369)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
	java:106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:180)		

at TempTestSuite1706688129223.run(TempTestSuite1706688129223.groovy:

36)

Status

Description Elapsed at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)  $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper.$ findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText\_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$\_setText\_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)

... 26 more