### CURA\_Appointment\_TC

#### **Execution Environment**

Host name vishnu - vishnu Local OS Linux 64bit Katalon version 9.2.0.212

Browser Chrome 121.0.0.0

Summary

ID Test Suites/TS\_CURA/CURA\_Appointment\_TC

Description

Total 1

Passed 1 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 31-01-2024 16:22:10 End 31-01-2024 16:23:18

Elapsed 1m - 8.069s

# ID Description Status

1 Test PASSED

Cases/TC\_CURA/CURA\_Makeappointment/appointment booking

### Information

ID Test Cases/TC\_CURA/CURA\_Makeappointment/appointment booking

Description

Tag

Start 31-01-2024 16:22:11 End 31-01-2024 16:23:18

Elapsed 1m - 7.421s

Status PASSED

#### Details

# Description Elapsed Status

Description	Elapsed	Status
Start listener action : sampleBeforeTestCase	1.061s	ERROR
com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare		
Service/input_username'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
stepFailed(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
runKeyword(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.groovy:1019)		
at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
(TestHooker.java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.		
java:95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.		
publicEvent(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268)		
at com.kms.katalon.core.common.CommonExecutor.		
accessTestCaseMainPhase(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
java:106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
java:180)		
at TempTestSuite1706698126235.run(TempTestSuite1706698126235.groovy:		
36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		

 $at\ java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke$ 

(Delegating Method Accessor Impl. java: 43)

```
Description
                                                                                         Elapsed
                                                                                                           Status
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException:
Browser is not opened
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version:
'6.5.0-15-generic', java.version: '17.0.9'
Driver info: driver.version: unknown
         at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen
(DriverFactory.java:1014)
         at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver
(DriverFactory.java:999)
         at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver
(DriverFactory.java:985)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1009)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElements(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElement(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         ... 23 more
```

2 callTestCase(findTestCase("d"), ["link":"https://katalon-demo-cura.herokuapp.com/", "Name":findTestData("CURA\_login\_data/login\_data").getValue(1, 1), "Password":findTestData("CURA\_login\_data/login\_data").getValue(2, 1)], STOP\_ON\_FAILURE)

21.355s

PASSED

#	Description	Elapsed	Status
3	selectOptionByValue(findTestObject("cura_healthcare_obj/Cura_booking_appointment/Booking appointment/Dropdown list"), Hospital, false)  All options with value 'Hongkong CURA Healthcare Center' are selected in object 'Object Repository/cura_healthcare_obj/Cura_booking_appointment/Booking appointment/Dropdown list'	1.718s	PASSED
4	ky_droplist.dropdownvalue.CheckDropDownListElementExist(findTestObject("cura_healthca re_obj/Cura_booking_appointment/Booking appointment/select_Tokyo CURA Healthcare Center5b4107"), "Hongkong CURA Healthcare Center")  ky_droplist.dropdownvalue.CheckDropDownListElementExist is PASSED	1.454s	PASSED
5	check(findTestObject("cura_healthcare_obj/Cura_booking_appointment/Booking appointment/Readmission"))  Object 'Object Repository/cura_healthcare_obj/Cura_booking_appointment/Booking appointment/Readmission' is checked	0.635s	PASSED
6	check(findTestObject("cura_healthcare_obj/Cura_booking_appointment/Booking appointment/input_Medicaid_programs"))  Object 'Object Repository/cura_healthcare_obj/Cura_booking_appointment/Booking appointment/input_Medicaid_programs' is checked	0.772s	PASSED
7	setText(findTestObject("cura_healthcare_obj/Cura_booking_appointment/Booking appointment/input_Visit Date (Required)_visit_date"), Set_Date)  Text '24/01/2024' is set on object 'Object Repository/cura_healthcare_obj/Cura_booking_appointment/Booking appointment/input_Visit Date (Required)_visit_date'	1.503s	PASSED
8	setText(findTestObject("cura_healthcare_obj/Cura_booking_appointment/Booking appointment/textarea_Comment_comment"), Comment)  Text 'Cold' is set on object 'Object Repository/cura_healthcare_obj/Cura_booking_appointment/Booking appointment/textarea_Comment_comment'	1.454s	PASSED

#	Description	Elapsed	Status
9	click(findTestObject("cura_healthcare_obj/Cura_booking_appointment/Booking appointment/button_Book Appointment"))	1.729s	PASSED

Object: 'Object Repository/cura\_healthcare\_obj/Cura\_booking\_appointment/Booking appointment/button\_Book Appointment' is clicked on

#	Description	Elapsed	Status
		•	
10	Start listener action : sampleAfterTestCase	35.086s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
	object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare		
	Service/input_username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)		
	at TL_cura_neatificare.sampleAfterTestCase(TL_cura_neatificare.groovy.46) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
	(TestHooker.java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:315)		
	at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:65)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
	java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:180)		
	at TempTestSuite1706698126235.run(TempTestSuite1706698126235.groovy:		
	36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		

# Description Elapsed Status

Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException:

Web element with id: 'Object Repository/TL\_CURA\_OBJ/Page\_CURA Healthcare Service/input\_username' located by '//input[@id='txt-username']' not found

at com.kms.katalon.core.webui.common.WebUiCommonHelper.

findWebElement(WebUiCommonHelper.java:1379)

 $at\ com. kms. katalon. core. we bui. keyword. internal. WebUIAbstract Keyword.$ 

findWebElement(WebUIAbstractKeyword.groovy:27)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.

findWebElement(WebUIAbstractKeyword.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$\_setText\_closure1.doCall(SetTextKeyword.groovy:51)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$\_setText\_closure1.call(SetTextKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.

runKeyword(WebUIKeywordMain.groovy:20)

... 23 more

