### CURA\_Validation\_TC

#### **Execution Environment**

Host name vishnu - vishnu Local OS Linux 64bit Katalon version 9.2.0.212

Browser Chrome 121.0.0.0

Summary

ID Test Suites/TS\_CURA/CURA\_Validation\_TC

Description

Total 1

Passed 1 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 31-01-2024 15:36:37 End 31-01-2024 15:37:32

Elapsed 54.713s

#	ID	Description	Status
1	Test Cases/TC_CURA/CURA_Name_validation/CURA Heading validation		PASSED

#### Information

ID Test Cases/TC\_CURA/CURA\_Name\_validation/CURA Heading validation

Description

Tag

Start 31-01-2024 15:36:38 End 31-01-2024 15:37:32

Elapsed 53.993s Status PASSED

#### Details

# Description Elapsed Status

Description	Elapsed	Status
Start listener action : sampleBeforeTestCase	2.522s	ERROF
com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare		
Service/input_username'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
stepFailed(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
runKeyword(WebUlKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.groovy:1019)		
at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
(TestHooker.java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.		
java:95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.		
publicEvent(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268)		
at com.kms.katalon.core.common.CommonExecutor.		
accessTestCaseMainPhase(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
java:106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
java:180)		
at TempTestSuite1706695565754.run(TempTestSuite1706695565754.groovy:		
36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java base/idk internal reflect DelegatingMethod/seesser/mpl invoke		

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(Delegating Method Accessor Impl. java: 43)

Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: 3,141,59; revision: 'e82be7d358', time: '2018-11-14T08.25:53' System info: host: 'vishnu', ip: '127,01.11', os.name: 'Linux', os.arch: 'amd64', os.version:  6,5,0-15-generic, java-version: '17,0.9' Driver info: driver version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory java-99) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory java-999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory java-999) at com.kms.katalon.core.webui.common.WebUlCommonHelper. (IndelEmentByNormalMethodS(WebUlCommonHelper.java-1009) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySySelectedMethod(WebUlCommonHelper.java-1009) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySySelectedMethod(WebUlCommonHelper.java-197) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySySelectedMethod(WebUlCommonHelper.java-197) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySySelectedMethod(WebUlCommonHelper.java-197) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySySelectedMethod(WebUlCommonHelper.java-197) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySySelectedMethod(WebUlCommonHelper.java-1974) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySySelectedMethod(WebUlCommonHelper.java-1974) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySySelectedMethod(WebUlCommonHelper.java-1974) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findWebElementBySelectedMethod(WebUlCommonHelper.java-1974) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findWebElementBySelectedMethod(WebUlCommonHelper.java-1974) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findWebElementBySelectedMethod(WebUlCommonHelper.java-1974) at com.kms.katalon.core.webui.keyword.t	#	Description	Elapsed	Status
Build info: hots: Vishnut, ip: '127.0.11, os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-geneiric', java.version: '170.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (OriverFactory.java:1914) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (OriverFactory.java:199) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (OriverFactory.java:195) at com.kms.katalon.core.webui.common.WebUlCommonHelper.findElementByNormalMethods(WebUlCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUlCommonHelper.findElementBySelectedMethod(WebUlCommonHelper.java:1915) at com.kms.katalon.core.webui.common.WebUlCommonHelper.findElementBySelectedMethod(WebUlCommonHelper.java:1915) at com.kms.katalon.core.webui.common.WebUlCommonHelper.findElementBySelectedMethod(WebUlCommonHelper.java:1917) at com.kms.katalon.core.webui.common.WebUlCommonHelper.findElementBySelectedMethod(WebUlCommonHelper.java:1920) at com.kms.katalon.core.webui.common.WebUlCommonHelper.findElementBySelectedMethod(WebUlCommonHelper.java:1920) at com.kms.katalon.core.webui.common.WebUlCommonHelper.findElementBySelectedMethod(WebUlCommonHelper.java:1932) at com.kms.katalon.core.webui.common.WebUlCommonHelper.findElementBySelectedMethod(WebUlCommonHelper.java:1934) at com.kms.katalon.core.webui.common.WebUlCommonHelper.findElementBySelectedMethod(WebUlCommonHelper.java:1934) at com.kms.katalon.core.webui.common.WebUlCommonHelper.findWebElement(WebUlCommonHelper.java:19374) at com.kms.katalon.core.webui.common.WebUlCommonHelper.findWebElement(WebUlCommonHelper.java:19374) at com.kms.katalon.core.webui.keyword.groovy:25) at com.kms.katalon.core.webui.keyword.groovy:27) at com.kms.katalon.core.webui.keyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.SelTextKeywordS.selText.closure1.cal(SelTextKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.bu		Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException:		
System infor host: vishnut, ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java version: '17.0.9' Driver info: driver version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverISOpen (DriverFactory, java-1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory, java-1999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory, java-1999) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper, java-1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNoselectedMethod(WebUiCommonHelper, java-1915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBySelectedMethod(WebUiCommonHelper, java-1915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByDelectedMethod(WebUiCommonHelper, java-1919) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByDelectedMethod(WebUiCommonHelper, java-1919) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByDelectedMethod(WebUiCommonHelper, java-1919) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByDelectedMethod(WebUiCommonHelper, java-1914) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByDelectedMethod(WebUiCommonHelper, java-1914) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper, java-1914) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper, java-1914) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper, java-1914) at com.kms.katalon.core.webui.keyword.groovy:27) at com.kms.katalon.core.webui.keyword.groovy:28) at com.kms.katalon.core.webui.keyword.groovy:28) at com.kms.katalon.core.webui.keyword.groovy:28) at com.kms.katalon.core.webui.keyword.groovy:28) at com.kms.katalon.core.webui.keyword.groovy:29) 23 more		Browser is not opened		
"6.5.0-15-generic", java version: '17.0.9' Driver info: driver version: unknown at com. kms. katalon.core. webui.driver.DriverFactory.verifyWebDriverlsOpen (DriverFactory, java:1014) at com. kms. katalon.core. webui.driver.DriverFactory.verifyWebDriver (DriverFactory, java:999) at com. kms. katalon.core. webui.driver.DriverFactory.getWebDriver (DriverFactory, java:999) at com. kms. katalon.core. webui.driver.DriverFactory.getWebDriver (DriverFactory, java:999) at com. kms. katalon.core. webui.common.WebUiCommonHelper, findElementByNomalMethods(WebUiCommonHelper, java:1009) at com. kms. katalon.core. webui.common. WebUiCommonHelper, findElementBySelectedMethod(WebUiCommonHelper, java:1915) at com. kms. katalon.core. webui.common. WebUiCommonHelper, findElementBySelectedMethod(WebUiCommonHelper, java:897) at com. kms. katalon.core. webui.common. WebUiCommonHelper, findElementBySelectedMethod(WebUiCommonHelper, java:892) at com. kms. katalon.core. webui.common.WebUiCommonHelper, findElementByDefaul(WebUiCommonHelper, java:383) at com. kms. katalon.core. webui.common.WebUiCommonHelper, findElementSyDefaul(WebUiCommonHelper, java:784) at com. kms. katalon.core. webui.common.WebUiCommonHelper, findWebElementSyUit-BuiCommonHelper, java:7183 at com. kms. katalon.core. webui.common.WebUiCommonHelper, findWebElements(WebUiCommonHelper, java:718) at com. kms. katalon.core. webui.common.webuicommon.webuicommon.		Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
Driver info. driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverlsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:1999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:1985) at com.kms.katalon.core.webui.common.WebUlCommonHelper. dat com.kms.katalon.core.webui.keyword.dintemal.WebUlAbstractKeyword. dat com.kms.katalon.core.webui.keyword.webulKeyword.groovy.27) at com.kms.katalon.core.webui.keyword.groovy.26) at com.kms.katalon.core.webui.keyword.groovy.26) at com.kms.katalon.core.webui.keyword.dintemal.WebUlKeywordMain.trunKeyword.WebUlKeywordS_setText_closure1.call(SetTextKeyword.groovy.20) 23 more		System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version:		
at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriversOpen (DriverFactory.java:1014) at com.kms katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:998) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementByNormalMethods(WebUlCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySelectedMethod(WebUlCommonHelper.java:109) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySelectedMethod(WebUlCommonHelper.java:1916) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySelectedMethod(WebUlCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySelectedMethod(WebUlCommonHelper.java:898) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySelectedMethod(WebUlCommonHelper.java:388) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementByBefault(WebUlCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementSwithSelfHealing(WebUlCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findWebElement(WebUlCommonHelper.java:7748) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:28) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:28) at com.kms.katalon.core.webui.keyword.groovy:29) at com.kms.katalon.core.webui.keywo		'6.5.0-15-generic', java.version: '17.0.9'		
(DriverFactory, java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementByNormalMethods(WebUlCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySelectedMethod(WebUlCommonHelper.java:1019) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySelectedMethod(WebUlCommonHelper.java:1915) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySelectedMethod(WebUlCommonHelper.giva:197) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementBySelectedMethod(WebUlCommonHelper.giva:1987) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementByDefault(WebUlCommonHelper.java:1988) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findElementsWithSelfHealing(WebUlCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findWebElement(WebUlCommonHelper.java:1374) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findWebElement(WebUlCommonHelper.java:1374) at com.kms.katalon.core.webui.common.WebUlCommonHelper. findWebElement(WebUlCommonHelper.giva:1374) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeywordS_setText_closure1.call(SetTextKeyword.groovy):31 at com.kms.katalon.core.webui.keyword.builtin. SetTextKeywordS_setText_closure1.call(SetTextKeyword.groovy):31 at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. runKeyword(WebUlKeywordMain.groovy:20) 23 more		Driver info: driver.version: unknown		
at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:1999) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBySelectedMethod(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:15) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:197) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:197) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:198) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:198) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:1934) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.webUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUiAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUiAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeywords_setText_closure1.cdlCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeywords_setText_closure1.call(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.internal.WebUiKeywordMain. runKeyword(WebUiKeywordMain.groovy:20) 23 more		at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
(DriverFactory, java:999) at com.kms. katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms. katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms. katalon.core.webui.common.WebUiCommonHelper. findElementBySelectedMethod(WebUiCommonHelper.java:1019) at com.kms. katalon.core.webui.common.WebUiCommonHelper. findElementBySelectedMethod(WebUiCommonHelper.java:1997) at com.kms. katalon.core.webui.common.WebUiCommonHelper. findElementBySelectedMethod(WebUiCommonHelper.java:1997) at com.kms. katalon.core.webui.common.WebUiCommonHelper. findElementBySelectedMethod(WebUiCommonHelper.java:1949) at com.kms. katalon.core.webui.common.WebUiCommonHelper. findElementByDefault(WebUiCommonHelper.java:1949) at com.kms. katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:1944) at com.kms. katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:1748) at com.kms. katalon.core.webui.keyword.internal.WebUiAbstractKeyword. findWebElement(WebUiCommonHelper.java:1374) at com.kms. katalon.core.webui.keyword.internal.WebUiAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27) at com.kms. katalon.core.webui.keyword.internal.WebUiAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27) at com.kms. katalon.core.webui.keyword.builtin. SetTextKeywords_setText_closure1.coll(SetTextKeyword.groovy:51) at com.kms. katalon.core.webui.keyword.builtin. SetTextKeywords_setText_closure1.coll(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword(WebUiKeywordMain.groovy:20) 23 more		(DriverFactory.java:1014)		
at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:977) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:898) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:898) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:7349) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:7349) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUiAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUiAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.internal.WebUiAbstractKeyword. setTextKeyword\$_setText_closure1.doCali(SetTextKeyword.groovy):51) at com.kms.katalon.core.webui.keyword.bultin. SetTextKeyword\$_setText_closure1.doCali(SetTextKeyword.groovy):31) at com.kms.katalon.core.webui.keyword.internal.WebUiKeywordMain. runKeyword(YebUiKeywordMain.groovy:20) 23 more  2 openBrowser(***)  7.1918 PASSED		at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
(DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBySelectedMethod(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDelault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:28) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy):51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)23 more		(DriverFactory.java:999)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySpefault(WebUiCommonHelper.java:898) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeywords_setText_closure1.call(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeywords_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) 23 more  2 openBrowser(**)  7.191s PASSED				
findElementByNormalMethods(WebUiCommonHelper, java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBySelectedMethod(WebUiCommonHelper, java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBySelectedMethod(WebUiCommonHelper, java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBySelectedMethod(WebUiCommonHelper, java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByDefault(WebUiCommonHelper, java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper, java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper, java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper, java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper, java:7174) at com.kms.katalon.core.webui.keyword.internal.WebUiAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUiAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUiKeywordMain. runKeyword(WebUiKeywordMain.groovy:20) 23 more  2 openBrowser("")  7.191s PASSED				
at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java;915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java;897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java;892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java;892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java;734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java;718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java;718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java;1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy;27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy;26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy):51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.colCall(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) 23 more  7.191s PASSED				
findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:7374)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUiAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUiAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeywordS_setText_closure1.colal(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeywordS_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUiKeywordMain. runKeyword(WebUiKeywordMain.groovy:20)     23 more  2 openBrowser(**)  7.191s PASSED				
at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:898) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:28) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeywords_setText_closure1.doEal(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeywords_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) 23 more  2 openBrowser("")  7.191s PASSED				
findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) 23 more  7.191s PASSED				
at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.javar:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.javar:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)     23 more  7.191s PASSED				
findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)     23 more  7.191s PASSED				
at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)				
findElementsByDefault(WebUiCommonHelper.java:888)				
at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) 23 more  7.191s PASSED				
findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeywordS_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeywordS_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.suiltin. SetTextKeywordS_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)     23 more  7.191s PASSED				
at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718)				
findWebElements(WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)     23 more  7.191s PASSED				
at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)     23 more  7.191s PASSED				
findWebElement(WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)     23 more  7.191s PASSED				
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.  findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.  findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.  SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin.  SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.  runKeyword(WebUIKeywordMain.groovy:20)     23 more  7.191s PASSED				
findWebElement(WebUlAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. runKeyword(WebUlKeywordMain.groovy:20)     23 more  7.191s PASSED				
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.  findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.  SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin.  SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.  runKeyword(WebUIKeywordMain.groovy:20)     23 more  7.191s PASSED				
findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.  SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin.  SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)     23 more  7.191s PASSED				
at com.kms.katalon.core.webui.keyword.builtin.  SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin.  SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)     23 more  7.191s PASSED				
SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)     23 more  7.191s PASSED				
at com.kms.katalon.core.webui.keyword.builtin.  SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. runKeyword(WebUlKeywordMain.groovy:20)     23 more  7.191s PASSED				
SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)     23 more  7.191s PASSED				
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. runKeyword(WebUlKeywordMain.groovy:20) 23 more  2 openBrowser("")  7.191s PASSED		·		
runKeyword(WebUlKeywordMain.groovy:20) 23 more  2 openBrowser("")  7.191s PASSED				
2 openBrowser("") 7.191s PASSED				
	0	anan Prayyaar/""\	7 101-	DACCED
Browser is opened with url: "	2	openbrowser( )	7.1918	PASSED
Browser is opened with this		Province is anonad with url: "		
		blowsel is opened with un.		
3 navigateToUrl("https://katalon-demo-cura.herokuapp.com/") 6.261s PASSED	3	navigateToUrl("https://katalon-demo-cura.herokuapp.com/")	6.261s	PASSED

Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully

atus	Elapsed	Description
SSED	0.858s	verifyElementPresent(findTestObject("cura_healthcare_obj/Cura_name_validation/h1_CUR A Healthcare Service"), 0)
		Object 'Object Repository/cura_healthcare_obj/Cura_name_validation/h1_CURA Healthcare Service' is present
		Service' is present

#	Description	Elapsed	Status
5	Start listener action : sampleAfterTestCase	36.332s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)		
	at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
	(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.		
	java:95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.		
	publicEvent(ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:315) at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
	java:106)		
	$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main.$		
	java:180)		
	at TempTestSuite1706695565754.run(TempTestSuite1706695565754.groovy:		
	36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at inva base/lidk internal reflect DelegatingMethodAccessorImpl invoke		

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(Delegating Method Accessor Impl. java: 43)

# Description Elapsed Status

Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL\_CURA\_OBJ/Page\_CURA Healthcare

Service/input\_username' located by '//input[@id='txt-username']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.

findWebElement(WebUiCommonHelper.java:1379)

 $at\ com. kms. katalon. core. we bui. keyword. internal. WebUIAbstract Keyword.$ 

findWebElement(WebUIAbstractKeyword.groovy:27)

 $at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.$ 

findWebElement(WebUIAbstractKeyword.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$\_setText\_closure1.doCall(SetTextKeyword.groovy:51)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$\_setText\_closure1.call(SetTextKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.

runKeyword(WebUIKeywordMain.groovy:20)

... 23 more

