# CURA\_Login\_TS

#### **Execution Environment**

Host name vishnu - vishnu
Local OS Linux 64bit
Katalon version 9.2.0.212
Browser null

### Summary

ID Test Suites/TS\_CURA/CURA\_Login\_TS

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 02-02-2024 11:22:48 End 02-02-2024 11:23:24

Elapsed 36.516s

| # | ID | Description | Status |
|---|----|-------------|--------|
|   |    |             |        |

Test Cases/TC\_CURA/CURA\_Login/login FAILED

### Information

ID Test Cases/TC\_CURA/CURA\_Login/login

Description

Tag

Start 02-02-2024 11:23:19 End 02-02-2024 11:23:24

Elapsed 5.117s
Status FAILED

### Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase   | 0.390s  | ERROR  |
|   |  |         |        |
|   | com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of |         |        |
|   | object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare                           |         |        |
|   | Service/input_username'  |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.                     |         |        |
|   | stepFailed(WebUIKeywordMain.groovy:64)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.                     |         |        |
|   | runKeyword(WebUIKeywordMain.groovy:26)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText                 |         |        |
|   | (SetTextKeyword.groovy:66)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute                 |         |        |
|   | (SetTextKeyword.groovy:37)   |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.                            |         |        |
|   | executeKeywordForPlatform(KeywordExecutor.groovy:74)                                 |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText                   |         |        |
|   | (WebUiBuiltInKeywords.groovy:1019)   |         |        |
|   | at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)             |         |        |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native            |         |        |
|   | Method)  |         |        |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke                    |         |        |
|   | (NativeMethodAccessorImpl.java:77)   |         |        |
|   |  |         |        |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke                |         |        |
|   | (DelegatingMethodAccessorImpl.java:43)   |         |        |
|   | at com.kms.katalon.core.context.internal.TestHooker.invokeMethod                     |         |        |
|   | (TestHooker.java:111)  |         |        |
|   | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.            |         |        |
|   | java:95)   |         |        |
|   | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods             |         |        |
|   | (TestHooker.java:94)   |         |        |
|   | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3             |         |        |
|   | (TestListenerCollector.java:88)  |         |        |
|   | at com.kms.katalon.core.context.internal.TestListenerCollector.                      |         |        |
|   | handleListenerEvent(TestListenerCollector.java:85)                                   |         |        |
|   | at com.kms.katalon.core.context.internal.ExecutionEventManager.                      |         |        |
|   | publicEvent(ExecutionEventManager.java:36)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.              |         |        |
|   | java:268)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.              |         |        |
|   | java:369)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.              |         |        |
|   | java:369)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.              |         |        |
|   | java:369)  |         |        |
|   | at com.kms.katalon.core.common.CommonExecutor.                                       |         |        |
|   | accessTestCaseMainPhase(CommonExecutor.java:65)                                      |         |        |
|   |  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase              |         |        |
|   | (TestSuiteExecutor.java:148)   |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.            |         |        |
|   | java:106)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.               |         |        |
|   | java:180)  |         |        |
|   | at TempTestSuite1706853138090.run(TempTestSuite1706853138090.groovy:                 |         |        |
|   | 36)  |         |        |

36)

Status

Description Elapsed at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText\_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$\_setText\_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 26 more

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 2 | callTestCase(findTestCase("TC_CURA/CURA_Name_validation/CURA Heading validation"), ["link":"https://katalon-demo-cura.herokuapp.com/"], STOP_ON_FAILURE)  | 4.198s  | FAILED |
|   | Unable to call Test Case 'Test Cases/TC_CURA/CURA_Name_validation/CURA Heading validation' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/TC_CURA/CURA_Name_validation/CURA Heading validation' failed |         |        |
|   | at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)  |         |        |
|   | at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  |         |        |
|   | (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)   |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase   |         |        |
|   | (BuiltinKeywords.groovy:310) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  |         |        |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  |         |        |
|   | (DelegatingMethodAccessorImpl.java:43) at login.run(login:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText   |         |        |
|   | (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.   |         |        |
|   | java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |        |
|   | (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  |         |        |
|   | java:369) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.  |         |        |
|   | java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.  |         |        |
|   | java:180)   |         |        |

Elapsed

Status

```
Description
          at TempTestSuite1706853138090.run(TempTestSuite1706853138090.groovy:
36)
         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open
browser with url: "
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
         at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main.
runKeyword(WebUIKeywordMain.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
          at CURA Heading validation.run(CURA Heading validation:20)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
         at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
         at\ com.kms.katalon.core.main.Test Case Executor.process Execution Phase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at\ com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
137)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote
response: Response: 402, Code: TCS10007, Message: The quota has expired
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:115)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
          at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute
(CRemoteWebDriver.java:30)
          at org.openqa.selenium.remote.RemoteWebDriver.startSession
```

Status

```
Description
                                                                                           Elapsed
(RemoteWebDriver.java:213)
          at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.
java:131)
          at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init>
(CRemoteWebDriver.java:20)
         at com.kms.katalon.core.webui.driver.DriverFactory.
createNewRemoteWebDriver(DriverFactory.java:547)
         at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser
(DriverFactory.java:336)
          at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:262)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword \$\_openBrowser\_closure 1. do Call (OpenBrowserKeyword.groovy:
74)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$ openBrowser closure1.call(OpenBrowserKeyword.groovy)
         at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main.
runKeyword(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
         at Script1706693454511.run(Script1706693454511.groovy:20)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
         at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
         at\ com.kms.katalon.core.main.Test Case Executor.process Execution Phase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)
java:285)
         at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
137)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
         at\ com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:75)
          at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
```

executeKeywordForPlatform(KeywordExecutor.groovy:74)

Elapsed

Status

```
Description
          at\ com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase
(BuiltinKeywords.groovy:310)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at Script1706701218669.run(Script1706701218669.groovy:22)
Caused by: org.openga.selenium.json.JsonException: Unable to determine type from:
R. Last 1 characters read: R
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version:
'6.5.0-15-generic', java.version: '17.0.9'
Driver info: driver.version: CRemoteWebDriver
          at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122)
         at org.openqa.selenium.json.JsonTypeCoercer.lambda$null$6
(JsonTypeCoercer.java:140)
          at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java:
126)
         at org.openqa.selenium.json.Json.toType(Json.java:69)
         at org.openga.selenium.json.Json.toType(Json.java:55)
         at org.openga.selenium.json.Json.toType(Json.java:50)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:112)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
          at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
          at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute
(CRemoteWebDriver.java:30)
         at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.
java:131)
         at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init>
(CRemoteWebDriver.java:20)
         at com.kms.katalon.core.webui.driver.DriverFactory.
createNewRemoteWebDriver(DriverFactory.java:547)
          at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser
(DriverFactory.java:336)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:262)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
74)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
```

Status

```
Description
                                                                                                                                                                                 Elapsed
 openBrowser(OpenBrowserKeyword.groovy:81)
                   at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
 execute(OpenBrowserKeyword.groovy:67)
                   at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                   at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.
 openBrowser(WebUiBuiltInKeywords.groovy:64)
                   at CURA Heading validation.run(CURA Heading validation:20)
                   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
 (ScriptEngine.java:119)
                   at\ com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.pt) \\
 java:448)
                   at com.kms.katalon.core.main.TestCaseExecutor.doExecute
 (TestCaseExecutor.java:439)
                   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                   at\ com. kms. katalon. core. main. Test Case Executor. access Main Phase
 (TestCaseExecutor.java:410)
                   at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.e
 java:285)
                   at\ com.kms.katalon.core.main.Test Case Main.run Test Case (Test Case Main.java:
 137)
                   at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                   at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
                   at\ com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
 (KeywordMain.groovy:75)
                   at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case
 (CallTestCaseKeyword.groovy:81)
                   at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
 (CallTestCaseKeyword.groovy:44)
                   at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                   at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case
 (BuiltinKeywords.groovy:310)
                   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
 Method)
                   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
 (NativeMethodAccessorImpl.java:77)
                   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
                   at login.run(login:22)
                   ... 18 more
```

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 3 | Start listener action : sampleAfterTestCase   | 0.315s  | ERROR  |
|   |   |         |        |
|   | com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of                    |         |        |
|   | object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare  |         |        |
|   | Service/input_username'   |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.  |         |        |
|   | stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. |         |        |
|   |   |         |        |
|   | runKeyword(WebUIKeywordMain.groovy:26)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText                                    |         |        |
|   | (SetTextKeyword.groovy:66)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute                                    |         |        |
|   | (SetTextKeyword.groovy:37)  |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.   |         |        |
|   | executeKeywordForPlatform(KeywordExecutor.groovy:74)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText                                      |         |        |
|   | (WebUiBuiltInKeywords.groovy:1019)  |         |        |
|   | at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)                                 |         |        |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native                               |         |        |
|   | Method)   |         |        |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke                                       |         |        |
|   | (NativeMethodAccessorImpl.java:77)  |         |        |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke                                   |         |        |
|   | (DelegatingMethodAccessorImpl.java:43)  |         |        |
|   | at com.kms.katalon.core.context.internal.TestHooker.invokeMethod  |         |        |
|   | (TestHooker.java:111)   |         |        |
|   | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.                               |         |        |
|   | java:95)  |         |        |
|   | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods                                |         |        |
|   | (TestHooker.java:94)  |         |        |
|   | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3                                |         |        |
|   | (TestListenerCollector.java:88)   |         |        |
|   | at com.kms.katalon.core.context.internal.TestListenerCollector.   |         |        |
|   | handleListenerEvent(TestListenerCollector.java:85)  |         |        |
|   | at com.kms.katalon.core.context.internal.ExecutionEventManager.   |         |        |
|   | publicEvent(ExecutionEventManager.java:36)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                 |         |        |
|   | java:315)   |         |        |
|   | $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$                   |         |        |
|   | java:369)   |         |        |
|   | $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$                   |         |        |
|   | java:369)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                 |         |        |
|   | java:369)   |         |        |
|   | at com.kms.katalon.core.common.CommonExecutor.  |         |        |
|   | accessTestCaseMainPhase(CommonExecutor.java:65)   |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase                                 |         |        |
|   | (TestSuiteExecutor.java:148)  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.                               |         |        |
|   | java:106)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.                                  |         |        |
|   | java:180)   |         |        |
|   | at TempTestSuite1706853138090.run(TempTestSuite1706853138090.groovy:                                    |         |        |
|   | 36)   |         |        |

Status

Description Elapsed at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText\_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$\_setText\_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 26 more