CURA_Appointment_TC

Execution Environment

Host name	vishnu - vishnu
Local OS	Linux 64bit
Katalon version	9.2.0.212
Browser	null

Summary

ID	Test Suites/TS_CURA/CURA_Appointment_TC		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	31-01-2024 22:22:04	End	31-01-2024 22:22:29
Elapsed	25.155s		

#	ID	Description	Status
1	Test Cases/TC_CURA/CURA_Makeappointment/appointment booking		FAILED

appointment booking

Information

ID	Test Cases/TC_CURA/CURA_Makeappointment/appointment booking
Description	
Tag	

Start	31-01-2024 22:22:25	End	31-01-2024 22:22:29
Elapsed	4.584s		
Status	FAILED		

Details

#	Description	Elapsed	Status

appointment booking

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.309s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
      at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
      at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)
      at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker. java:95)
      at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
      at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
      at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
      at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)
      at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
      at TempTestSuite1706719770271.run(TempTestSuite1706719770271.groovy: 36)

#	Description	Elapsed	Status

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9'

Driver info: driver.version: unknown

at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014)

at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999)

at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)

at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)

... 26 more

appointment booking

#	Description	Elapsed	Status
2	callTestCase(findTestCase("TC_CURA/CURA_Login/login"), ["link":"https://katalon-demo-cura.herokuapp.com/", "Name":findTestData("CURA_login_data/login_data").getValue (1, 1), "Password":findTestData("CURA_login_data/login_data").getValue(2, 1)], STOP_ON_FAILURE) Unable to call Test Case 'Test Cases/TC_CURA/CURA_Login/login' (Root cause: com. kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/TC_CURA/CURA_Login/login' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:310) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at appointment booking.run(appointment booking:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)	3.992s	FAILED

appointment booking

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)		
	at TempTestSuite1706719770271.run(TempTestSuite1706719770271.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/TC_CURA/CURA_Name_validation/CURA Heading validation' failed		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:310)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	at login.run(login:22)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)		
	... 28 more		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: ''		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		

#	Description	Elapsed	Status

	stepFailed(WebUIKeywordMain.groovy:64)
	     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)
	     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)
	     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67)
	     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
	     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64)
	     at CURA Heading validation.run(CURA Heading validation:20)
	     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
	     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
	     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
	     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
	     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
	     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
	     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
	     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137)
	     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
	     ... 47 more
	Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Response: 402, Code: TCS10007, Message: The quota has expired
	     at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:115)
	     at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74)
	     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)
	     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	     at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute(CRemoteWebDriver.java:30)
	     at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)
	     at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131)
	     at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init>(CRemoteWebDriver.java:20)
	     at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver(DriverFactory.java:547)
	     at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser(DriverFactory.java:336)
	     at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver(DriverFactory.java:262)		

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
74)
        at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
        at Script1706693454511.run(Script1706693454511.groovy:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
        at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
137)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:75)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase
(BuiltinKeywords.groovy:310)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
        at Script1706701218669.run(Script1706701218669.groovy:22)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText

appointment booking

#	Description	Elapsed	Status

(ScriptEngine.java:119)
     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
     at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
137)
     at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
     at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:75)
     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
     at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
     at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase
(BuiltinKeywords.groovy:310)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
     at Script1706693454498.run(Script1706693454498.groovy:21)
     ... 18 more
Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from:
R. Last 1 characters read: R
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version:
'6.5.0-15-generic', java.version: '17.0.9'
Driver info: driver.version: CRemoteWebDriver
     at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122)
     at org.openqa.selenium.json.JsonTypeCoercer.lambda$null$6
(JsonTypeCoercer.java:140)
     at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java:
126)
     at org.openqa.selenium.json.Json.toType(Json.java:69)
     at org.openqa.selenium.json.Json.toType(Json.java:55)
     at org.openqa.selenium.json.Json.toType(Json.java:50)
     at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:112)
     at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
     at org.openqa.selenium.remote.HttpCommandExecutor.execute

#	Description	Elapsed	Status

	(HttpCommandExecutor.java:136)
	          at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552)
	          at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30)
	          at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)
	          at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131)
	          at com.kms.katalon.selenium.driver.CRemoteWebDriver.<init> (CRemoteWebDriver.java:20)
	          at com.kms.katalon.core.webui.driver.DriverFactory.createNewRemoteWebDriver(DriverFactory.java:547)
	          at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:336)
	          at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:262)
	          at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
	          at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
	          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)
	          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)
	          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67)
	          at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
	          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64)
	          at CURA Heading validation.run(CURA Heading validation:20)
	          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
	          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
	          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
	          at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)
	          at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
	          at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
	          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
	          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137)
	          at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
	          at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
	          at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)		

appointment booking

#	Description	Elapsed	Status
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:310) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at login.run(login:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:310) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at appointment booking.run(appointment booking:21) ... 18 more)		

appointment booking

#	Description	Elapsed	Status

appointment booking

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestCase	0.180s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)
 at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66)
 at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:37)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:1019)
 at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
 at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)
 at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java:95)
 at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94)
 at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3(TestListenerCollector.java:88)
 at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85)
 at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36)
 at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315)
 at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
 at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
 at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
 at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)
 at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
 at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
 at TempTestSuite1706719770271.run(TempTestSuite1706719770271.groovy:36)

#	Description	Elapsed	Status

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9'

Driver info: driver.version: unknown

at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014)

at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999)

at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718)

at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)

at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)

... 26 more