# Amazon\_login\_Test Suite

### **Execution Environment**

Host name nsdan - Nru707 Local OS Windows 11 64bit

Katalon version 9.2.0.212 Browser Firefox 122.0

#### Summary

ID Test Suites/Amazon\_test\_suites/Amazon\_login\_Test Suite

Description

Total 1

Passed 1 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 31-01-2024 18:29:42 End 31-01-2024 18:31:02

Elapsed 1m - 20.003s

#	ID						Description	Status
1	Test		-	_				PASSED

Cases/Testing\_Modes/By\_Record\_web/Amazon\_login\_TC\_0

UZ

### Information

ID Test Cases/Testing\_Modes/By\_Record\_web/Amazon\_login\_TC\_002

Description

Tag

Start 31-01-2024 18:29:42 End 31-01-2024 18:31:01

Elapsed 1m - 18.966s

Status PASSED

#### **Details**

# Description Elapsed Status

Description	Elapsed	Status
Start listener action : sampleBeforeTestCase	0.632s	ERRO
com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Amazon_add_to_cart_TC001/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in'		
$at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. step Fail (WebUIKeyword Main. groovy: 64)$		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyw(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.org.very:74)	ord.	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:659) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click.call		
(Unknown Source) at Amazon_TL_add_to_cart_confirmation.sampleBeforeTestCase		
(Amazon_TL_add_to_cart_confirmation.groovy:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHook	ker.	
java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.ja 95)	ava:	
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)		
$at\ com. kms. katalon. core. context. internal. Execution Event Manager. public Event (Execution Event Manager. java: 36)$		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPha (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.j 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.jat		
180) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1706705957837.run(TempTestSuite1706705957837.groovy	v:36)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)	•	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		

Description	Elapsed	Status
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
is not opened		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'NRU707', ip: '169.254.36.135', os.name: 'Windows 11', os.arch: 'amd64',		
os.version: '10.0', java.version: '17.0.7'		
Driver info: driver.version: unknown		
at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
(DriverFactory.java:1014)		
at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
(DriverFactory.java:999)		
at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.		
java:985)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementByNormalMethods(WebUiCommonHelper.java:1009)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsBySelectedMethod(WebUiCommonHelper.java:915)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsBySelectedMethod(WebUiCommonHelper.java:897)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsBySelectedMethod(WebUiCommonHelper.java:892)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsByDefault(WebUiCommonHelper.java:888)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsWithSelfHealing(WebUiCommonHelper.java:734)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements	8	
(WebUiCommonHelper.java:718)		
$at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Element$		
(WebUiCommonHelper.java:1374)		
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
findWebElement(WebUIAbstractKeyword.groovy:27)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
doCall(ClickKeyword.groovy:65)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
(ClickKeyword.groovy)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	d	
(WebUIKeywordMain.groovy:20)		
25 more		

2	openBrowser("")	8.047s	PASSED
	Browser is opened with url: "		
3	navigateToUrl("https://www.amazon.com/")	2.229s	PASSED

Navigate to 'https://www.amazon.com/' successfully

#	Description	Elapsed	Status
4	click(findTestObject("Object Repository/Amazon_login_TC_002/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in"))  Object: 'Object Repository/Amazon_login_TC_002/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in' is clicked on	25.212s	PASSED
5	setText(findTestObject("Object Repository/Amazon_login_TC_002/Page_Amazon Sign-In/input_email"), "nru08028@gmail.com")  Text 'nru08028@gmail.com' is set on object 'Object Repository/Amazon_login_TC_002/Page_Amazon Sign-In/input_email'	11.824s	PASSED
6	click(findTestObject("Object Repository/Amazon_login_TC_002/Page_Amazon Sign-In/inputcontinue"))  Object: 'Object Repository/Amazon_login_TC_002/Page_Amazon Sign-In/inputcontinue' is clicked on	7.321s	PASSED
7	setEncryptedText(findTestObject("Object Repository/Amazon_login_TC_002/Page_Amazon Sign-In/input_password"), "G74V49Pg4522B1vm99sENQ==")  Text ****** has been set on object 'Object Repository/Amazon_login_TC_002/Page_Amazon Sign-In/input_password'	12.943s	PASSED
8	click(findTestObject("Object Repository/Amazon_login_TC_002/Page_Amazon Sign-In/inputsignInSubmit"))  Object: 'Object Repository/Amazon_login_TC_002/Page_Amazon Sign-In/inputsignInSubmit' is clicked on	9.524s	PASSED
9	closeBrowser() Browser is closed	1.010s	PASSED

#	Description	Elapsed	Status
10	Start listener action : sampleAfterTestCase	0.046s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Amazon_add_to_cart_TC001/Page_Amazon.com Shopping Cart/i_hm-icon		
	nav-sprite' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:659) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click.call		
	(Unknown Source) at Amazon_TL_add_to_cart_confirmation.sampleAfterTestCase		
	(Amazon_TL_add_to_cart_confirmation.groovy:51) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
	java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1706705957837.run(TempTestSuite1706705957837.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		

Description Elapsed Status Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NRU707', ip: '169.254.36.135', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBvNormalMethods(WebUiCommonHelper.iava:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)  $at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements$ (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 25 more