



1

1



Status



Changes



Console Output



View as plain text



Edit Build Information



Delete build '#4'



Polling Log



Git Build Data



Embeddable Build Status



Previous Build



Next Build



## Console Output

Started by an SCM change

Running as SYSTEM

Building in workspace

C:\Users\Shahbaaz\.jenkins\workspace\Katalon\_Jenkins\_SoftwareAutomation\_001

The recommended git tool is: NONE

using credential d2d5deed-785d-42e0-a1ec-f6c3ce7593bc

> git.exe rev-parse --resolve-git-dir

C:\Users\Shahbaaz\.jenkins\workspace\Katalon\_Jenkins\_SoftwareAutomation\_001\.git #

timeout=10

Fetching changes from the remote Git repository

> git.exe config remote.origin.url [https://github.com/smartinternz02/SI-](https://github.com/smartinternz02/SI-GuidedProject-705570-1704892459.git)

[GuidedProject-705570-1704892459.git](https://github.com/smartinternz02/SI-GuidedProject-705570-1704892459.git) # timeout=10

Fetching upstream changes from [https://github.com/smartinternz02/SI-GuidedProject-](https://github.com/smartinternz02/SI-GuidedProject-705570-1704892459.git)

[705570-1704892459.git](https://github.com/smartinternz02/SI-GuidedProject-705570-1704892459.git)

```
> git.exe --version # timeout=10
```

```
> git --version # 'git version 2.43.0.windows.1'
```

using GIT\_ASKPASS to set credentials

```
> git.exe fetch --tags --force --progress -- https://github.com/smartinternz02/SI-GuidedProject-705570-1704892459.git +refs/heads/*:refs/remotes/origin/* # timeout=10
```

```
> git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
```

Checking out Revision f7afcf3cfb8a5cfd2877234672a5c7bd9be152ec

(refs/remotes/origin/main)

```
> git.exe config core.sparsecheckout # timeout=10
```

```
> git.exe checkout -f f7afcf3cfb8a5cfd2877234672a5c7bd9be152ec # timeout=10
```

Commit message: "change for test on jenkins"

```
> git.exe rev-list --no-walk d1767b70851188dfe53aa009be6edf018704ad37 # timeout=10
```

[Katalon\_Jenkins\_SoftwareAutomation\_001] \$ cmd /c call

C:\Users\Shahbaaz\AppData\Local\Temp\jenkins4073544042915023708.bat

C:\Users\Shahbaaz\.jenkins\workspace\Katalon\_Jenkins\_SoftwareAutomation\_001>cd

"C:\Users\Shahbaaz\git\SI-GuidedProject-705570-1704892459"

C:\Users\Shahbaaz\git\SI-GuidedProject-705570-1704892459>git pull

"<https://github.com/smartinternz02/SI-GuidedProject-705570-1704892459.git>"

From <https://github.com/smartinternz02/SI-GuidedProject-705570-1704892459>

```
* branch          main          -> FETCH_HEAD
```

Already up to date.

C:\Users\Shahbaaz\git\SI-GuidedProject-705570-1704892459>cd

"C:\Katalon\_Studio\_Engine\_Windows\_64-9.3.0"

```
C:\Katalon_Studio_Engine_Windows_64-9.3.0>katalonc -noSplash -runMode=console -
projectPath="C:\Users\Shahbaaz\git\SI-GuidedProject-705570-1704892459\SI-
GuidedProject-705570-1704892459.prj" -retry=0 -testSuitePath="Test Suites/Jenkins
Integration/Jenkins Integration with Katalon_TestSuite" -browserType="Chrome" -
executionProfile="Staging" -apiKey="c8371753-aba8-46fa-b53d-e06d04982c5d" --config -
proxy.auth.option=NO_PROXY -proxy.system.option=NO_PROXY -
proxy.system.applyToDesiredCapabilities=true -webui.autoUpdateDrivers=true
```

Katalon workspace folder is set to default location:

C:\Users\Shahbaaz\AppData\Local\Temp\session-1e4d2b55

Starting Groovy-Eclipse compiler resolver. Specified compiler level: unspecified

167 org.codehaus.groovy\_3.0.17.v202303311542-e2303 ACTIVE

Activating...

Start getting machine ID on Windows

Dashboard	Katalon_Jenkins_SoftwareAutomation_001	#4	Console Output
-----------	--	----	----------------

os\dependentusername shanbaaz

End appending additional signatures 3c93416e-b9f8-4724-8ee3-2705262ef5f1\_\_shahbaaz

End getting machine ID on Windows be664fe27703be8872718ec67661b5cc

Start activating offline...

Search for valid offline licenses in folder: C:\Users\Shahbaaz\.katalon\license  
The number of valid offline licenses: 0  
Start activating online...  
Activated successfully with Katalon Runtime Engine license.  
Activated successfully with TestCloud license.

INFO: Katalon Version: 9.3.0  
INFO: Command-line arguments: -runMode=console -projectPath=C:\Users\Shahbaaz\git\SI-GuidedProject-705570-1704892459\SI-GuidedProject-705570-1704892459.prj -retry=0 -testSuitePath=Test Suites/Jenkins Integration/Jenkins Integration with Katalon\_TestSuite -browserType=Chrome -executionProfile=Staging -apiKey=\*\*\*\*\* --config -proxy.auth.option=NO\_PROXY -proxy.system.option=NO\_PROXY -proxy.system.applyToDesiredCapabilities=true -webui.autoUpdateDrivers=true  
INFO: User working dir: C:\Katalon\_Studio\_Engine\_Windows\_64-9.3.0  
INFO: Error log: C:/Users/Shahbaaz/AppData/Local/Temp/session-1e4d2b55/.metadata/.log  
INFO: Katalon KatOne server URL: <https://admin.katalon.com>  
INFO: Katalon TestOps server URL: <https://testops.katalon.io>  
INFO: Katalon Store server URL: <https://store.katalon.com>  
INFO: User home: C:\Users\Shahbaaz  
INFO: Java vendor: Eclipse Adoptium  
INFO: Java version: 17.0.7  
INFO: Local OS: Windows 10 64bit  
INFO: CPU load: 0%  
INFO: Total memory: 64667 MB  
INFO: Free memory: 46941 MB  
INFO: Machine ID: be664fe27703be8872718ec67661b5cc

Delete folder: bin  
Delete folder: Libs  
Cleaning up workspace  
Opening project file: C:\Users\Shahbaaz\git\SI-GuidedProject-705570-1704892459\SI-GuidedProject-705570-1704892459.prj  
Generating global variables...  
Project 'SI-GuidedProject-705570-1704892459' opened  
Start reloading plugins...  
Katalon version: 9.3.0  
Plugin info URL: <https://store.katalon.com/api/products/ks?appVersion=9.3.0&appType=ENGINE&licenseType=TRIAL>  
Start checking license task  
Chrome driver is located at: C:\Katalon\_Studio\_Engine\_Windows\_64-9.3.0\configuration\resources\temp\webdriver\chromedriver.exe  
INFO: KATALON\_JAVA\_HOME: null

-----  
Test Suites/Jenkins Integration/Jenkins Integration with Katalon\_TestSuite - Chr

ome - 20240208\_003925.....0/1(0%)

2024-02-08 00:39:27.057 INFO c.k.katalon.core.main.TestSuiteExecutor - START Test Suites/Jenkins Integration/Jenkins Integration with Katalon\_TestSuite

2024-02-08 00:39:27.085 INFO c.k.katalon.core.main.TestSuiteExecutor - hostName = Shahbaaz - DESKTOP-69BDL2N

2024-02-08 00:39:27.085 INFO c.k.katalon.core.main.TestSuiteExecutor - os = Windows 10 64bit

2024-02-08 00:39:27.085 INFO c.k.katalon.core.main.TestSuiteExecutor - hostAddress = 192.168.29.167

2024-02-08 00:39:27.086 INFO c.k.katalon.core.main.TestSuiteExecutor - katalonVersion = 9.3.0.212

2024-02-08 00:39:27.331 INFO c.k.k.core.webui.driver.DriverFactory - Starting 'Chrome' driver

Feb 08, 2024 12:39:27 AM org.openqa.selenium.remote.DesiredCapabilities chrome

INFO: Using `new ChromeOptions()` is preferred to `DesiredCapabilities.chrome()`

2024-02-08 00:39:27.375 INFO c.k.k.core.webui.driver.DriverFactory - Action delay is set to 0 milliseconds

Starting ChromeDriver 121.0.6167.85 (3f98d690ad7e59242ef110144c757b2ac4eef1a2-refs/branch-heads/6167@{#1539}) on port 27963

Only local connections are allowed.

Please see <https://chromedriver.chromium.org/security-considerations> for suggestions on keeping ChromeDriver safe.

ChromeDriver was started successfully.

Feb 08, 2024 12:39:28 AM org.openqa.selenium.remote.ProtocolHandshake createSession  
INFO: Detected dialect: W3C

2024-02-08 00:39:28.177 INFO c.k.k.core.webui.driver.DriverFactory - sessionId = 68029899a6523956b3199c80de8686b1

2024-02-08 00:39:28.184 INFO c.k.k.core.webui.driver.DriverFactory - browser = Chrome 121.0.0.0

2024-02-08 00:39:28.184 INFO c.k.k.core.webui.driver.DriverFactory - platform = Windows 10

2024-02-08 00:39:28.184 INFO c.k.k.core.webui.driver.DriverFactory - seleniumVersion = 3.141.59

2024-02-08 00:39:28.185 INFO c.k.k.core.webui.driver.DriverFactory - proxyInformation = ProxyInformation { proxyOption=NO\_PROXY, proxyServerType=HTTP, username=, password=\*\*\*\*\*, proxyServerAddress=, proxyServerPort=0, executionList="", isApplyToDesiredCapabilities=true }

2024-02-08 00:39:28.346 INFO c.k.katalon.core.main.TestCaseExecutor - -----

2024-02-08 00:39:28.346 INFO c.k.katalon.core.main.TestCaseExecutor - START Test Cases/Jenkins Integration/TC\_Validate OHRM Login\_Login Success\_001

2024-02-08 00:39:28.363 INFO c.k.katalon.core.main.TestCaseExecutor - (Default) url =

2024-02-08 00:39:28.370 INFO c.k.katalon.core.main.TestCaseExecutor - (Default) username =

```
2024-02-08 00:39:28.376 INFO c.k.katalon.core.main.TestCaseExecutor - (Default)
password =
2024-02-08 00:39:30.887 DEBUG TC_Validate OHRM Login_Login Success_001 - 1:
comment("To test for successful Login")
2024-02-08 00:39:30.893 INFO c.k.k.c.keyword.builtin.CommentKeyword - To test for
successful Login
2024-02-08 00:39:30.893 DEBUG TC_Validate OHRM Login_Login Success_001 - 2:
setText(findTestObject("OrangeHRM_OR/Page_OHRM_Login/input_username_username"),
Username)
2024-02-08 00:39:31.966 DEBUG TC_Validate OHRM Login_Login Success_001 - 3:
setText(findTestObject("OrangeHRM_OR/Page_OHRM_Login/input_Password_password"),
Password)
2024-02-08 00:39:32.461 DEBUG TC_Validate OHRM Login_Login Success_001 - 4:
click(findTestObject("OrangeHRM_OR/Page_OHRM_Login/button_Login"))
2024-02-08 00:39:32.719 DEBUG TC_Validate OHRM Login_Login Success_001 - 5:
verifyElementVisible(findTestObject("OrangeHRM_OR/Page_OHRM_Dashboard/h6_Dashboard"))
2024-02-08 00:39:37.079 INFO c.k.katalon.core.main.TestCaseExecutor - END Test
Cases/Jenkins Integration/TC_Validate OHRM Login_Login Success_001
2024-02-08 00:39:37.258 INFO com.kms.katalon.core.util.KeywordUtil - Start
generating HTML report folder at: C:\Users\Shahbaaz\git\SI-GuidedProject-705570-
1704892459\Reports\20240208_003921\Jenkins Integration\Jenkins Integration with
Katalon_TestSuite\20240208_003925...
2024-02-08 00:39:37.291 INFO com.kms.katalon.core.util.KeywordUtil - HTML report
generated
2024-02-08 00:39:37.292 INFO com.kms.katalon.core.util.KeywordUtil - Start
generating CSV report folder at: C:\Users\Shahbaaz\git\SI-GuidedProject-705570-
1704892459\Reports\20240208_003921\Jenkins Integration\Jenkins Integration with
Katalon_TestSuite\20240208_003925...
2024-02-08 00:39:37.298 INFO com.kms.katalon.core.util.KeywordUtil - CSV report
generated
2024-02-08 00:39:37.312 INFO c.k.katalon.core.main.TestSuiteExecutor - -----
-----
2024-02-08 00:39:37.312 INFO c.k.katalon.core.main.TestSuiteExecutor - END Test
Suites/Jenkins Integration/Jenkins Integration with Katalon_TestSuite
2024-02-08 00:39:37.312 INFO c.k.katalon.core.main.TestSuiteExecutor -
=====
Launcher status after execution process completed: Running
Start writing execution.uuid file to folder: C:\Users\Shahbaaz\git\SI-GuidedProject-
705570-1704892459\Reports\20240208_003921\Jenkins Integration\Jenkins Integration with
Katalon_TestSuite\20240208_003925
Start generating JUnit report folder at: C:\Users\Shahbaaz\git\SI-GuidedProject-
705570-1704892459\Reports\20240208_003921\Jenkins Integration\Jenkins Integration with
Katalon_TestSuite\20240208_003925...
JUnit report were generated at folder: C:\Users\Shahbaaz\git\SI-GuidedProject-705570-
1704892459\Reports\20240208_003921\Jenkins Integration\Jenkins Integration with
Katalon_TestSuite\20240208_003925
For real-time monitoring and better reporting capabilities please integrate this
```

project with Katalon TestOps (more details at <https://docs.katalon.com/katalon-analytics/docs/integration-with-katalon-studio.html#enable-integration>)

For real-time monitoring and better reporting capabilities please integrate this project with Katalon TestOps (more details at <https://docs.katalon.com/katalon-analytics/docs/integration-with-katalon-studio.html#enable-integration>)

```
-----  
Test Suites/Jenkins Integration/Jenkins Integration with Katalon_TestSuite - Chrome - 20240208_003925.....1/1(100%)  
-----
```

Execution completed. Exit code: 0.

Start clean up session

End check license task

End clean up session

Start release license task

License released

End release license task

All launchers terminated

```
C:\Katalon_Studio_Engine_Windows_64-9.3.0>cd "C:\Users\Shahbaaz\git\SI-GuidedProject-705570-1704892459"
```

```
C:\Users\Shahbaaz\git\SI-GuidedProject-705570-1704892459>git status
```

On branch main

Changes not staged for commit:

(use "git add/rm <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: .project

modified: Reports/20240208\_003824/Jenkins Integration/Jenkins Integration with Katalon\_TestSuite/20240208\_003828/execution0.log

deleted: Reports/20240208\_003824/Jenkins Integration/Jenkins Integration with Katalon\_TestSuite/20240208\_003828/execution0.log.lck

Untracked files:

(use "git add <file>..." to include in what will be committed)

Reports/20240208\_003921/

no changes added to commit (use "git add" and/or "git commit -a")

```
C:\Users\Shahbaaz\git\SI-GuidedProject-705570-1704892459>git add "."
```

warning: in the working copy of 'Reports/20240208\_003824/Jenkins Integration/Jenkins Integration with Katalon\_TestSuite/20240208\_003828/execution0.log', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'Reports/20240208\_003921/Jenkins Integration/Jenkins Integration with Katalon\_TestSuite/20240208\_003925/20240208\_003925.html', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'Reports/20240208\_003921/Jenkins Integration/Jenkins Integration with Katalon\_TestSuite/20240208\_003925/execution0.log', LF will be replaced by CRLF the next time Git touches it

```
C:\Users\Shahbaaz\git\SI-GuidedProject-705570-1704892459>git commit -m "change for test on jenkins"
```

```
[main 802310e] change for test on jenkins
```

```
10 files changed, 3780 insertions(+)
```

```
create mode 100644 Reports/20240208_003921/Jenkins Integration/Jenkins Integration with Katalon_TestSuite/20240208_003925/20240208_003925.csv
```

```
create mode 100644 Reports/20240208_003921/Jenkins Integration/Jenkins Integration with Katalon_TestSuite/20240208_003925/20240208_003925.html
```

```
create mode 100644 Reports/20240208_003921/Jenkins Integration/Jenkins Integration with Katalon_TestSuite/20240208_003925/JUnit_Report.xml
```

```
create mode 100644 Reports/20240208_003921/Jenkins Integration/Jenkins Integration with Katalon_TestSuite/20240208_003925/execution.properties
```

```
create mode 100644 Reports/20240208_003921/Jenkins Integration/Jenkins Integration with Katalon_TestSuite/20240208_003925/execution.uuid
```

```
create mode 100644 Reports/20240208_003921/Jenkins Integration/Jenkins Integration with Katalon_TestSuite/20240208_003925/execution0.log
```

```
create mode 100644 Reports/20240208_003921/Jenkins Integration/Jenkins Integration with Katalon_TestSuite/20240208_003925/testCaseBinding
```

```
rename Reports/{20240208_003824/Jenkins Integration/Jenkins Integration with Katalon_TestSuite/20240208_003828/execution0.log.lck => 20240208_003921/Jenkins Integration/Jenkins Integration with Katalon_TestSuite/20240208_003925/tsc_id.txt} (100%)
```

```
C:\Users\Shahbaaz\git\SI-GuidedProject-705570-1704892459>git push -u
```

```
"https://github.com/smartinternz02/SI-GuidedProject-705570-1704892459.git" main branch 'main' set up to track 'https://github.com/smartinternz02/SI-GuidedProject-705570-1704892459.git/main'.
```

```
To https://github.com/smartinternz02/SI-GuidedProject-705570-1704892459.git
```

```
f7afcf3..802310e main -> main
```

```
C:\Users\Shahbaaz\git\SI-GuidedProject-705570-1704892459>echo success
```

```
success
```

```
C:\Users\Shahbaaz\git\SI-GuidedProject-705570-1704892459>exit 0
```

```
Finished: SUCCESS
```