

# CURA\_ALLINONE\_TESTSUITE

## Execution Environment

|                 |                  |
|-----------------|------------------|
| Host name       | SHARON - ADMIN   |
| Local OS        | Windows 11 64bit |
| Katalon version | 9.2.0.212        |
| Browser         | Chrome 121.0.0.0 |

## Summary

|             |  |            |                     |
|-------------|--|------------|---------------------|
| ID          | Test Suites/CURA_TESTSUITE/CURA_ALLINONE_TESTSUITE |            |                     |
| Description |  |            |                     |
| Total       | 5  | Failed     | 0                   |
| Passed      | 5  | Failed     | 0                   |
| Error       | 0  | Incomplete | 0                   |
| Skipped     | 0  |            |                     |
| Start       | 31-01-2024 22:17:41                                | End        | 31-01-2024 22:22:28 |
| Elapsed     | 4m - 46.980s                                       |            |                     |

| # | ID   | Description | Status |
|---|--|-------------|--------|
| 1 | Test Cases/CURA Healthcare Services/TC_Cura_Home_ValidationofLogin_UsingDDT_001  |             | PASSED |
| 2 | Test Cases/CURA Healthcare Services/TC_Cura_MakeAppointment_002                  |             | PASSED |
| 3 | Test Cases/CURA Healthcare Services/TC_Cura_History_003                          |             | PASSED |
| 4 | Test Cases/CURA Healthcare Services/TC_Cura_ValidationofLogout_005               |             | PASSED |
| 5 | Test Cases/CURA Healthcare Services/TC_Cura_Launchsuccessfulornot_Checkpoint_004 |             | PASSED |

# TC\_Cura\_Home\_ValidationofLogin\_UsingDDT\_001

---

## Information

ID Test Cases/CURA Healthcare Services/TC\_Cura\_Home\_ValidationofLogin\_UsingDDT\_001

Description

Tag

Start 31-01-2024 22:17:42 End 31-01-2024 22:17:54

Elapsed 12.665s

Status PASSED

## Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

# TC\_Cura\_Home\_ValidationofLogin\_UsingDDT\_001

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase<br><br>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/input_username'<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)<br>at CURA_TL_Appointmentconfirmation.sampleBeforeTestCase<br>(CURA_TL_Appointmentconfirmation.groovy:34)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)<br>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods<br>(TestHooker.java:94)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3<br>(TestListenerCollector.java:88)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.<br>handleListenerEvent(TestListenerCollector.java:85)<br>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent<br>(ExecutionEventManager.java:36)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase<br>(CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br>(TestSuiteExecutor.java:148)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)<br>at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser<br>is not opened<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'<br>System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os. | 0.986s  | ERROR  |

## TC\_Cura\_Home\_ValidationofLogin\_UsingDDT\_001

---

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | version: '10.0', java.version: '17.0.7'<br>Driver info: driver.version: unknown<br>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen<br>(DriverFactory.java:1014)<br>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver<br>(DriverFactory.java:999)<br>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.<br>java:985)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementByNormalMethods(WebUiCommonHelper.java:1009)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:915)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:897)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:892)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsByDefault(WebUiCommonHelper.java:888)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsWithSelfHealing(WebUiCommonHelper.java:734)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements<br>(WebUiCommonHelper.java:718)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement<br>(WebUiCommonHelper.java:1374)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:27)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>SetTextKeyword\$_.setText_closure1.doCall(SetTextKeyword.groovy:51)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>SetTextKeyword\$_.setText_closure1.call(SetTextKeyword.groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword<br>(WebUIKeywordMain.groovy:20)<br>... 23 more |         |        |

# TC\_Cura\_Home\_ValidationofLogin\_UsingDDT\_001

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 2 | Start listener action : sampleBeforeTestCase<br><br>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/input_username'<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.keyword.WebUiBuiltInKeywords.setText<br>(WebUiBuiltInKeywords.groovy:1019)<br>at CURA_TL_Keyword_AppointmentConfirmation.sampleBeforeTestCase<br>(CURA_TL_Keyword_AppointmentConfirmation.groovy:34)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native<br>Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.<br>java:111)<br>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:<br>95)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods<br>(TestHooker.java:94)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3<br>(TestListenerCollector.java:88)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.<br>handleListenerEvent(TestListenerCollector.java:85)<br>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent<br>(ExecutionEventManager.java:36)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br>java:268)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase<br>(CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br>(TestSuiteExecutor.java:148)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:<br>106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:<br>180)<br>at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native<br>Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser<br>is not opened<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'<br>System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os. | 0.253s  | ERROR  |

# TC\_Cura\_Home\_ValidationofLogin\_UsingDDT\_001

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | <pre>version: '10.0', java.version: '17.0.7' Driver info: driver.version: unknown     at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014)     at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999)     at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:985)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_.setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_.setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 23 more</pre> |         |        |
| 3 | openBrowser("")<br><br>Browser is opened with url: "   | 2.839s  | PASSED |
| 4 | navigateToUrl("https://katalon-demo-cura.herokuapp.com")<br><br>Navigate to 'https://katalon-demo-cura.herokuapp.com' successfully   | 2.507s  | PASSED |
| 5 | maximizeWindow()<br><br>Current window maximized   | 0.228s  | PASSED |

## TC\_Cura\_Home\_ValidationofLogin\_UsingDDT\_001

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 6  | click(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle"), STOP_ON_FAILURE)<br><br>Object: 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle' is clicked on  | 0.544s  | PASSED |
| 7  | click(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_Login"))<br><br>Object: 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_Login' is clicked on   | 1.030s  | PASSED |
| 8  | setText(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Username_username"), UserName)<br><br>Text " is set on object 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Username_username' | 1.001s  | PASSED |
| 9  | setText(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Password_password"), Password)<br><br>Text " is set on object 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Password_password' | 0.948s  | PASSED |
| 10 | click(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/button_Login"))<br><br>Object: 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/button_Login' is clicked on   | 1.097s  | PASSED |
| 11 | closeBrowser()<br><br>Browser is closed   | 0.408s  | PASSED |

## TC\_Cura\_Home\_ValidationofLogin\_UsingDDT\_001

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 12 | <p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Cura_Appointment_OR/Page_CURA Healthcare Service/amenu-toggle'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at CURA_TL_Appointmentconfirmation.sampleAfterTestCase (CURA_TL_Appointmentconfirmation.groovy:60)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)     at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</pre> <p>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.</p> | 0.172s  | ERROR  |

## TC\_Cura\_Home\_ValidationofLogin\_UsingDDT\_001

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | <pre>version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)     at org.openqa.selenium.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 23 more</pre> |         |        |

## TC\_Cura\_Home\_ValidationofLogin\_UsingDDT\_001

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 13 | Start listener action : sampleAfterTestCase<br><br>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/amenu-toggle'<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)<br>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)<br>at CURA_TL_Keyword_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_Keyword_AppointmentConfirmation.groovy:53)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)<br>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)<br>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)<br>at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)<br>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'<br>System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os. | 0.125s  | ERROR  |

## TC\_Cura\_Home\_ValidationofLogin\_UsingDDT\_001

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 19 | version: '10.0', java.version: '17.0.7'<br>Driver info: driver.version: RemoteWebDriver<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute<br>(HttpCommandExecutor.java:125)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute<br>(DriverCommandExecutor.java:83)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.<br>java:552)<br>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:<br>19)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElements<br>(RemoteWebDriver.java:353)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath<br>(RemoteWebDriver.java:432)<br>at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElements<br>(RemoteWebDriver.java:311)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementByNormalMethods(WebUiCommonHelper.java:1025)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:915)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:897)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:892)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsByDefault(WebUiCommonHelper.java:888)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsWithSelfHealing(WebUiCommonHelper.java:734)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements<br>(WebUiCommonHelper.java:718)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement<br>(WebUiCommonHelper.java:1374)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:27)<br>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.<br>doCall(ClickKeyword.groovy:65)<br>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call<br>(ClickKeyword.groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword<br>(WebUIKeywordMain.groovy:20)<br>... 23 more |         |        |

# TC\_Cura\_MakeAppointment\_002

---

## Information

ID Test Cases/CURA Healthcare Services/TC\_Cura\_MakeAppointment\_002

Description

Tag

Start 31-01-2024 22:17:54 End 31-01-2024 22:18:46

Elapsed 52.127s

Status PASSED

## Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

## TC\_Cura\_MakeAppointment\_002

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase<br><br>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/input_username'<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)<br>at CURA_TL_Appointmentconfirmation.sampleBeforeTestCase<br>(CURA_TL_Appointmentconfirmation.groovy:34)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)<br>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods<br>(TestHooker.java:94)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3<br>(TestListenerCollector.java:88)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.<br>handleListenerEvent(TestListenerCollector.java:85)<br>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent<br>(ExecutionEventManager.java:36)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase<br>(CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br>(TestSuiteExecutor.java:148)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)<br>at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using<br>WebDriver after calling quit()<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'<br>System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os. | 0.157s  | ERROR  |

## TC\_Cura\_MakeAppointment\_002

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | version: '10.0', java.version: '17.0.7'<br>Driver info: driver.version: RemoteWebDriver<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute<br>(HttpCommandExecutor.java:125)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute<br>(DriverCommandExecutor.java:83)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.<br>java:552)<br>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:<br>19)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElements<br>(RemoteWebDriver.java:353)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath<br>(RemoteWebDriver.java:432)<br>at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElements<br>(RemoteWebDriver.java:311)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementByNormalMethods(WebUiCommonHelper.java:1025)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:915)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:897)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:892)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsByDefault(WebUiCommonHelper.java:888)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsWithSelfHealing(WebUiCommonHelper.java:734)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements<br>(WebUiCommonHelper.java:718)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement<br>(WebUiCommonHelper.java:1374)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:27)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword<br>(WebUIKeywordMain.groovy:20)<br>... 23 more |         |        |

## TC\_Cura\_MakeAppointment\_002

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 2 | <p>Start listener action : sampleBeforeTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/input_username'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)     at CURA_TL_Keyword_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_Keyword_AppointmentConfirmation.groovy:34)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.</pre> | 0.140s  | ERROR  |

## TC\_Cura\_MakeAppointment\_002

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | <pre>version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 23 more</pre> |         |        |
| 3 | openBrowser("")<br><br>Browser is opened with url: "  | 1.529s  | PASSED |

## TC\_Cura\_MakeAppointment\_002

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 4  | navigateToUrl("https://katalon-demo-cura.herokuapp.com")<br><br>Navigate to 'https://katalon-demo-cura.herokuapp.com' successfully   | 2.462s  | PASSED |
| 5  | maximizeWindow()<br><br>Current window maximized   | 0.176s  | PASSED |
| 6  | click(findTestObject("Cura_MakeAppointment_OR/Page_CURA Healthcare Service/a_Make Appointment"))<br><br>Object: 'Object Repository/Cura_MakeAppointment_OR/Page_CURA Healthcare Service/a_Make Appointment' is clicked on  | 0.843s  | PASSED |
| 7  | setText(findTestObject("Cura_MakeAppointment_OR/Page_CURA Healthcare Service/input_Username_username"), "John Doe")<br><br>Text 'John Doe' is set on object 'Object Repository/Cura_MakeAppointment_OR/Page_CURA Healthcare Service/input_Username_username'                     | 1.059s  | PASSED |
| 8  | setText(findTestObject("Cura_MakeAppointment_OR/Page_CURA Healthcare Service/input_Password_password"), "ThisIsNotAPassword")<br><br>Text 'ThisIsNotAPassword' is set on object 'Object Repository/Cura_MakeAppointment_OR/Page_CURA Healthcare Service/input_Password_password' | 0.867s  | PASSED |
| 9  | click(findTestObject("Cura_MakeAppointment_OR/Page_CURA Healthcare Service/button_Login"))<br><br>Object: 'Object Repository/Cura_MakeAppointment_OR/Page_CURA Healthcare Service/button_Login' is clicked on  | 1.041s  | PASSED |
| 10 | selectOptionByIndex(findTestObject("Cura_MakeAppointment_OR/Page_CURA Healthcare Service/Facilitydropdown"), 2)<br><br>All options with index in [2] are selected on object 'Object Repository/Cura_MakeAppointment_OR/Page_CURA Healthcare Service/Facilitydropdown'            | 1.249s  | PASSED |

## TC\_Cura\_MakeAppointment\_002

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 11 | click(findTestObject("Cura_MakeAppointment_OR/Page_CURA Healthcare Service/HealthcareRadio"))<br><br>Object: 'Object Repository/Cura_MakeAppointment_OR/Page_CURA Healthcare Service/HealthcareRadio' is clicked on  | 0.438s  | PASSED |
| 12 | setText(findTestObject("Cura_MakeAppointment_OR/Page_CURA Healthcare Service/input_Visit Date (Required)_visit_date"), findTestData("Cura_TestData/Cura_InternalTestData_VisitDate").getValue("VisitDate", 1))<br><br>Text '3/3/2024' is set on object 'Object Repository/Cura_MakeAppointment_OR/Page_CURA Healthcare Service/input_Visit Date (Required)_visit_date' | 0.912s  | PASSED |
| 13 | setText(findTestObject("Cura_MakeAppointment_OR/Page_CURA Healthcare Service/textarea_Comment_comment"), "This is a sample comment")<br><br>Text 'This is a sample comment' is set on object 'Object Repository/Cura_MakeAppointment_OR/Page_CURA Healthcare Service/textarea_Comment_comment'   | 1.035s  | PASSED |
| 14 | click(findTestObject("Cura_MakeAppointment_OR/Page_CURA Healthcare Service/button_Book Appointment"))<br><br>Object: 'Object Repository/Cura_MakeAppointment_OR/Page_CURA Healthcare Service/button_Book Appointment' is clicked on  | 0.917s  | PASSED |
| 15 | Start listener action : sampleAfterTestCase<br><br>Object: 'Object Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/a_Logout' is clicked on  | 1.782s  | PASSED |

## TC\_Cura\_MakeAppointment\_002

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 16 | Start listener action : sampleAfterTestCase  | 37.123s | ERROR  |
|    | <pre>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/a_Logout'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at CURA_TL_Keyword_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_Keyword_AppointmentConfirmation.groovy:55)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/a_Logout' located by '//*[@onclick="#menu-close').click();])[5]' not found</pre> |         |        |

## TC\_Cura\_MakeAppointment\_002

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | <pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>   |         |        |

# TC\_Cura\_History\_003

---

## Information

ID Test Cases/CURA Healthcare Services/TC\_Cura\_History\_003

Description

Tag

Start 31-01-2024 22:18:46 End 31-01-2024 22:20:53

Elapsed 2m - 6.595s

Status PASSED

## Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|


## TC\_Cura\_History\_003

---

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | <p>Start listener action : sampleBeforeTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/input_username'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)     at CURA_TL_Appointmentconfirmation.sampleBeforeTestCase (CURA_TL_Appointmentconfirmation.groovy:34)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/input_username' located by '//input[@id='txt-username']' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement</pre> | 35.853s | ERROR  |

# TC\_Cura\_History\_003

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | (WebUiCommonHelper.java:1379)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:27)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>SetTextKeyword\$_.setText_closure1.doCall(SetTextKeyword.groovy:51)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>SetTextKeyword\$_.setText_closure1.call(SetTextKeyword.groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword<br>(WebUIKeywordMain.groovy:20)<br>... 23 more |         |        |



## TC\_Cura\_History\_003

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 2 | <p>Start listener action : sampleBeforeTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/input_username'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:37)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:1019)     at CURA_TL_Keyword_AppointmentConfirmation.sampleBeforeTestCase(CURA_TL_Keyword_AppointmentConfirmation.groovy:34)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)     at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/input_username' located by '//input[@id='txt-username']' not found</pre> | 35.742s | ERROR  |

# TC\_Cura\_History\_003

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | <pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$._setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$._setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre> |         |        |
|   |   |         |        |
| 3 | callTestCase(findTestCase("CURA Healthcare Services/TC_Cura_MakeAppointment_002"), [:], STOP_ON_FAILURE)   | 12.646s | PASSED |
|   | Call Test Case 'Test Cases/CURA Healthcare Services/TC_Cura_MakeAppointment_002' successfully  |         |        |
| 4 | verifyTextPresent("Please be informed that your appointment has been booked as following:", false)   | 0.485s  | PASSED |
|   | Text 'Please be informed that your appointment has been booked as following:' is present on page   |         |        |
| 5 | click(findTestObject("Cura_History_OR/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle"))  | 0.458s  | PASSED |
|   | Object: 'Object Repository/Cura_History_OR/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle' is clicked on   |         |        |

## TC\_Cura\_History\_003

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 6  | click(findTestObject("Cura_History_OR/Page_CURA Healthcare Service/a_History"))<br><br>Object: 'Object Repository/Cura_History_OR/Page_CURA Healthcare Service/a_History' is clicked on                             | 0.995s  | PASSED |
| 7  | verifyTextPresent("History", false)<br><br>Text 'History' is present on page  | 0.467s  | PASSED |
| 8  | verifyElementPresent(findTestObject("Cura_History_OR/Page_CURA Healthcare Service/a_Go to Homepage"), 0)<br><br>Object 'Object Repository/Cura_History_OR/Page_CURA Healthcare Service/a_Go to Homepage' is present | 0.422s  | PASSED |
| 9  | click(findTestObject("Cura_History_OR/Page_CURA Healthcare Service/a_Go to Homepage"))<br><br>Object: 'Object Repository/Cura_History_OR/Page_CURA Healthcare Service/a_Go to Homepage' is clicked on               | 0.827s  | PASSED |
| 10 | Start listener action : sampleAfterTestCase<br><br>Object: 'Object Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/a_Logout' is clicked on   | 1.583s  | PASSED |

## TC\_Cura\_History\_003

---

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 11 | <p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/a_Logout'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at CURA_TL_Keyword_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_Keyword_AppointmentConfirmation.groovy:55)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/a_Logout' located by '//*[@onclick="#menu-close').click();])[5]' not found</pre> | 36.954s | ERROR  |

# TC\_Cura\_History\_003

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | <pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre> |         |        |



CURA Healthcare Service  
Atlanta 550 Pharr Road NE Suite 525  
Atlanta, GA 30305

# TC\_Cura\_ValidationofLogout\_005

---

## Information

ID Test Cases/CURA Healthcare Services/TC\_Cura\_ValidationofLogout\_005

Description

Tag

Start 31-01-2024 22:20:53 End 31-01-2024 22:22:14

Elapsed 1m - 20.510s

Status PASSED

## Details


| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

## TC\_Cura\_ValidationofLogout\_005

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase<br><br>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/input_username'<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)<br>at CURA_TL_Appointmentconfirmation.sampleBeforeTestCase<br>(CURA_TL_Appointmentconfirmation.groovy:34)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)<br>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods<br>(TestHooker.java:94)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3<br>(TestListenerCollector.java:88)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.<br>handleListenerEvent(TestListenerCollector.java:85)<br>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent<br>(ExecutionEventManager.java:36)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase<br>(CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br>(TestSuiteExecutor.java:148)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)<br>at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/input_username' located by '//input[@id='txt-username']' not found<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement | 35.401s | ERROR  |

# TC\_Cura\_ValidationofLogout\_005


| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | (WebUiCommonHelper.java:1379)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:27)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword<br>(WebUIKeywordMain.groovy:20)<br>... 23 more |         |        |



## TC\_Cura\_ValidationofLogout\_005

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 2 | Start listener action : sampleBeforeTestCase<br><br>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/input_username'<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.keyword.WebUiBuiltInKeywords.setText<br>(WebUiBuiltInKeywords.groovy:1019)<br>at CURA_TL_Keyword_AppointmentConfirmation.sampleBeforeTestCase<br>(CURA_TL_Keyword_AppointmentConfirmation.groovy:34)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native<br>Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.<br>java:111)<br>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:<br>95)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods<br>(TestHooker.java:94)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3<br>(TestListenerCollector.java:88)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.<br>handleListenerEvent(TestListenerCollector.java:85)<br>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent<br>(ExecutionEventManager.java:36)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br>java:268)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase<br>(CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br>(TestSuiteExecutor.java:148)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:<br>106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:<br>180)<br>at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native<br>Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web<br>element with id: 'Object<br>Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare<br>Service/input_username' located by '//input[@id='txt-username']' not found | 35.350s | ERROR  |

## TC\_Cura\_ValidationofLogout\_005

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | <pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$._setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$._setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>  <p>The screenshot shows a mobile-style website for 'CURA Healthcare Service'. At the top right is a navigation bar with 'CURA Healthcare' and three horizontal bars. Below it are 'Home' and 'Login' links. The main content features a large image of a brown teddy bear holding a test tube labeled 'CURA'. Overlaid on the image is the text 'CURA Healthcare Service' and 'We Care About Your Health'. A blue button labeled 'Make Appointment' is visible. In the bottom left corner of the main content area, there is a footer with the text 'CURA Healthcare Service', 'Atlanta 550 Pharr Road NE Suite 525', and 'Atlanta, GA 30305'.</p> |         |        |
| 3 | openBrowser("https://katalon-demo-cura.herokuapp.com/profile.php#login")  | 4.335s  | PASSED |
|   | Browser is opened with url: 'https://katalon-demo-cura.herokuapp.com/profile.php#login'   |         |        |
| 4 | loginUrl = getUrl()   | 0.037s  | PASSED |
|   | Current window's url is: 'https://katalon-demo-cura.herokuapp.com/profile.php#login'  |         |        |

## TC\_Cura\_ValidationofLogout\_005

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 5  | assert loginUrl == "https://katalon-demo-cura.herokuapp.com/profile.php#login"   | 0.004s  | PASSED |
| 6  | navigateToUrl("https://katalon-demo-cura.herokuapp.com/profile.php#login")<br><br>Navigate to 'https://katalon-demo-cura.herokuapp.com/profile.php#login' successfully   | 0.027s  | PASSED |
| 7  | setText(findTestObject("Cura_Validationoflogout_OR/Page_CURA Healthcare Service/input_Username_username"), "John Doe")<br><br>Text 'John Doe' is set on object 'Object Repository/Cura_Validationoflogout_OR/Page_CURA Healthcare Service/input_Username_username'                     | 0.851s  | PASSED |
| 8  | setText(findTestObject("Cura_Validationoflogout_OR/Page_CURA Healthcare Service/input_Password_password"), "ThisIsNotAPassword")<br><br>Text 'ThisIsNotAPassword' is set on object 'Object Repository/Cura_Validationoflogout_OR/Page_CURA Healthcare Service/input_Password_password' | 0.827s  | PASSED |
| 9  | click(findTestObject("Cura_Validationoflogout_OR/Page_CURA Healthcare Service/button_Login"))<br><br>Object: 'Object Repository/Cura_Validationoflogout_OR/Page_CURA Healthcare Service/button_Login' is clicked on  | 0.948s  | PASSED |
| 10 | click(findTestObject("Cura_Validationoflogout_OR/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle"))<br><br>Object: 'Object Repository/Cura_Validationoflogout_OR/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle' is clicked on                                  | 0.610s  | PASSED |
| 11 | click(findTestObject("Cura_Validationoflogout_OR/Page_CURA Healthcare Service/a_Logout"))<br><br>Object: 'Object Repository/Cura_Validationoflogout_OR/Page_CURA Healthcare Service/a_Logout' is clicked on  | 1.071s  | PASSED |
| 12 | navigateToUrl("https://katalon-demo-cura.herokuapp.com/")<br><br>Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully   | 0.373s  | PASSED |

## TC\_Cura\_ValidationofLogout\_005

---

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 13 | logoutUrl = getUrl()<br><br>Current window's url is: ' <a href="https://katalon-demo-cura.herokuapp.com/">https://katalon-demo-cura.herokuapp.com/</a> ' | 0.014s  | PASSED |
| 14 | assert logoutUrl == "https://katalon-demo-cura.herokuapp.com/"   | 0.002s  | PASSED |
| 15 | closeBrowser()<br><br>Browser is closed  | 0.337s  | PASSED |

## TC\_Cura\_ValidationofLogout\_005

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 16 | <p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/amenu-toggle'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at CURA_TL_Appointmentconfirmation.sampleAfterTestCase (CURA_TL_Appointmentconfirmation.groovy:60)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.</pre> | 0.081s  | ERROR  |

## TC\_Cura\_ValidationofLogout\_005

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | <pre>version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 23 more</pre> |         |        |

## TC\_Cura\_ValidationofLogout\_005

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 17 | Start listener action : sampleAfterTestCase<br><br>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/amenu-toggle'<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)<br>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)<br>at CURA_TL_Keyword_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_Keyword_AppointmentConfirmation.groovy:53)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)<br>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)<br>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)<br>at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)<br>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'<br>System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202', xpid: 'com.intellij.rt.execution.junit.JUnitStarter-1706719652264', vendor: 'Oracle Corporation', vendor.version: '12.1.0.2.0', file.encoding: 'UTF-8'<br>Driver info: driver.version: ChromeDriver<br>Element info: element.id: 1, element.value: {id: 1, value: 1}<br>Element info: element.id: 2, element.value: {id: 2, value: 2}<br>Element info: element.id: 3, element.value: {id: 3, value: 3}<br>Element info: element.id: 4, element.value: {id: 4, value: 4}<br>Element info: element.id: 5, element.value: {id: 5, value: 5}<br>Element info: element.id: 6, element.value: {id: 6, value: 6}<br>Element info: element.id: 7, element.value: {id: 7, value: 7}<br>Element info: element.id: 8, element.value: {id: 8, value: 8}<br>Element info: element.id: 9, element.value: {id: 9, value: 9}<br>Element info: element.id: 10, element.value: {id: 10, value: 10}<br>Element info: element.id: 11, element.value: {id: 11, value: 11}<br>Element info: element.id: 12, element.value: {id: 12, value: 12}<br>Element info: element.id: 13, element.value: {id: 13, value: 13}<br>Element info: element.id: 14, element.value: {id: 14, value: 14}<br>Element info: element.id: 15, element.value: {id: 15, value: 15}<br>Element info: element.id: 16, element.value: {id: 16, value: 16}<br>Element info: element.id: 17, element.value: {id: 17, value: 17}<br>Element info: element.id: 18, element.value: {id: 18, value: 18}<br>Element info: element.id: 19, element.value: {id: 19, value: 19}<br>Element info: element.id: 20, element.value: {id: 20, value: 20}<br>Element info: element.id: 21, element.value: {id: 21, value: 21}<br>Element info: element.id: 22, element.value: {id: 22, value: 22}<br>Element info: element.id: 23, element.value: {id: 23, value: 23}<br>Element info: element.id: 24, element.value: {id: 24, value: 24}<br>Element info: element.id: 25, element.value: {id: 25, value: 25}<br>Element info: element.id: 26, element.value: {id: 26, value: 26}<br>Element info: element.id: 27, element.value: {id: 27, value: 27}<br>Element info: element.id: 28, element.value: {id: 28, value: 28}<br>Element info: element.id: 29, element.value: {id: 29, value: 29}<br>Element info: element.id: 30, element.value: {id: 30, value: 30}<br>Element info: element.id: 31, element.value: {id: 31, value: 31}<br>Element info: element.id: 32, element.value: {id: 32, value: 32}<br>Element info: element.id: 33, element.value: {id: 33, value: 33}<br>Element info: element.id: 34, element.value: {id: 34, value: 34}<br>Element info: element.id: 35, element.value: {id: 35, value: 35}<br>Element info: element.id: 36, element.value: {id: 36, value: 36}<br>Element info: element.id: 37, element.value: {id: 37, value: 37}<br>Element info: element.id: 38, element.value: {id: 38, value: 38}<br>Element info: element.id: 39, element.value: {id: 39, value: 39}<br>Element info: element.id: 40, element.value: {id: 40, value: 40}<br>Element info: element.id: 41, element.value: {id: 41, value: 41}<br>Element info: element.id: 42, element.value: {id: 42, value: 42}<br>Element info: element.id: 43, element.value: {id: 43, value: 43}<br>Element info: element.id: 44, element.value: {id: 44, value: 44}<br>Element info: element.id: 45, element.value: {id: 45, value: 45}<br>Element info: element.id: 46, element.value: {id: 46, value: 46}<br>Element info: element.id: 47, element.value: {id: 47, value: 47}<br>Element info: element.id: 48, element.value: {id: 48, value: 48}<br>Element info: element.id: 49, element.value: {id: 49, value: 49}<br>Element info: element.id: 50, element.value: {id: 50, value: 50}<br>Element info: element.id: 51, element.value: {id: 51, value: 51}<br>Element info: element.id: 52, element.value: {id: 52, value: 52}<br>Element info: element.id: 53, element.value: {id: 53, value: 53}<br>Element info: element.id: 54, element.value: {id: 54, value: 54}<br>Element info: element.id: 55, element.value: {id: 55, value: 55}<br>Element info: element.id: 56, element.value: {id: 56, value: 56}<br>Element info: element.id: 57, element.value: {id: 57, value: 57}<br>Element info: element.id: 58, element.value: {id: 58, value: 58}<br>Element info: element.id: 59, element.value: {id: 59, value: 59}<br>Element info: element.id: 60, element.value: {id: 60, value: 60}<br>Element info: element.id: 61, element.value: {id: 61, value: 61}<br>Element info: element.id: 62, element.value: {id: 62, value: 62}<br>Element info: element.id: 63, element.value: {id: 63, value: 63}<br>Element info: element.id: 64, element.value: {id: 64, value: 64}<br>Element info: element.id: 65, element.value: {id: 65, value: 65}<br>Element info: element.id: 66, element.value: {id: 66, value: 66}<br>Element info: element.id: 67, element.value: {id: 67, value: 67}<br>Element info: element.id: 68, element.value: {id: 68, value: 68}<br>Element info: element.id: 69, element.value: {id: 69, value: 69}<br>Element info: element.id: 70, element.value: {id: 70, value: 70}<br>Element info: element.id: 71, element.value: {id: 71, value: 71}<br>Element info: element.id: 72, element.value: {id: 72, value: 72}<br>Element info: element.id: 73, element.value: {id: 73, value: 73}<br>Element info: element.id: 74, element.value: {id: 74, value: 74}<br>Element info: element.id: 75, element.value: {id: 75, value: 75}<br>Element info: element.id: 76, element.value: {id: 76, value: 76}<br>Element info: element.id: 77, element.value: {id: 77, value: 77}<br>Element info: element.id: 78, element.value: {id: 78, value: 78}<br>Element info: element.id: 79, element.value: {id: 79, value: 79}<br>Element info: element.id: 80, element.value: {id: 80, value: 80}<br>Element info: element.id: 81, element.value: {id: 81, value: 81}<br>Element info: element.id: 82, element.value: {id: 82, value: 82}<br>Element info: element.id: 83, element.value: {id: 83, value: 83}<br>Element info: element.id: 84, element.value: {id: 84, value: 84}<br>Element info: element.id: 85, element.value: {id: 85, value: 85}<br>Element info: element.id: 86, element.value: {id: 86, value: 86}<br>Element info: element.id: 87, element.value: {id: 87, value: 87}<br>Element info: element.id: 88, element.value: {id: 88, value: 88}<br>Element info: element.id: 89, element.value: {id: 89, value: 89}<br>Element info: element.id: 90, element.value: {id: 90, value: 90}<br>Element info: element.id: 91, element.value: {id: 91, value: 91}<br>Element info: element.id: 92, element.value: {id: 92, value: 92}<br>Element info: element.id: 93, element.value: {id: 93, value: 93}<br>Element info: element.id: 94, element.value: {id: 94, value: 94}<br>Element info: element.id: 95, element.value: {id: 95, value: 95}<br>Element info: element.id: 96, element.value: {id: 96, value: 96}<br>Element info: element.id: 97, element.value: {id: 97, value: 97}<br>Element info: element.id: 98, element.value: {id: 98, value: 98}<br>Element info: element.id: 99, element.value: {id: 99, value: 99}<br>Element info: element.id: 100, element.value: {id: 100, value: 100} | 0.086s  | ERROR  |

## TC\_Cura\_ValidationofLogout\_005

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 19 | version: '10.0', java.version: '17.0.7'<br>Driver info: driver.version: RemoteWebDriver<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute<br>(HttpCommandExecutor.java:125)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute<br>(DriverCommandExecutor.java:83)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.<br>java:552)<br>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:<br>19)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElements<br>(RemoteWebDriver.java:353)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath<br>(RemoteWebDriver.java:432)<br>at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElements<br>(RemoteWebDriver.java:311)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementByNormalMethods(WebUiCommonHelper.java:1025)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:915)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:897)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:892)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsByDefault(WebUiCommonHelper.java:888)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsWithSelfHealing(WebUiCommonHelper.java:734)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements<br>(WebUiCommonHelper.java:718)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement<br>(WebUiCommonHelper.java:1374)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:27)<br>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.<br>doCall(ClickKeyword.groovy:65)<br>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call<br>(ClickKeyword.groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword<br>(WebUIKeywordMain.groovy:20)<br>... 23 more |         |        |

# TC\_Cura\_Launchsuccessfulornot\_Checkpoint\_004

---

## Information

ID Test Cases/CURA Healthcare Services/TC\_Cura\_Launchsuccessfulornot\_Checkpoint\_004

Description

Tag

Start 31-01-2024 22:22:14 End 31-01-2024 22:22:25

Elapsed 11.791s

Status **PASSED**

## Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

## TC\_Cura\_Launchsuccessfulornot\_Checkpoint\_004

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase<br><br>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/input_username'<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)<br>at CURA_TL_Appointmentconfirmation.sampleBeforeTestCase<br>(CURA_TL_Appointmentconfirmation.groovy:34)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)<br>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods<br>(TestHooker.java:94)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3<br>(TestListenerCollector.java:88)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.<br>handleListenerEvent(TestListenerCollector.java:85)<br>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent<br>(ExecutionEventManager.java:36)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase<br>(CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br>(TestSuiteExecutor.java:148)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)<br>at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using<br>WebDriver after calling quit()<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'<br>System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os. | 0.058s  | ERROR  |

## TC\_Cura\_Launchsuccessfulornot\_Checkpoint\_004

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | version: '10.0', java.version: '17.0.7'<br>Driver info: driver.version: RemoteWebDriver<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute<br>(HttpCommandExecutor.java:125)<br>at org.openqa.selenium.service.DriverCommandExecutor.execute<br>(DriverCommandExecutor.java:83)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.<br>java:552)<br>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:<br>19)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElements<br>(RemoteWebDriver.java:353)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath<br>(RemoteWebDriver.java:432)<br>at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElements<br>(RemoteWebDriver.java:311)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementByNormalMethods(WebUiCommonHelper.java:1025)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:915)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:897)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:892)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsByDefault(WebUiCommonHelper.java:888)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsWithSelfHealing(WebUiCommonHelper.java:734)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements<br>(WebUiCommonHelper.java:718)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement<br>(WebUiCommonHelper.java:1374)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:27)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword<br>(WebUIKeywordMain.groovy:20)<br>... 23 more |         |        |

## TC\_Cura\_Launchsuccessfulornot\_Checkpoint\_004

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 2 | Start listener action : sampleBeforeTestCase<br><br>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/input_username'<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.keyword.WebUiBuiltInKeywords.setText<br>(WebUiBuiltInKeywords.groovy:1019)<br>at CURA_TL_Keyword_AppointmentConfirmation.sampleBeforeTestCase<br>(CURA_TL_Keyword_AppointmentConfirmation.groovy:34)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native<br>Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.<br>java:111)<br>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:<br>95)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods<br>(TestHooker.java:94)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3<br>(TestListenerCollector.java:88)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.<br>handleListenerEvent(TestListenerCollector.java:85)<br>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent<br>(ExecutionEventManager.java:36)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br>java:268)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase<br>(CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br>(TestSuiteExecutor.java:148)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:<br>106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:<br>180)<br>at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native<br>Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using<br>WebDriver after calling quit()<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'<br>System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os. | 0.064s  | ERROR  |

## TC\_Cura\_Launchsuccessfulornot\_Checkpoint\_004

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | <pre>version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 23 more</pre> |         |        |
| 3 | openBrowser("")<br><br>Browser is opened with url: "  | 1.484s  | PASSED |

## TC\_Cura\_Launchsuccessfulornot\_Checkpoint\_004

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 4  | navigateToUrl("https://katalon-demo-cura.herokuapp.com/")<br><br>Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully   | 2.528s  | PASSED |
| 5  | click(findTestObject("Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/h1_CURA Healthcare Service"))<br><br>Object: 'Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/h1_CURA Healthcare Service' is clicked on                                    | 0.440s  | PASSED |
| 6  | click(findTestObject("Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/h3_We Care About Your Health"))<br><br>Object: 'Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/h3_We Care About Your Health' is clicked on                                | 0.368s  | PASSED |
| 7  | verifyCheckpoint(findCheckpoint("Checkpoints/Checkpoint_Cura_Excel/Cura_LaunchSuccessfulornot_Excel_Checkpoint"), true)<br><br>Checkpoint data and Source data are matched   | 0.874s  | PASSED |
| 8  | click(findTestObject("Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/a_Make Appointment"))<br><br>Object: 'Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/a_Make Appointment' is clicked on  | 0.783s  | PASSED |
| 9  | setText(findTestObject("Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/input_username"), "John Doe")<br><br>Text 'John Doe' is set on object 'Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/input_username'                                   | 0.793s  | PASSED |
| 10 | setEncryptedText(findTestObject("Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/input_password"), "g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM")<br><br>Text ***** has been set on object 'Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/input_password' | 0.605s  | PASSED |

## TC\_Cura\_Launchsuccessfulornot\_Checkpoint\_004

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 11 | click(findTestObject("Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/button_Login"))<br><br>Object: 'Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/button_Login' is clicked on               | 1.053s  | PASSED |
| 12 | click(findTestObject("Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/h2_Make Appointment"))<br><br>Object: 'Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/h2_Make Appointment' is clicked on | 0.500s  | PASSED |
| 13 | click(findTestObject("Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/amenu-toggle"))<br><br>Object: 'Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/amenu-toggle' is clicked on               | 0.408s  | PASSED |
| 14 | click(findTestObject("Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/a_Logout"))<br><br>Object: 'Object Repository/Cura_Launchsuccessfulornot_OR/Page_CURA Healthcare Service/a_Logout' is clicked on                       | 1.186s  | PASSED |
| 15 | closeBrowser()<br><br>Browser is closed   | 0.353s  | PASSED |

## TC\_Cura\_Launchsuccessfulornot\_Checkpoint\_004

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 16 | Start listener action : sampleAfterTestCase<br><br>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/amenu-toggle'<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)<br>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)<br>at CURA_TL_Appointmentconfirmation.sampleAfterTestCase (CURA_TL_Appointmentconfirmation.groovy:60)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)<br>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)<br>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)<br>at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)<br>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'<br>System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_202', xpid: 'com.intellij.rt.execution.junit.JUnitStarter-1706719652264', vendor: 'Oracle Corporation', vendor.version: '12.1.0.2.0', file.encoding: 'UTF-8'<br> | 0.079s  | ERROR  |

## TC\_Cura\_Launchsuccessfulornot\_Checkpoint\_004

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | <pre>version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)     at org.openqa.selenium.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 23 more</pre> |         |        |

## TC\_Cura\_Launchsuccessfulornot\_Checkpoint\_004

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 17 | Start listener action : sampleAfterTestCase<br><br>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/amenu-toggle'<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)<br>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)<br>at CURA_TL_Keyword_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_Keyword_AppointmentConfirmation.groovy:53)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)<br>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)<br>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)<br>at TempTestSuite1706719652264.run(TempTestSuite1706719652264.groovy:36)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)<br>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'<br>System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os. | 0.078s  | ERROR  |

## TC\_Cura\_Launchsuccessfulornot\_Checkpoint\_004

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | <pre>version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 23 more</pre> |         |        |