DDT_Excel_Validationoflogin_Suite_001

Execution Environment

Host name SHARON - ADMIN Local OS Windows 11 64bit

Katalon version 9.2.0.212

Browser Chrome 121.0.0.0

Summary

ID Test Suites/DDT_Validationoflogin_Suite/DDT_Excel_Validationoflogin_Suite_001

Description

Total 3

Passed 3 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 31-01-2024 20:44:36 End 31-01-2024 20:45:20

Elapsed 43.866s

#	ID	Description	Status
1	Test Cases/CURA Healthcare Services/TC_Cura_Home_ValidationofLogin_UsingDDT_00	l	PASSED
2	Test Cases/CURA Healthcare Services/TC_Cura_Home_ValidationofLogin_UsingDDT_00	I	PASSED
3	Test Cases/CURA Healthcare Services/TC_Cura_Home_ValidationofLogin_UsingDDT_00^	I	PASSED

Information

ID Test Cases/CURA Healthcare Services/TC_Cura_Home_ValidationofLogin_UsingDDT_001

Description

Tag

Start 31-01-2024 20:44:37 End 31-01-2024 20:44:52

Elapsed 15.303s Status PASSED

Details

Description Elapsed Status

Description		Elapsed	Status
Start listener action : samp	pleBeforeTestCase	1.074s	ERROR
com.kms.katalon.core.exc	ception.StepFailedException: Unable to set text 'John Doe' of		
object 'Object Repository/	TL_Cura_MakeAppointment_OR/Page_CURA Healthcare		
Service/input_username'			
at com.kms.kata	alon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groo			
at com.kms.kata	alon.core.webui.keyword.internal.WebUIKeywordMain.runKeywor	rd .	
(WebUIKeywordMain.grod			
	alon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:6			
	alon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:3			
	alon.core.keyword.internal.KeywordExecutor.		
	rm(KeywordExecutor.groovy:74)		
	alon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.gr			
	ppointmentconfirmation.sampleBeforeTestCase		
(CURA_TL_Appointment)			
	.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)			
	.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorIm			
	.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccess			
	alon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:111)	ele a como context internel Text le clear le mele de CO/Text le clear inve		
	alon.core.context.internal.TestHooker.lambda\$3(TestHooker.java		
95)	alon como conto et internal Toetl lo alcan invelse Conto et Mathada		
	alon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)	alon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java			
•	alon.core.context.internal.TestListenerCollector.		
handleListenerEvent(Test			
	alon.core.context.internal.ExecutionEventManager.publicEvent		
(ExecutionEventManager.			
•	alon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268)	dion.core.main.restoaseExecutor.execute(restoaseExecutor.		
	alon.core.common.CommonExecutor.accessTestCaseMainPhase	7	
(CommonExecutor.java:65		•	
	alon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:1			
	alon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.jav	a·	
106)	anomoon on manning octobation of the control of the	α.	
•	alon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)			
	ite1706714057242.run(TempTestSuite1706714057242.groovy:36	5)	
	.internal.reflect.NativeMethodAccessorImpl.invoke0(Native	• /	
Method)	and the state of t		
	.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorIm			
	.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccess			
	llon.core.webui.exception.BrowserNotOpenedException: Browser		
is not opened	The state of the s		
•	50' revision: '092ho7d359' time: '2019 11 14T09:25:52'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.

Elapsed

Status

Description version: '10.0', java.version: '17.0.7' Driver info: driver.version: unknown $at\ com. kms. katalon. core. we bui. driver. Driver Factory. verify Web Driver Is Open$ (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more

Descrip	otion	Elapsed	Statu
Start lis	tener action : sampleBeforeTestCase	0.254s	ERRC
oom ka	to katalan para ayaantian StanFailadEyaantian Unahla ta aat tayt Llaha Dari af		
	as.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
	Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA		
Healtho	are Service/input_username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebU	KeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebU	KeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTex	ktKeyword.groovy:66)		
\	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTe)	ktKeyword.groovy:37)		
(00110)	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
evecute	eKeywordForPlatform(KeywordExecutor.groovy:74)		
execute			
0.87 1.11	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebU	BuiltInKeywords.groovy:1019)		
	at CURA_TL_Keyword_AppointmentConfirmation.sampleBeforeTestCase		
(CURA	_TL_Keyword_AppointmentConfirmation.groovy:34)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native	MethodAccessorImpl.java:77)		
•	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Delega	atingMethodAccessorImpl.java:43)		
(= 515 35	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:11			
java.	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95)	at σσηματιστικαταιστισστοισστιστικοπιαι. restriooker.lambdaφο(restriooker.java.		
93)	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
/TootU			
(Testini	ooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
/T 41 ::			
(TestLis	stenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
handlel	ListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(Execu	ionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:26	8)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Comm	onExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSt	uiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
, ,	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)	at communication contains roctodocimam cart roctodic (roctodocimam) ava.		
100)	at TempTestSuite1706714057242.run(TempTestSuite1706714057242.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Mothed			
Method			
(b.)	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native	MethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	atingMethodAccessorImpl.java:43)		
Caused	by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
is not o	pened		
	fo: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.		

#	Description	Elapsed	Status
#	version: '10.0', java.version: '17.0.7' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:997) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:992) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:392) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:393) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeyword\$setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) 23 more	Elapsed	Status
3	openBrowser("") Browser is opened with url: "	3.174s	PASSED
4	navigateToUrl("https://katalon-demo-cura.herokuapp.com") Navigate to 'https://katalon-demo-cura.herokuapp.com' successfully	3.023s	PASSED
5	maximizeWindow()	0.493s	PASSED

Current window maximized

#	Description	Elapsed	Status
6	click(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle"), STOP_ON_FAILURE) Object: 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle' is clicked on	0.980s	PASSED
7	click(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_Login")) Object: 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_Login' is clicked on	1.297s	PASSED
8	setText(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Username_username"), UserName) Text 'John Doe' is set on object 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Username_username'	1.150s	PASSED
9	setText(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Password_password"), Password) Text 'ThisIsNotAPassword' is set on object 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Password_password'	1.115s	PASSED
10	click(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/button_Login' is clicked on	1.286s	PASSED
11	closeBrowser()	0.463s	PASSED

Browser is closed

Description	Elapsed	Status
Start listener action : sampleAfterTestCase	0.143s	ERROR
com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/amenu-		
toggle'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:659)		
at CURA_TL_Appointmentconfirmation.sampleAfterTestCase		
(CURA_TL_Appointmentconfirmation.groovy:60)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:315)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)		
at TempTestSuite1706714057242.run(TempTestSuite1706714057242.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.		

Status

Description Elapsed version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBvSelectedMethod(WebUiCommonHelper.iava:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call$ (ClickKeyword.groovy) $at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword$ (WebUlKeywordMain.groovy:20) ... 23 more

#	Description	Elapsed	Status
13	Start listener action : sampleAfterTestCase	0.105s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare		
	Service/amenu-toggle' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
	at CURA_TL_Keyword_AppointmentConfirmation.sampleAfterTestCase		
	(CURA_TL_Keyword_AppointmentConfirmation.groovy:53) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
	java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
	95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
	(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
	at TempTestSuite1706714057242.run(TempTestSuite1706714057242.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()? Build info: version: '3 141 59' revision: 'a82he7d358' time: '2018-11-14T08: 25:53'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.

Elapsed

Status

```
Description
version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
```

... 23 more

Information

ID Test Cases/CURA Healthcare Services/TC_Cura_Home_ValidationofLogin_UsingDDT_001

Description

Tag

Start 31-01-2024 20:44:52 End 31-01-2024 20:45:05

Elapsed 12.800s Status PASSED

Details

Description Elapsed Status

D	escription	Elapsed	Status
S	start listener action : sampleBeforeTestCase	0.136s	ERROR
С	om.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
	bject 'Object Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare		
	Service/input_username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(\	WebUIKeywordMain.groovy:64)		
ì	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(\	WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(\$	SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(5	SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
е	xecuteKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(\	WebUiBuiltInKeywords.groovy:1019)		
	at CURA_TL_Appointmentconfirmation.sampleBeforeTestCase		
((CURA_TL_Appointmentconfirmation.groovy:34)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
N	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
1)	NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
([DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
ja	ava:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
9	5)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
h	andleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(E	ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
ja	ava:268)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
((CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
1	06)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
1	80)		
	at TempTestSuite1706714057242.run(TempTestSuite1706714057242.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
N	flethod)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
1)	NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	VebDriver after calling quit()?		
R	tuild info: version: '3 1/1 50', revision: 'e82he7d358', time: '2018-11-1/T08:25:53'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.

Elapsed

Status

```
Description
version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         ... 23 more
```

Des	scription	Elapsed	Status
Sta	rt listener action : sampleBeforeTestCase	0.146s	ERRO
007	h kmc katalan cara avaantian StanEailadEvaantian: Unable to ast tout Usha Dad of		
	n.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
	ect 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA		
не	althcare Service/input_username'		
() () ()	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(VV	ebUIKeywordMain.groovy:64)		
() ()	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(VV	ebUIKeywordMain.groovy:26)		
100	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(36	tTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
180	tTextKeyword.groovy:37)		
(36	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
OVC	cuteKeywordForPlatform(KeywordExecutor.groovy:74)		
exe	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(\\/)	ebUiBuiltInKeywords.groovy:1019)		
(• • •	at CURA_TL_Keyword_AppointmentConfirmation.sampleBeforeTestCase		
(CI	JRA_TL_Keyword_AppointmentConfirmation.groovy:34)		
(00	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Me	thod)		
IVIC	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Na	tiveMethodAccessorImpl.java:77)		
(, ,,	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(De	legatingMethodAccessorImpl.java:43)		
(= (at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
iav	a:111)		
,	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95)			
,	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(Te	stHooker.java:94)		
•	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(Te	stListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
har	dleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(Ex	ecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
jav	a:268)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Co	mmonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Te	stSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106			
400	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180			
	at TempTestSuite1706714057242.run(TempTestSuite1706714057242.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
1/40	at java.base/jok.internal.rellect.NativeMethodAccessorimpl.invokeo(Native thod)		
ivie	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NIs	tiveMethodAccessorImpl.java:77)		
(148	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(De	at java.base/juk.internat.renect.belegatingivietriouAccessorimpi.invoke		
	used by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	bDriver after calling quit()?		
V V C	Id info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
Bui	IO INTO, VELSION, 3, 141,39, TEVISION, EQZDEZO330, INDE, ZULO-11-14100, Z3 33		

Description Elapsed Status version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBvSelectedMethod(WebUiCommonHelper.iava:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) ... 23 more openBrowser("") PASSED 2.482s

Browser is opened with url: "

#	Description	Elapsed	Status
4	navigateToUrl("https://katalon-demo-cura.herokuapp.com") Navigate to 'https://katalon-demo-cura.herokuapp.com' successfully	1.446s	PASSED
5	maximizeWindow() Current window maximized	1.940s	PASSED
6	click(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle"), STOP_ON_FAILURE) Object: 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle' is clicked on	0.622s	PASSED
7	click(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_Login")) Object: 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_Login' is clicked on	1.044s	PASSED
8	setText(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Username_username"), UserName) Text 'John Doe' is set on object 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Username_username'	1.241s	PASSED
9	setText(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Password_password"), Password) Text 'ThisIsNotAPassword' is set on object 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Password_password'	1.063s	PASSED
10	click(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/button_Login' is clicked on	1.389s	PASSED
11	closeBrowser()	0.686s	PASSED

Browser is closed

Description Elapsed Status

De	escription	Elapsed	Status
St	art listener action : sampleAfterTestCase	0.160s	ERROF
Re	om.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object epository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/amenuggle'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed VebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword VebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.oovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute clickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. kecuteKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	VebUiBuiltInKeywords.groovy:659) at CURA_TL_Appointmentconfirmation.sampleAfterTestCase		
	CURA_TL_Appointmentconfirmation.groovy:60) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
	va:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(T	estHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(T	estListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.		
ha	andleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(E	xecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
jav	va:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(C	commonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(T	restSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
10	06)		
18	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at TempTestSuite1706714057242.run(TempTestSuite1706714057242.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(N	lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	elegatingMethodAccessorImpl.java:43) aused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	ebDriver after calling quit()? uild info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	stem info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.		

Status

Description Elapsed version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBvSelectedMethod(WebUiCommonHelper.iava:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call$ (ClickKeyword.groovy) $at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword$ (WebUlKeywordMain.groovy:20) ... 23 more

#	Description	Elapsed	Status
13	Start listener action : sampleAfterTestCase	0.341s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/amenu-toggle'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:659)		
	at CURA_TL_Keyword_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_Keyword_AppointmentConfirmation.groovy:53)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	$at\ com. kms. katalon. core. context. internal. Test Hooker. invoke Method (Test Hooker.) at com. kms. katalon. core. context. internal. Test Hooker. invoke Method (Test Hooker.) at com. kms. katalon. core. context. internal. Test Hooker. invoke Method (Test Hooker.) at com. kms. katalon. core. context. internal. Test Hooker. invoke Method (Test Hooker.) at com. kms. katalon. core. context. internal. Test Hooker. invoke Method (Test Hooker.) at com. kms. katalon. core. context. internal. Test Hooker. invoke Method (Test Hooker.) at context. internal. Test Hooker. invoke Method (Test Hooker.) at context. internal. Test Hooker. invoke Method (Test Hooker.) at context. internal. Test Hooker. invoke Method (Test Hooker.) at context. In the context Hooker. In the context Ho$		
	java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
	(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:315)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1706714057242.run(TempTestSuite1706714057242.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()?		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.

Elapsed

Status

```
Description
version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
```

... 23 more

Information

ID Test Cases/CURA Healthcare Services/TC_Cura_Home_ValidationofLogin_UsingDDT_001

Description

Tag

Start 31-01-2024 20:45:05 End 31-01-2024 20:45:17

Elapsed 11.494s Status PASSED

Details

Description Elapsed Status

Description	E	Elapsed	Status
Start listener action : sampleBeforeTestCase		0.201s	ERRO
com.kms.katalon.core.exception.StepFailedEx	cention: Unable to set text I John Doe' of		
object 'Object Repository/TL_Cura_MakeAppo			
	ontinent_ON/Fage_CONA Healthcare		
Service/input_username'	11.4 11.00 11.00 10.00 10.00		
	vord.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)			
	vord.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)			
at com.kms.katalon.core.webui.keyv	vord.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66)			
	vord.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)	,		
at com.kms.katalon.core.keyword.int	ternal KeywordExecutor		
executeKeywordForPlatform(KeywordExecuto			
at com.kms.katalon.core.webui.keyw	vord.vvebUlBulitinKeywords.set i ext		
(WebUiBuiltInKeywords.groovy:1019)			
at CURA_TL_Appointmentconfirmat			
(CURA_TL_Appointmentconfirmation.groovy:3			
at java.base/jdk.internal.reflect.Nativ	veMethodAccessorImpl.invoke0(Native		
Method)			
at java.base/jdk.internal.reflect.Nativ	veMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)			
at java.base/jdk.internal.reflect.Deleg	gatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)	3		
	ernal.TestHooker.invokeMethod(TestHooker.		
java:111)	ernal. resti looker.iirvokeivieti loot (resti looker.		
	ernal.TestHooker.lambda\$3(TestHooker.java:		
	erriai. Lesti 100ker.larribua\$5(Testi 100ker.java.		
95)			
	ernal.TestHooker.invokeContextMethods		
(TestHooker.java:94)			
	ernal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)			
at com.kms.katalon.core.context.inte			
handleListenerEvent(TestListenerCollector.jav	ra:85)		
at com.kms.katalon.core.context.inte	ernal.ExecutionEventManager.publicEvent		
(ExecutionEventManager.java:36)			
	CaseExecutor.execute(TestCaseExecutor.		
java:268)	,		
	ommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)			
	SuiteExecutor.accessTestSuiteMainPhase		
	outeExecutor.access restoutemain hase		
(TestSuiteExecutor.java:148)	Nijta Evansutari avanuta (Enat Cuita Evanutari inun		
	SuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	CaseMain.startTestSuite(TestCaseMain.java:		
180)			
at TempTestSuite1706714057242.ru	un(TempTestSuite1706714057242.groovy:36)		
at java.base/jdk.internal.reflect.Nativ	veMethodAccessorImpl.invoke0(Native		
Method)			
at java.base/jdk.internal.reflect.Nativ	veMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)			
at java.base/jdk.internal.reflect.Deleg	gatingMethodAccessorImpLinyoke		
	gaangwealouzocessonnplilivoke		
(DelegatingMethodAccessorImpl.java:43)	cionEvention, Coccion ID is well Union		
Caused by: org.openqa.selenium.NoSuchSess WebDriver after calling quit()?	sionException: Session ID is null. Using		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.

Elapsed

Status

```
Description
version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         ... 23 more
```

Desc	ription	Elapsed	Statu
Start	listener action : sampleBeforeTestCase	0.185s	ERRO
oom	ms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
	t 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA		
Healt	ncare Service/input_username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(Web	UIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(Web	UIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetT	extKeyword.groovy:66)		
•	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetT	extKeyword.groovy:37)		
(at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
exect	iteKeywordForPlatform(KeywordExecutor.groovy:74)		
CACCI	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(\Mah	UiBuiltInKeywords.groovy:1019)		
(vven	at CURA_TL_Keyword_AppointmentConfirmation.sampleBeforeTestCase		
(CLIE			
(CUR	A_TL_Keyword_AppointmentConfirmation.groovy:34)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Meth			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nativ	reMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Dele	gatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:	11)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95)			
,	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(Test	Hooker.java:94)		
(at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(Test	ListenerCollector.java:88)		
(1001	at com.kms.katalon.core.context.internal.TestListenerCollector.		
hand	eListenerEvent(TestListenerCollector.java:85)		
Haria	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(Evo	utionEventManager.java:36)		
(EXEC			
iovov	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:2	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(0			
(Com	monExecutor.java:65)		
/T	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Test	SuiteExecutor.java:148)		
4.5.51	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)			
	at TempTestSuite1706714057242.run(TempTestSuite1706714057242.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Meth	od)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nativ	reMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Dele	gatingMethodAccessorImpl.java:43)		
	ed by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	Oriver after calling quit()?		
	info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
Build			

```
Description
                                                                                         Elapsed
                                                                                                          Status
version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         ... 23 more
```

openBrowser("") 2.119s PASSED

Browser is opened with url: "

#	Description	Elapsed	Status
4	navigateToUrl("https://katalon-demo-cura.herokuapp.com") Navigate to 'https://katalon-demo-cura.herokuapp.com' successfully	2.674s	PASSED
5	maximizeWindow() Current window maximized	0.251s	PASSED
6	click(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle"), STOP_ON_FAILURE) Object: 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_CURA Healthcare_menu-toggle' is clicked on	0.667s	PASSED
7	click(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_Login")) Object: 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/a_Login' is clicked on	1.092s	PASSED
8	setText(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Username_username"), UserName) Text 'John Doe123' is set on object 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Username_username'	1.237s	PASSED
9	setText(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Password_password"), Password) Text 'ThisIsNotAPassword' is set on object 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/Page_CURA Healthcare Service/input_Password_password'	1.052s	PASSED
10	click(findTestObject("Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/Cura_Validationoflogin_DDT_OR/Page_CURA Healthcare Service/button_Login' is clicked on	1.155s	PASSED
11	closeBrowser() Browser is closed	0.536s	PASSED

Browser is closed

Description Elapsed Status

Description	Elapsed	Status
Start listener action : sampleAfterTestCase	0.129s	ERROF
com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Cura_MakeAppointment_OR/Page_CURA Healthcare Service/amenutoggle'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFail (WebUIKeywordMain.groovy:64)	led	
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyv (WebUIKeywordMain.groovy:26)	word	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)	ord.	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)		
at CURA_TL_Appointmentconfirmation.sampleAfterTestCase (CURA_TL_Appointmentconfirmation.groovy:60)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHook	ker.	
java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.ja 95)	ava:	
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent	t	
(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPh	ase	
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.	java:	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.ja	va:	
at TempTestSuite1706714057242.run(TempTestSuite1706714057242.groovy	7:36)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64',	OS.	

Status

Description Elapsed version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBvSelectedMethod(WebUiCommonHelper.iava:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call$ (ClickKeyword.groovy) $at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword$ (WebUlKeywordMain.groovy:20) ... 23 more

#	Description	Elapsed	Status
13	Start listener action : sampleAfterTestCase	0.130s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Cura_Keyword_AppointmentConfirmation/Page_CURA Healthcare Service/amenu-toggle'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:659)		
	at CURA_TL_Keyword_AppointmentConfirmation.sampleAfterTestCase		
	(CURA_TL_Keyword_AppointmentConfirmation.groovy:53) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
	java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
	(ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
	at TempTestSuite1706714057242.run(TempTestSuite1706714057242.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()?		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'ADMIN', ip: '192.168.29.7', os.name: 'Windows 11', os.arch: 'amd64', os.

Elapsed

Status

```
Description
version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
```

... 23 more