TL_CURA_TestSuite_001

Execution Environment

Host name sainadh - 192.168.1.4 Local OS Windows 11 64bit

Katalon version 9.2.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/CURA TestSuite/TL_CURA_TestSuite_001

Description

Total 1

Passed 1 Failed 0 Error 0 Incomplete 0

Skipped 0

End 27-01-2024 13:00:42 Start 27-01-2024 12:50:55

Elapsed 9m - 47.481s

Description ID Status 1 Test Cases/Test Listener-**PASSED**

1/TC_AppointmentConfirmation_001

Information

ID Test Cases/Test Listener-1/TC_AppointmentConfirmation_001

Description

Tag

Start 27-01-2024 12:51:35 End 27-01-2024 13:00:34

Elapsed 8m - 58.227s

Status PASSED

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestCase Object: 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/button_Login' is clicked on | 2m - 3.283s | PASSED |
| 2 | selectOptionByValue(findTestObject("Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107"), "Hongkong CURA Healthcare Center", true) All options with value 'Hongkong CURA Healthcare Center' are selected in object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center5b4107' using regular expression | 1m - 30.574s | PASSED |
| 3 | click(findTestObject("Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_programs")) Object: 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_programs' is clicked on | 30.269s | PASSED |
| 4 | click(findTestObject("Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_visit_date")) Object: 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_visit_date' is clicked on | 30.313s | PASSED |
| 5 | click(findTestObject("Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/td_1")) Object: 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/td_1' is clicked on | 30.190s | PASSED |

| # | Description | Elapsed | Status |
|---|--|-------------|--------|
| 6 | setText(findTestObject("Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/textarea_comment"), "Test Listner") Text 'Test Listner' is set on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/textarea_comment' | 1m - 0.460s | PASSED |
| 7 | click(findTestObject("Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/button_Book Appointment")) Object: 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/button_Book Appointment' is clicked on | 31.931s | PASSED |
| 8 | click(findTestObject("Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/i_fa fa-bars")) Object: 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/i_fa fa-bars' is clicked on | 30.259s | PASSED |
| 9 | click(findTestObject("Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/a_Logout")) Object: 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/a_Logout' is clicked on | 30.399s | PASSED |

| Description | Elapsed | Status |
|---|--------------|--------|
| Start listener action : sampleAfterTestCase | 1m - 20.331s | FAILED |
| Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CUR. Healthcare Service/a_Logout' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object Repository/TL_Appointment | 4 | |
| Confirmation_OR/Page_CURA Healthcare Service/a_Logout' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) | b | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) | | |
| at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:55) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. | | |
| java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) | | |
| at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315) | | |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java | | |
| 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 180) at TempTestSuite1706340047599.run(TempTestSuite1706340047599.groovy:36 |) | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected to | | |
| DevTools (failed to check if window was closed: disconnected: not connected to DevTools) | | |

Elapsed

Status

```
Description
 (Session info: chrome=120.0.6099.225)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.4', os.name: 'Windows 11', os.arch:
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66...,
userDataDir: C:\Users\sainadh\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:50769}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: b0ad328a6deac8fdbc3b55cde760700a
*** Element info: {Using=xpath, value=(//a[@onclick="$('#menu-close').click();"])[5]}
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at jdk.internal.reflect.GeneratedMethodAccessor10.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy26.findElements(Unknown Source)
          at org.openga.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at\ com.kms. katalon. core. webui. common. WebUiCommon Helper.
```

Description Elapsed Status findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElements$ (WebUiCommonHelper.java:718) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1374) $at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.$ findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) ... 23 more