DDT_CHS_Validation_Test Suite

Execution Environment

Host name	sainadh - 192.168.1.2
Local OS	Windows 11 64bit
Katalon version	9.3.0.212
Browser	Firefox 122.0

Summary

ID	Test Suites/DDT_CHS_Validation_Test Suite_001/DDT_CHS_Validation_Test Suite		
Description			
Total	3		
Passed	3	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	07-02-2024 19:53:17	End	07-02-2024 20:02:57
Elapsed	9m - 39.873s		

#	ID	Description	Status
1	Test Cases/Data Driven Testing/DDT_CHS_Validation_Login_Excel		PASSED
2	Test Cases/Data Driven Testing/DDT_CHS_Validation_Login_Excel		PASSED
3	Test Cases/Data Driven Testing/DDT_CHS_Validation_Login_Excel		PASSED

DDT_CHS_Validation_Login_Excel

Information

ID	Test Cases/Data Driven Testing/DDT_CHS_Validation_Login_Excel		
Description			
Tag			
Start	07-02-2024 19:53:18	End	07-02-2024 19:56:32
Elapsed	3m - 13.968s		
Status	PASSED		

Details

#	Description	Elapsed	Status

DDT_CHS_Validation_Login_Excel

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.601s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_username'
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)
     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)
     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
     at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:33)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
     at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
     at TempTestSuite1707315788499.run(TempTestSuite1707315788499.groovy:36)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:

#	Description	Elapsed	Status

	'amd64', os.version: '10.0', java.version: '17.0.7'
	Driver info: driver.version: unknown
	    at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen
	(DriverFactory.java:1023)
	    at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver
	(DriverFactory.java:1008)
	    at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.
	java:994)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.
	findElementByNormalMethods(WebUiCommonHelper.java:1009)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.
	findElementsBySelectedMethod(WebUiCommonHelper.java:915)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.
	findElementsBySelectedMethod(WebUiCommonHelper.java:897)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.
	findElementsBySelectedMethod(WebUiCommonHelper.java:892)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.
	findElementsByDefault(WebUiCommonHelper.java:888)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.
	findElementsWithSelfHealing(WebUiCommonHelper.java:734)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
	(WebUiCommonHelper.java:718)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
	(WebUiCommonHelper.java:1374)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
	findWebElement(WebUIAbstractKeyword.groovy:27)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
	findWebElement(WebUIAbstractKeyword.groovy:26)
	    at com.kms.katalon.core.webui.keyword.builtin.
	SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)
	    at com.kms.katalon.core.webui.keyword.builtin.
	SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
	(WebUIKeywordMain.groovy:20)
	    ... 23 more		

2	openBrowser("") Browser is opened with url: ''	4.977s	PASSED
3	navigateToUrl("https://katalon-demo-cura.herokuapp.com/") Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully	3.252s	PASSED
4	click(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/a_Make Appointment")) Object: 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/a_Make Appointment' is clicked on	31.909s	PASSED

DDT_CHS_Validation_Login_Excel

#	Description	Elapsed	Status
5	setText(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_username"), username) Text 'John Doe' is set on object 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_username'	1m - 0.231s	PASSED
6	setText(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_password"), password) Text 'ThisIsNotAPassword' is set on object 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_password'	1m - 0.122s	PASSED
7	click(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/button_Login' is clicked on	32.195s	PASSED
8	closeBrowser() Browser is closed	0.399s	PASSED

#	Description	Elapsed	Status
9	Start listener action : sampleAfterTestCase	0.099s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/i_fa fa-bars'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)
    at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:54)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
    at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
    at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
    at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
    at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
    at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
    at TempTestSuite1707315788499.run(TempTestSuite1707315788499.groovy:36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'

DDT_CHS_Validation_Login_Excel

#	Description	Elapsed	Status
	Driver info: driver.version: RemoteWebDriver		

Driver info: driver.version: RemoteWebDriver
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
        at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
28)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
        at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
        at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
        ... 23 more

DDT_CHS_Validation_Login_Excel

Information

ID	Test Cases/Data Driven Testing/DDT_CHS_Validation_Login_Excel
Description	
Tag	

Start	07-02-2024 19:56:32	End	07-02-2024 19:59:43
Elapsed	3m - 10.903s		
Status	PASSED		

Details

#	Description	Elapsed	Status

DDT_CHS_Validation_Login_Excel

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.071s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_username'
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
       at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)
       at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
       at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:33)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
       at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
       at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
       at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
       at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
       at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
       at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
       at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
       at TempTestSuite1707315788499.run(TempTestSuite1707315788499.groovy:36)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:

#	Description	Elapsed	Status

'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
      at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
      at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
      at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
      at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
28)
      at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
      at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
      at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
      at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)
      at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
      ... 23 more

| 2 | openBrowser("") | 2.937s | PASSED |

Browser is opened with url: ''

DDT_CHS_Validation_Login_Excel

#	Description	Elapsed	Status
3	navigateToUrl("https://katalon-demo-cura.herokuapp.com/") Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully	3.191s	PASSED
4	click(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/a_Make Appointment")) Object: 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/a_Make Appointment' is clicked on	31.332s	PASSED
5	setText(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_username"), username) Text 'John Doe' is set on object 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_username'	1m - 0.632s	PASSED
6	setText(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_password"), password) Text 'ThisIsNotAPassword' is set on object 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_password'	1m - 0.231s	PASSED
7	click(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/button_Login' is clicked on	32.045s	PASSED
8	closeBrowser() Browser is closed	0.382s	PASSED

DDT_CHS_Validation_Login_Excel

#	Description	Elapsed	Status
9	Start listener action : sampleAfterTestCase	0.052s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/i_fa fa-bars'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)
    at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:54)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
    at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
    at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
    at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
    at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
    at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
    at TempTestSuite1707315788499.run(TempTestSuite1707315788499.groovy:36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'

DDT_CHS_Validation_Login_Excel

#	Description	Elapsed	Status

Driver info: driver.version: RemoteWebDriver
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
        at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
28)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
        at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
        at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
        ... 23 more

DDT_CHS_Validation_Login_Excel

Information

ID	Test Cases/Data Driven Testing/DDT_CHS_Validation_Login_Excel
Description	
Tag	

Start	07-02-2024 19:59:43	End	07-02-2024 20:02:53
Elapsed	3m - 9.804s		
Status	PASSED		

Details

#	Description	Elapsed	Status

DDT_CHS_Validation_Login_Excel

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.035s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_username'
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
       at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)
       at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
       at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:33)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
       at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
       at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
       at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
       at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
       at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
       at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
       at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
       at TempTestSuite1707315788499.run(TempTestSuite1707315788499.groovy:36)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:

#	Description	Elapsed	Status

'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
        at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
28)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
        at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
        at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)
        at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
        ... 23 more

| 2 | openBrowser("") | 2.815s | PASSED |

Browser is opened with url: ''

DDT_CHS_Validation_Login_Excel

#	Description	Elapsed	Status
3	navigateToUrl("https://katalon-demo-cura.herokuapp.com/") Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully	3.146s	PASSED
4	click(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/a_Make Appointment")) Object: 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/a_Make Appointment' is clicked on	31.430s	PASSED
5	setText(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_username"), username) Text 'John Doe123' is set on object 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_username'	1m - 0.232s	PASSED
6	setText(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_password"), password) Text 'ThisIsNotAPassword' is set on object 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/input_password'	1m - 0.172s	PASSED
7	click(findTestObject("Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/DDT_CHS_Login_Validation_OR/Page_CURA Healthcare Service/button_Login' is clicked on	31.496s	PASSED
8	closeBrowser() Browser is closed	0.391s	PASSED

DDT_CHS_Validation_Login_Excel

#	Description	Elapsed	Status
9	Start listener action : sampleAfterTestCase	0.067s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/i_fa fa-bars'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)
    at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:54)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
    at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
    at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
    at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
    at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
    at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
    at TempTestSuite1707315788499.run(TempTestSuite1707315788499.groovy:36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'

#	Description	Elapsed	Status
	Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		