

Recording_Modes_suite_001

Execution Environment

| | |
|-----------------|-----------------------|
| Host name | sainadh - 192.168.1.2 |
| Local OS | Windows 11 64bit |
| Katalon version | 9.3.0.212 |
| Browser | Chrome 121.0.0.0 |

Summary

| | | | |
|-------------|---|------------|---------------------|
| ID | Test Suites/Recording_Modes_Suite/Recording_Modes_suite_001 | | |
| Description | | | |
| Total | 4 | | |
| Passed | 4 | Failed | 0 |
| Error | 0 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 07-02-2024 19:53:16 | End | 07-02-2024 20:18:30 |
| Elapsed | 25m - 13.869s | | |

| # | ID | Description | Status |
|---|--|-------------|--------|
| 1 | Test Cases/Recording Modes/Validation_Login | | PASSED |
| 2 | Test Cases/Recording Modes/Validation_Make Appointment | | PASSED |
| 3 | Test Cases/Recording Modes/Validation_History | | PASSED |
| 4 | Test Cases/Recording Modes/Validation_Logout | | PASSED |

Validation_Login

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Recording Modes/Validation_Login | | |
| Description | | | |
| Tag | | | |
| Start | 07-02-2024 19:53:16 | End | 07-02-2024 19:56:28 |
| Elapsed | 3m - 11.851s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

Validation_Login

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | <p>Start listener action : sampleBeforeTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_username'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)</p> <p>at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:33)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)</p> <p>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:268)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1707315786526.run (TempTestSuite1707315786526.groovy:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:</p> | 0.917s | ERROR |

Validation_Login

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | <pre>'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1023) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:1008) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:994) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre> | | |
| 2 | <p>openBrowser("")</p> <p>Browser is opened with url: "</p> | 2.759s | PASSED |
| 3 | <p>navigateToUrl("https://katalon-demo-cura.herokuapp.com/")</p> <p>Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully</p> | 3.400s | PASSED |
| 4 | <p>click(findTestObject("Object Repository/Cura_Health_Services_Login_OR/Page_CURA Healthcare Service/amenu-toggle"))</p> <p>Object: 'Object Repository/Cura_Health_Services_Login_OR/Page_CURA Healthcare Service/amenu-toggle' is clicked on</p> | 30.269s | PASSED |

Validation_Login

| # | Description | Elapsed | Status |
|---|--|-------------|--------|
| 5 | click(findTestObject("Object Repository/Cura_Health_Services_Login_OR/Page_CURA Healthcare Service/a_Login")) Object: 'Object Repository/Cura_Health_Services_Login_OR/Page_CURA Healthcare Service/a_Login' is clicked on | 31.606s | PASSED |
| 6 | setText(findTestObject("Object Repository/Cura_Health_Services_Login_OR/Page_CURA Healthcare Service/input_username"), "John Doe") Text 'John Doe' is set on object 'Object Repository/Cura_Health_Services_Login_OR/Page_CURA Healthcare Service/input_username' | 1m - 0.282s | PASSED |
| 7 | setEncryptedText(findTestObject("Object Repository/Cura_Health_Services_Login_OR/Page_CURA Healthcare Service/input_password"), "g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM") Text ***** has been set on object 'Object Repository/Cura_Health_Services_Login_OR/Page_CURA Healthcare Service/input_password' | 30.214s | PASSED |
| 8 | click(findTestObject("Object Repository/Cura_Health_Services_Login_OR/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/Cura_Health_Services_Login_OR/Page_CURA Healthcare Service/button_Login' is clicked on | 31.846s | PASSED |
| 9 | closeBrowser() Browser is closed | 0.256s | PASSED |

Validation_Login

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 10 | <p>Start listener action : sampleAfterTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/i_fa fa-bars' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:54) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3 (TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180) at TempTestSuite1707315786526.run (TempTestSuite1707315786526.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</p> | 0.086s | ERROR |

Validation_Login

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | <pre>Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre> | | |

Validation_Make Appointment

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Recording Modes/Validation_Make Appointment | | |
| Description | | | |
| Tag | | | |
| Start | 07-02-2024 19:56:28 | End | 07-02-2024 20:03:39 |
| Elapsed | 7m - 10.873s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

Validation_Make Appointment

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | <p>Start listener action : sampleBeforeTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_username'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)</p> <p>at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:33)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3 (TestHooker.java:95)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)</p> <p>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:268)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1707315786526.run (TempTestSuite1707315786526.groovy:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:</p> | 0.138s | ERROR |

Validation_Make Appointment

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more | | |
| 2 | openBrowser("") Browser is opened with url: " | 0.894s | PASSED |

Validation_Make Appointment

| # | Description | Elapsed | Status |
|---|--|--------------|--------|
| 3 | <code>navigateToUrl("https://katalon-demo-cura.herokuapp.com/")</code> Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully | 3.193s | PASSED |
| 4 | <code>click(findTestObject("Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/a_Make Appointment"))</code> Object: 'Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/a_Make Appointment' is clicked on | 31.636s | PASSED |
| 5 | <code>setText(findTestObject("Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/input_username"), "John Doe")</code> Text 'John Doe' is set on object 'Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/input_username' | 1m - 0.253s | PASSED |
| 6 | <code>setEncryptedText(findTestObject("Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/input_password"), "g3/DOGG74jC3Frr3yH+3D/yKbOqqUNM")</code> Text ***** has been set on object 'Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/input_password' | 30.146s | PASSED |
| 7 | <code>click(findTestObject("Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/button_Login"))</code> Object: 'Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/button_Login' is clicked on | 31.821s | PASSED |
| 8 | <code>selectOptionByValue(findTestObject("Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107"), "Hongkong CURA Healthcare Center", true)</code> All options with value 'Hongkong CURA Healthcare Center' are selected in object 'Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107' using regular expression | 1m - 30.294s | PASSED |

Validation_Make Appointment

| # | Description | Elapsed | Status |
|----|--|-------------|--------|
| 9 | click(findTestObject("Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/input_programs")) Object: 'Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/input_programs' is clicked on | 30.113s | PASSED |
| 10 | click(findTestObject("Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/input_visit_date")) Object: 'Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/input_visit_date' is clicked on | 30.143s | PASSED |
| 11 | click(findTestObject("Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/td_30")) Object: 'Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/td_30' is clicked on | 30.149s | PASSED |
| 12 | setText(findTestObject("Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/textarea_comment"), "abcdefgh") Text 'abcdefgh' is set on object 'Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/textarea_comment' | 1m - 0.217s | PASSED |
| 13 | click(findTestObject("Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/button_Book Appointment")) Object: 'Object Repository/Cura_Health_Services_Appointment_OR/Page_CURA Healthcare Service/button_Book Appointment' is clicked on | 31.554s | PASSED |
| 14 | closeBrowser() Browser is closed | 0.179s | PASSED |

Validation_Make Appointment

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 15 | Start listener action : sampleAfterTestCase | 0.037s | ERROR |
| | <pre>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/i_fa fa-bars' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:54) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1707315786526.run(TempTestSuite1707315786526.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</pre> | | |

Validation_Make Appointment

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | <pre>Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre> | | |

Validation_History

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Recording Modes/Validation_History | | |
| Description | | | |
| Tag | | | |
| Start | 07-02-2024 20:03:39 | End | 07-02-2024 20:12:53 |
| Elapsed | 9m - 13.507s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

Validation_History

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | <p>Start listener action : sampleBeforeTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_username'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)</p> <p>at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:33)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)</p> <p>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:268)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1707315786526.run (TempTestSuite1707315786526.groovy:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:</p> | 0.047s | ERROR |

Validation_History

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more | | |
| 2 | openBrowser("") Browser is opened with url: " | 0.855s | PASSED |

Validation_History

| # | Description | Elapsed | Status |
|---|--|--------------|--------|
| 3 | <code>navigateToUrl("https://katalon-demo-cura.herokuapp.com/")</code> Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully | 3.329s | PASSED |
| 4 | <code>click(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/amenu-toggle"))</code> Object: 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/amenu-toggle' is clicked on | 30.135s | PASSED |
| 5 | <code>click(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/a_Login"))</code> Object: 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/a_Login' is clicked on | 31.256s | PASSED |
| 6 | <code>setText(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/input_username"), "John Doe")</code> Text 'John Doe' is set on object 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/input_username' | 1m - 0.208s | PASSED |
| 7 | <code>setEncryptedText(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/input_password"), "g3/DOGG74jC3Firr3yH+3D/yKbOqqUNM")</code> Text ***** has been set on object 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/input_password' | 30.162s | PASSED |
| 8 | <code>click(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/button_Login"))</code> Object: 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/button_Login' is clicked on | 31.859s | PASSED |
| 9 | <code>selectOptionByValue(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107"), "Hongkong CURA Healthcare Center", true)</code> All options with value 'Hongkong CURA Healthcare Center' are selected in object 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107' using regular expression | 1m - 30.264s | PASSED |

Validation_History

| # | Description | Elapsed | Status |
|----|--|-------------|--------|
| 10 | click(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/div_Medicare_cb3988")) Object: 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/div_Medicare_cb3988' is clicked on | 30.107s | PASSED |
| 11 | click(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/input_programs")) Object: 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/input_programs' is clicked on | 30.141s | PASSED |
| 12 | click(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/input_visit_date")) Object: 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/input_visit_date' is clicked on | 30.141s | PASSED |
| 13 | click(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/td_31")) Object: 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/td_31' is clicked on | 30.108s | PASSED |
| 14 | setText(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/textarea_comment"), "abcdef") Text 'abcdef' is set on object 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/textarea_comment' | 1m - 1.288s | PASSED |
| 15 | click(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/button_Book Appointment")) Object: 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/button_Book Appointment' is clicked on | 31.677s | PASSED |
| 16 | click(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/i_fa fa-bars")) Object: 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/i_fa fa-bars' is clicked on | 30.116s | PASSED |

Validation_History

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 17 | click(findTestObject("Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/a_History")) Object: 'Object Repository/Cura_Health_Services_History_OR/Page_CURA Healthcare Service/a_History' is clicked on | 31.466s | PASSED |
| 18 | closeBrowser() Browser is closed | 0.204s | PASSED |

Validation_History

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 19 | <p>Start listener action : sampleAfterTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/i_fa fa-bars' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:54) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3 (TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180) at TempTestSuite1707315786526.run (TempTestSuite1707315786526.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</p> | 0.069s | ERROR |

Validation_History

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | <pre>Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre> | | |

Validation_Logout

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Recording Modes/Validation_Logout | | |
| Description | | | |
| Tag | | | |
| Start | 07-02-2024 20:12:53 | End | 07-02-2024 20:18:25 |
| Elapsed | 5m - 31.844s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

Validation_Logout

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | <p>Start listener action : sampleBeforeTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/input_username'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)</p> <p>at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:33)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3 (TestHooker.java:95)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)</p> <p>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:268)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1707315786526.run (TempTestSuite1707315786526.groovy:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch:</p> | 0.040s | ERROR |

Validation_Logout

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | <pre>'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre> | | |
| 2 | <pre>openBrowser("") Browser is opened with url: "</pre> | 0.988s | PASSED |

Validation_Logout

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 3 | <code>navigateToUrl("https://katalon-demo-cura.herokuapp.com/")</code> Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully | 3.218s | PASSED |
| 4 | <code>click(findTestObject("Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/i_fa fa-bars"))</code> Object: 'Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/i_fa fa-bars' is clicked on | 30.136s | PASSED |
| 5 | <code>click(findTestObject("Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/a_Login"))</code> Object: 'Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/a_Login' is clicked on | 35.977s | PASSED |
| 6 | <code>setText(findTestObject("Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/input_username"), "John Doe")</code> Text 'John Doe' is set on object 'Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/input_username' | 1m - 29.389s | PASSED |
| 7 | <code>setEncryptedText(findTestObject("Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/input_password"), "g3/DOGG74jC3Firr3yH+3D/yKbOqqUNM")</code> Text ***** has been set on object 'Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/input_password' | 30.195s | PASSED |
| 8 | <code>click(findTestObject("Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/button_Login"))</code> Object: 'Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/button_Login' is clicked on | 1m - 1.200s | PASSED |
| 9 | <code>click(findTestObject("Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/amenu-toggle"))</code> Object: 'Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/amenu-toggle' is clicked on | 30.128s | PASSED |

Validation_Logout

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 10 | click(findTestObject("Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/a_Logout")) Object: 'Object Repository/Cura_Health_Services_Logout_OR/Page_CURA Healthcare Service/a_Logout' is clicked on | 50.233s | PASSED |
| 11 | closeBrowser() Browser is closed | 0.221s | PASSED |

Validation_Logout

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 12 | Start listener action : sampleAfterTestCase | 0.044s | ERROR |
| | <pre>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/TL_Appointment Confirmation_OR/Page_CURA Healthcare Service/i_fa fa-bars' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:54) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1707315786526.run(TempTestSuite1707315786526.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-2TUFSCJ8', ip: '192.168.1.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</pre> | | |

Validation_Logout

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | <pre>Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre> | | |