Amazon_TL_Sign In

Execution Environment

Host name Harini - DESKTOP-08P78B5

Local OS Windows 11 64bit

Katalon version 9.1.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/Amazon_Validate_TL_Test Suite/Amazon_TL_Sign In

Description

Total 2

Passed 2 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 28-01-2024 00:41:39 End 28-01-2024 00:44:41

Elapsed 3m - 1.504s

#	ID	Description	Status
1	Test Cases/TC_Amazon_Validation/Test Listener/TC_Amazon_Login_001		PASSED
2	Test Cases/TC_Amazon_Validation/Test Listener/TC_Amazon_ValidateSearchFieldItem_002		PASSED

TC_Amazon_Login_001

Information

ID Test Cases/TC_Amazon_Validation/Test Listener/TC_Amazon_Login_001

Description

Tag

Start 28-01-2024 00:42:50 End 28-01-2024 00:43:35

Elapsed 45.440s Status PASSED

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	8.876s	PASSED
	Object: 'Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/inputsignInSubmit' is clicked on		
2	click(findTestObject("Amazon_Sign In_OR/Page_Amazon Sign-In/inputsignInSubmit"))	35.849s	PASSED
	Object: 'Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/inputsignInSubmit' is clicked on		

TC_Amazon_Login_001

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestCase	0.441s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to focus on object at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.FocusKeyword.focus (FocusKeyword.groovy:90)		
	at com.kms.katalon.core.webui.keyword.builtin.FocusKeyword.execute (FocusKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.focus		
	(WebUiBuiltInKeywords.groovy:928) at Amazon_Search_TListenser.sampleAfterTestCase		
	(Amazon_Search_TListenser.groovy:51) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
	95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
	at TempTestSuite1706382692753.run(TempTestSuite1706382692753.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: java.lang.lllegalArgumentException: Object is null		
	at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33)		
	at com.kms.katalon.core.webui.keyword.builtin.FocusKeyword\$_focus_closure1.		

 $at\ com.kms. katalon. core. webui. keyword. builtin. Focus Keyword \$_focus_closure 1.$

doCall(FocusKeyword.groovy:75)


TC_Amazon_Login_001

Description Elapsed Status

call(FocusKeyword.groovy)

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$

... 23 more



Information

ID Test Cases/TC_Amazon_Validation/Test Listener/TC_Amazon_ValidateSearchFieldItem_002

Description

Tag

Start 28-01-2024 00:43:35 End 28-01-2024 00:44:18

Elapsed 43.130s Status PASSED

Details

Description Elapsed Status

Descr	iption	Elapsed	Status
Start I	istener action : sampleBeforeTestCase	32.509s	ERROF
com.k	ms.katalon.core.exception.StepFailedException: Unable to set text		
	eshaboggavarapu@gmail.com' of object 'Object Repository/Amazon_Sign		
	t/Page_Amazon Sign-In/input_email'		
01	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(\Mehl	JIKeywordMain.groovy:64)		
(VVCD	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(\Mahl	JIKeywordMain.groovy:26)		
(vvebt	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SotT	extKeyword.groovy:66)		
(Set re	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SotT	extKeyword.groovy:37)		
(Set re	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
OVOCIL	teKeywordForPlatform(KeywordExecutor.groovy:74)		
execu			
/\	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(vvebu	JiBuiltInKeywords.groovy:1019)		
/ A	at Amazon_Search_TListenser.sampleBeforeTestCase		
(Amaz	con_Search_TListenser.groovy:34)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Metho			
/NI-4iv	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nativ	eMethodAccessorImpl.java:77)		
(Dele	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Dele	gatingMethodAccessorImpl.java:43)		
iovo.1	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:1	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95)	at com.kms.katalon.core.comext.internal.resti looker.lambdayo(resti looker.java.		
55)	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(Testl	Hooker.java:94)		
(1031)	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(Testl	istenerCollector.java:88)		
(TOSTE	at com.kms.katalon.core.context.internal.TestListenerCollector.		
handle	eListenerEvent(TestListenerCollector.java:85)		
riarian	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(Exec	utionEventManager.java:36)		
(LXCC	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:2			
J	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Com	monExecutor.java:65)		
(at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestS	SuiteExecutor.java:148)		
(10011	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	,		
,	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)	, and the second se		
,	at TempTestSuite1706382692753.run(TempTestSuite1706382692753.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Metho			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nativ	eMethodAccessorImpl.java:77)		
,v	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Delec	gatingMethodAccessorImpl.java:43)		
	ed by: org.openga.selenium.InvalidElementStateException: invalid element state		
	sion info: chrome=120.0.6099.225)		
•	nfo: vornion: 12 141 50' rovinion: 1920ho7d259' timo: 12019 11 14T09:25:52'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'


System info: host: 'DESKTOP-08P78B5', ip: '192.168.1.40', os.name: 'Windows 11', os.arch:

Elapsed

Status

```
Description
 'amd64', os.version: '10.0', java.version: '17.0.7'
 Driver info: com.kms.katalon.selenium.driver.CChromeDriver
 Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
 120.0.6099.225, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e...,
 userDataDir: C:\WINDOWS\SystemTemp\scope...}, fedcm:accounts: true, goog:
 chromeOptions: {debuggerAddress: localhost:56793}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,
platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
 false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:
 dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:
virtualAuthenticators: true}
 Session ID: 765de21521ccbbc00a9fbefe5aab5b0d
                at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
 (Native Method)
                at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
 (NativeConstructorAccessorImpl.java:77)
                at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
 (DelegatingConstructorAccessorImpl.java:45)
                at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
                at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.iava:122)
                at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
                at org.openqa.selenium.remote.HttpCommandExecutor.execute
 (HttpCommandExecutor.java:158)
                at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
 (DriverCommandExecutor.java:83)
                at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
                at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
 19)
                at org.openqa.selenium.remote.RemoteWebElement.execute
 (RemoteWebElement.java:285)
                at org.openga.selenium.remote.RemoteWebElement.clear(RemoteWebElement.
java:124)
                at java.base/jdk.internal.reflect. Native Method Accessor Impl. invoke 0 (Native Method Accessor Impl. invoke 2) and the property of the pro
Method)
                at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
 (NativeMethodAccessorImpl.java:77)
                at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
                at org.openqa.selenium.support.events.
 \label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
                 at jdk.proxy2/jdk.proxy2.$Proxy26.clear(Unknown Source)
                at org.openga.selenium.support.events.
 EventFiringWebDriver$EventFiringWebElement.clear(EventFiringWebDriver.java:436)
                at com.kms.katalon.core.webui.keyword.builtin.
 SetTextKeyword$ setText closure1.doCall(SetTextKeyword.groovy:53)
                at com.kms.katalon.core.webui.kevword.builtin.
 SetTextKeyword$ setText closure1.call(SetTextKeyword.groovy)
                at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
 (WebUIKeywordMain.groovy:20)
```

... 23 more



#	Description	Elapsed	Status
5	Start listener action : sampleAfterTestCase	0.154s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to focus on object at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.FocusKeyword.focus (FocusKeyword.groovy:90)		
	at com.kms.katalon.core.webui.keyword.builtin.FocusKeyword.execute		
	(FocusKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.focus		
	(WebUiBuiltInKeywords.groovy:928)		
	at Amazon_Search_TListenser.sampleAfterTestCase (Amazon_Search_TListenser.groovy:51)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
	java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
	95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
	(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:315)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180) at TempTestSuite1706382692753.run(TempTestSuite1706382692753.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter		
	(KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.FocusKeyword\$_focus_closure1.		
	doColl/FocusKowword groow/75)		

 $at\ com.kms. katalon. core. webui. keyword. builtin. Focus Keyword \$_focus_closure 1.$

doCall(FocusKeyword.groovy:75)

Description Elapsed Status

call(FocusKeyword.groovy)

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$

... 23 more

