Amazon_Test Suite

Execution Environment

Host name avula - 10.1.79.171 Local OS Windows 11 64bit

Katalon version 9.2.0.212

Browser Chrome 121.0.0.0

Summary

ID Test Suites/Amazon_Validation/Amazon_Test Suite

Description

Total 5

Passed 5 Failed 0 Error 0 Incomplete 0

Skipped 0

Start 08-02-2024 15:06:16 End 08-02-2024 15:08:50

Elapsed 2m - 34.121s

#	ID	Description	Status
1	Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Registration_001		PASSED
2	Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Sign In_002		PASSED
3	Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Search_003		PASSED
4	Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Add to Cart_004		PASSED
5	Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Orders_005		PASSED

Information

ID Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Registration_001

Description

Tag

Start 08-02-2024 15:06:16 End 08-02-2024 15:06:34

Elapsed 17.285s Status PASSED

Details

Description	Elaps	sed Statu
Start listener action : sampleBeforeTestCase	0.350	
com.kms.katalon.core.exception.StepFailedExcep	otion: Unable to click on object !Object	
Repository/Amazon_Sign In_OR/Page_Amazon.c	com. Spend less. Smile more/span_nello,	
sign in'	11 c 100 1100 00 00 00 00 00 00 00 00 00 00	
	d.internal.WebUIKeywordMain.stepFailed	
(WebUIKeywordMain.groovy:64)		
	d.internal.WebUIKeywordMain.runKeyword	
(WebUIKeywordMain.groovy:26)		
	d.builtin.ClickKeyword.click(ClickKeyword.	
groovy:74)		
at com.kms.katalon.core.webui.keyword	d.builtin.ClickKeyword.execute	
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.interr		
execute Keyword For Platform (Keyword Executor. grade and the property of th		
at com.kms.katalon.core.webui.keyword	d.WebUiBuiltInKeywords.click	
(WebUiBuiltInKeywords.groovy:659)		
at Amazon_Search_TListenser.sample	BeforeTestCase	
(Amazon_Search_TListenser.groovy:32)		
at java.base/jdk.internal.reflect.NativeM	lethodAccessorImpl.invoke0(Native	
Method)		
at java.base/jdk.internal.reflect.NativeM	lethodAccessorImpl.invoke	
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.Delegati	ingMethodAccessorImpl.invoke	
(DelegatingMethodAccessorImpl.java:43)		
	al.TestHooker.invokeMethod(TestHooker.	
java:111)	()	
	al.TestHooker.lambda\$3(TestHooker.java:	
95)	, and the state of	
at com.kms.katalon.core.context.interna	al.TestHooker.invokeContextMethods	
(TestHooker.java:94)		
at com.kms.katalon.core.context.interna	al.TestListenerCollector.lambda\$3	
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.interna	al.TestListenerCollector.	
handleListenerEvent(TestListenerCollector.java:8		
· · · · · · · · · · · · · · · · · · ·	al.ExecutionEventManager.publicEvent	
(ExecutionEventManager.java:36)	an Excount of Events and agon public Events	
at com.kms.katalon.core.main.TestCas	eExecutor execute(TestCaseExecutor	
java:268)	02x000x0110x000x10(100x0002x000x101.	
	monExecutor.accessTestCaseMainPhase	
(CommonExecutor.java:65)	monexecuternasses resteasemann nase	
at com.kms.katalon.core.main.TestSuit	eExecutor accessTestSuiteMainPhase	
(TestSuiteExecutor.java:148)	CEXCOLOR. ACCOST CS COLICINAL III HASC	
	eExecutor.execute(TestSuiteExecutor.java:	
106)	oznovator. oncoutof restoutiez neoutor. java.	
	eMain.startTestSuite(TestCaseMain.java:	
180)	omani.start i estoure (i estoasemalli.java.	
	TompTostSuito1707394073100 groovs(:36)	
at java.base/jdk.internal.reflect.NativeM	TempTestSuite1707384973109.groovy:36)	
	iethouAccessorinipi.invoke0(Native	
Method)	lathand Annon and Invitation	
at java.base/jdk.internal.reflect.NativeM	ietnoaAccessorimpi.invoke	
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.Delegat	ingl/lethodAccessorImpl.invoke	
(DelegatingMethodAccessorImpl.java:43)	on.BrowserNotOpenedException: Browser	

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

#	Description	Elapsed	Status
	'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: unknown		
2	openBrowser("") Browser is opened with url: "	1.347s	PASSED
3	navigateToUrl("https://www.amazon.com/") Navigate to 'https://www.amazon.com/' successfully	1.985s	PASSED
4	maximizeWindow()	0.183s	PASSED

Current window maximized

#	Description	Elapsed	Status
5	click(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in"))	4.179s	PASSED
	Object: 'Object Repository/Amazon_Registration_OR/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in' is clicked on		
6	click(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Sign-In/a_Create your Amazon account"))	2.157s	PASSED
	Object: 'Object Repository/Amazon_Registration_OR/Page_Amazon Sign-In/a_Create your Amazon account' is clicked on		
7	setText(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_customerName"), "Manaswinii")	1.519s	PASSED
	Text 'Manaswinii' is set on object 'Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_customerName'		
8	setText(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_email"), "9538921857")	0.805s	PASSED
	Text '9538921857' is set on object 'Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_email'		
9	click(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Registration/span_US 1"))	0.553s	PASSED
	Object: 'Object Repository/Amazon_Registration_OR/Page_Amazon Registration/span_US 1' is clicked on		
10	click(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Registration/a_India 91"))	0.530s	PASSED
	Object: 'Object Repository/Amazon_Registration_OR/Page_Amazon Registration/a_India 91' is clicked on		
11	setEncryptedText(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_password"), "Q5QRRyq11LlvSbjJncbiLg==")	0.690s	PASSED
	Text ****** has been set on object 'Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_password'		

#	Description	Elapsed	Status
12	setEncryptedText(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_passwordCheck"), "Q5QRRyq11LlvSbjJncbiLg==") Text ****** has been set on object 'Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_passwordCheck'	0.589s	PASSED
13	click(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Registration/inputcontinue")) Object: 'Object Repository/Amazon_Registration_OR/Page_Amazon Registration/inputcontinue' is clicked on	2.072s	PASSED
14	closeBrowser() Browser is closed	0.201s	PASSED
15	Start listener action : sampleAfterTestCase	0.005s	PASSED

Browser is closed

Information

ID Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Sign In_002

Description

Tag

Start 08-02-2024 15:06:34 End 08-02-2024 15:06:55

Elapsed 21.295s Status PASSED

Details

D	Description	Elapsed	Status
5	Start listener action : sampleBeforeTestCase	0.055s	ERROR
_	com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
F	Repository/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:659) at Amazon_Search_TListenser.sampleBeforeTestCase		
(Amazon_Search_TListenser.groovy:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Ν	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
ja	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.ava:111)		
9	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)		
(at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 TestListenerCollector.java:88)		
Ì	at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
j	ava:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
1	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
1	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
	at TempTestSuite1707384973109.run(TempTestSuite1707384973109.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
N	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke DelegatingMethodAccessorImpl.java:43)		
٧	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
-	Build info: version: '3 141 59' revision: 'e82he7d358', time: '2018-11-14T08:25:53'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

Elapsed

Status

Description

	'amd64', os.version: '10.0', java.version: '17.0.7'		
	Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	java:552)		
	at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		
	19)		
	at org.openga.selenium.remote.RemoteWebDriver.findElements		
	(RemoteWebDriver.java:353)		
	at org.openga.selenium.remote.RemoteWebDriver.findElementsByXPath		
	(RemoteWebDriver.java:432)		
	at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElements		
	(RemoteWebDriver.java:311)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementByNormalMethods(WebUiCommonHelper.java:1025)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:915)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:897)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:892)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsByDefault(WebUiCommonHelper.java:888)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsWithSelfHealing(WebUiCommonHelper.java:734)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements		
	(WebUiCommonHelper.java:718)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1374)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	23 more		
•	D (III)	0.704	DAGGED
2	openBrowser("")	0.731s	PASSED
	Decrease is an exact with well it		
	Browser is opened with url: "		
3	navigateToUrl("https://www.amazon.com/")	3.081s	PASSED
3	navigate 100nt https://www.amazon.com/)	3.0018	LAGGED

Navigate to 'https://www.amazon.com/' successfully

#	Description	Elapsed	Status
4	maximizeWindow() Current window maximized	0.136s	PASSED
5	click(findTestObject("Object Repository/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in")) Object: 'Object Repository/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in' is clicked on	11.940s	PASSED
6	setText(findTestObject("Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/input_email"), "aavula.manaswini@gmail.com") Text 'aavula.manaswini@gmail.com' is set on object 'Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/input_email'	1.386s	PASSED
7	click(findTestObject("Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/inputcontinue")) Object: 'Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/inputcontinue' is clicked on	2.168s	PASSED
8	setEncryptedText(findTestObject("Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/input_password"), "1cxiDIZt/iCDemiTQt5m4Q==") Text ****** has been set on object 'Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/input_password'	1.110s	PASSED
9	click(findTestObject("Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/inputsignInSubmit")) Object: 'Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/inputsignInSubmit' is clicked on	0.423s	PASSED
10	closeBrowser() Browser is closed	0.208s	PASSED
11	Start listener action : sampleAfterTestCase Browser is closed	0.000s	PASSED

Information

ID Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Search_003

Description

Tag

Start 08-02-2024 15:06:55 End 08-02-2024 15:07:23

Elapsed 28.403s Status PASSED

Details

Descri	ption	Elapsed	Status
Start li	stener action : sampleBeforeTestCase	0.052s	ERRO
com kı	ms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
Repos	itory/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hello,		
sign in	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebL	JIKeywordMain.groovy:64)		
(Webl	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword JIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(Click	Keyword.groovy:40)		
execut	at com.kms.katalon.core.keyword.internal.KeywordExecutor. teKeywordForPlatform(KeywordExecutor.groovy:74)		
OXOGUI	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(Webl	JiBuiltInKeywords.groovy:659)		
	at Amazon_Search_TListenser.sampleBeforeTestCase		
(Amaz	on_Search_TListenser.groovy:32)		
Metho	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Wetho	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native	eMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Deleg	atingMethodAccessorImpl.java:43)		
java:1	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java. i	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95)			
	$at\ com. kms. katalon. core. context. internal. Test Hooker. invoke Context Methods$		
(TestH	looker.java:94)		
/Tootl	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestL	istenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.		
handle	ListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(Execu	utionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:20	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Comn	nonExecutor.java:65)		
(0011111	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestS	ruiteExecutor.java:148)		
	$at\ com.kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: the complex of the$		
106)			
100\	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)	at TempTestSuite1707384973109.run(TempTestSuite1707384973109.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Metho			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native	eMethodAccessorImpl.java:77)		
(D :	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	atingMethodAccessorImpl.java:43)		
	d by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using river after calling quit()?		
	nver alter calling quit():		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

# Description Elaps	osed	Status
'amd64', os.version: '10.0', java.version: '17.0.7'		
Driver info: driver.version: RemoteWebDriver		
at org.openqa.selenium.remote.HttpCommandExecutor.execute		
(HttpCommandExecutor.java:125)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
(DriverCommandExecutor.java:83)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
java:552)		
at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)		
at org.openqa.selenium.remote.RemoteWebDriver.findElements		
(RemoteWebDriver.java:353)		
at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath		
(RemoteWebDriver.java:432)		
at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)		
at org.openqa.selenium.remote.RemoteWebDriver.findElements		
(RemoteWebDriver.java:311)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementByNormalMethods(WebUiCommonHelper.java:1025)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsBySelectedMethod(WebUiCommonHelper.java:915)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsBySelectedMethod(WebUiCommonHelper.java:897)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsBySelectedMethod(WebUiCommonHelper.java:892)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsByDefault(WebUiCommonHelper.java:888)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
findElementsWithSelfHealing(WebUiCommonHelper.java:734)		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements		
(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
(WebUiCommonHelper.java:1374)		
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
findWebElement(WebUIAbstractKeyword.groovy:27)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
doCall(ClickKeyword.groovy:65)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
(ClickKeyword.groovy)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:20)		
23 more		
2 openBrowser("") 0.74	//2c	PASSED
2 Openbrowscit) U.74	743	I AGGED
Browser is opened with url: "		
Stotion to oponion man and		
3 navigateToUrl("https://www.amazon.com/") 2.26	67s	PASSED

Navigate to 'https://www.amazon.com/' successfully

#	Description	Elapsed	Status
4	maximizeWindow() Current window maximized	0.147s	PASSED
5	selectOptionByLabel(findTestObject("Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/Category Element"), "Books", false) All options with label 'Books' are selected in object 'Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/Category Element'	12.367s	PASSED
6	setText(findTestObject("Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), "Wings of Fire") Text 'Wings of Fire' is set on object 'Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/input_field-	1.447s	PASSED
7	click(findTestObject("Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button")) Object: 'Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button' is clicked on	11.012s	PASSED
8	closeBrowser() Browser is closed	0.232s	PASSED
9	Start listener action : sampleAfterTestCase Browser is closed	0.000s	PASSED

Information

ID Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Add to Cart_004

Description

Tag

Start 08-02-2024 15:07:23 End 08-02-2024 15:08:07

Elapsed 43.335s Status PASSED

Details

Description	Elapsed	Status
Start listener action : sampleBeforeTestCase	0.061s	ERRO
com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
Repository/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hell	0,	
sign in' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFaile	ed	
(WebUlKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyw (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)	rd.	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:659) at Amazon_Search_TListenser.sampleBeforeTestCase		
(Amazon_Search_TListenser.groovy:32)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooke	er.	
java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.jav 95)	/a:	
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPha	00	
(CommonExecutor.java:65)	.SE	
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)	21/0:	
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.ja 106)	ava.	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.jav	a:	
180) at TempTestSuite1707384973109.run(TempTestSuite1707384973109.groovy::	36)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native	30)	
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
WebDriver after calling quit()? Build info: version: '3 141 59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

Elapsed

Status

Description

Navigate to 'https://www.amazon.com/' successfully

	'amd64', os.version: '10.0', java.version: '17.0.7'		
	Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	java:552)		
	at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		
	19)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElements		
	(RemoteWebDriver.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath		
	(RemoteWebDriver.java:432)		
	at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElements		
	(RemoteWebDriver.java:311)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementByNormalMethods(WebUiCommonHelper.java:1025)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:915)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:897)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:892)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsByDefault(WebUiCommonHelper.java:888)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsWithSelfHealing(WebUiCommonHelper.java:734)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements		
	(WebUiCommonHelper.java:718)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1374)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:20)		
	23 more		
_	an an Drawa an (IIII)	0.704-	DACCED
2	openBrowser("")	0.704s	PASSED
	Browser is opened with url: "		
	browser is opened with this		
3	navigateToUrl("https://www.amazon.com/")	1.294s	PASSED
0	gate 1.551/ https://www.airazoin.com/	1.2010	. ACOLD

#	Description	Elapsed	Status
4	maximizeWindow() Current window maximized	0.121s	PASSED
5	selectOptionByLabel(findTestObject("Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/Category Element"), "Electronics", false) All options with label 'Electronics' are selected in object 'Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/Category Element'	14.924s	PASSED
6	setText(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), "Mouse") Text 'Mouse' is set on object 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com. Spend less. Smile more/input_field-keywords'	1.529s	PASSED
7	click(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button")) Object: 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button' is clicked on	13.332s	PASSED
3	click(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Mouse/span_Amazon Basics 2.4 Ghz Wireless Optical_dbf87c")) Object: 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Mouse/span_Amazon Basics 2.4 Ghz Wireless Optical_dbf87c' is clicked on	5.127s	PASSED
9	click(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/span_Quantity1")) Object: 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/span_Quantity1' is clicked on	0.939s	PASSED
10	click(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/a_5")) Object: 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/a_5' is clicked on	1.193s	PASSED

#	Description	Elapsed	Status
11	click(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/input_gift-wrap")) Object: 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/input_gift-wrap' is clicked on	1.369s	PASSED
12	click(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/input_submit.add-to-cart")) Object: 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/input_submit.add-to-cart' is clicked on	2.443s	PASSED
13	closeBrowser() Browser is closed	0.218s	PASSED
14	Start listener action : sampleAfterTestCase Browser is closed	0.000s	PASSED

Information

ID Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Orders_005

Description

Tag

Start 08-02-2024 15:08:07 End 08-02-2024 15:08:46

Elapsed 38.825s Status PASSED

Details

Descr	iption	Elapsed	Status
Start I	istener action : sampleBeforeTestCase	0.047s	ERROR
com k	ms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	sitory/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hello,		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed JIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword JIKeywordMain.groovy:26)		
groov	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	Keyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	teKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	JiBuiltInKeywords.groovy:659) at Amazon_Search_TListenser.sampleBeforeTestCase		
(Amaz	zon_Search_TListenser.groovy:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Metho	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nativ	eMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Dele	gatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:1	11)		
95)	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
TestH	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods Hooker.java:94)		
(TestL	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 .istenerCollector.java:88)		
handle	at com.kms.katalon.core.context.internal.TestListenerCollector. eListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent utionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:2	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Com	nonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestS	SuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)			
	at TempTestSuite1707384973109.run(TempTestSuite1707384973109.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Metho	nd) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nativ	eMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	gatingMethodAccessorImpl.java:43)		
WebD	ed by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using priver after calling quit()?		
A 5 C	info: version: '3 141 59', revision: 'e82he7d358', time: '2018-11-14T08:25:53'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

#	Description	Elapsed	Status
	'amd64', os.version: '10.0', java.version: '17.0.7'		
	Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83)		
	$at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$		
	java:552)		
	at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		
	19)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElements		
	(RemoteWebDriver.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)		
	at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElements		
	(RemoteWebDriver.java:311)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementByNormalMethods(WebUiCommonHelper.java:1025)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:915)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:897)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:892)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsByDefault(WebUiCommonHelper.java:888)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements		
	(WebUiCommonHelper.java:718)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1374)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	23 more		
2	openBrowser("")	0.771s	PASSED
	Browser is opened with url: "		
3	navigateToUrl("https://www.amazon.com/")	1.448s	PASSED
Ü	g		

Navigate to 'https://www.amazon.com/' successfully

#	Description	Elapsed	Status
4	click(findTestObject("Object Repository/Amazon_Orders_OR/Page_Amazon.com. Spend less. Smile more/span_nav-cart-icon nav-sprite")) Object: 'Object Repository/Amazon_Orders_OR/Page_Amazon.com. Spend less. Smile more/span_nav-cart-icon nav-sprite' is clicked on	13.826s	PASSED
5	click(findTestObject("Object Repository/Amazon_Orders_OR/Page_Amazon.com Shopping Cart/span_Sign in to your account")) Object: 'Object Repository/Amazon_Orders_OR/Page_Amazon.com Shopping Cart/span_Sign in to your account' is clicked on	3.279s	PASSED
6	setText(findTestObject("Object Repository/Amazon_Orders_OR/Page_Amazon Sign-In/input_email"), "aavula.manaswini@gmail.com") Text 'aavula.manaswini@gmail.com' is set on object 'Object Repository/Amazon_Orders_OR/Page_Amazon Sign-In/input_email'	1.175s	PASSED
7	click(findTestObject("Object Repository/Amazon_Orders_OR/Page_Amazon Sign-In/inputcontinue")) Object: 'Object Repository/Amazon_Orders_OR/Page_Amazon Sign-In/inputcontinue' is clicked on	7.729s	PASSED
8	setEncryptedText(findTestObject("Object Repository/Amazon_Orders_OR/Page_Amazon Sign-In/input_password"), "1cxiDIZt/iCDemiTQt5m4Q==") Text ****** has been set on object 'Object Repository/Amazon_Orders_OR/Page_Amazon Sign-In/input_password'	0.620s	PASSED
9	click(findTestObject("Object Repository/Amazon_Orders_OR/Page_Amazon Sign-In/inputsignInSubmit")) Object: 'Object Repository/Amazon_Orders_OR/Page_Amazon Sign-In/inputsignInSubmit' is clicked on	3.676s	PASSED
10	click(findTestObject("Object Repository/Amazon_Orders_OR/Page_Amazon.com Shopping Cart/input_proceedToRetailCheckout")) Object: 'Object Repository/Amazon_Orders_OR/Page_Amazon.com Shopping Cart/input_proceedToRetailCheckout' is clicked on	5.957s	PASSED

#	Description	Elapsed	Status
11	closeBrowser()	0.223s	PASSED
	Browser is closed		
12	Start listener action : sampleAfterTestCase	0.006s	PASSED
	Browser is closed		