## CheckPoints\_Testsuite

### **Execution Environment**

Host name Neha Dangwal - LAPTOP-BLBKQ6JG

Local OS Windows 11 64bit

Katalon version 9.1.0.212

Browser Chrome 121.0.0.0

Summary

ID Test Suites/CheckPoints/CheckPoints\_Testsuite

Description

Total 2

Passed 2 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 06-02-2024 09:03:21 End 06-02-2024 09:03:46

Elapsed 25.135s

#	ID	Description	Status
1	Test Cases/CheckPoints/AppointmentConfirmation_Testdata_Che ckPoint		PASSED
2	Test Cases/CheckPoints/CheckPoint_Excel_001		PASSED

### Information

 ${\sf ID} \qquad \qquad {\sf Test \ Cases/CheckPoints/AppointmentConfirmation\_Test data\_CheckPoint}$ 

Description

Tag

Start 06-02-2024 09:03:21 End 06-02-2024 09:03:41

Elapsed 20.061s
Status PASSED

#### **Details**

# Description Elapsed Status

		Elapsed	Statu
St	art listener action : sampleBeforeTestCase	0.670s	ERRO
	m.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	epository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/i_CURA		
He	ealthcare_fa fa-bars'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(V	/ebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(V	/ebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
gr	oovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(C	lickKeyword.groovy:40)		
()	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
AV	ecuteKeywordForPlatform(KeywordExecutor.groovy:74)		
CX	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
/\ A			
(V)	/ebUiBuiltInKeywords.groovy:659)		
	at Appointmentconfirmation_Tl.sampleBeforeTestCase		
(A	ppointmentconfirmation_TI.groovy:34)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Me	ethod)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(N	ativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(D	elegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
iav	va:111)		
,	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95			
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
<b>(</b> T	estHooker.java:94)		
(1	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
<b>/</b> T	estListenerCollector.java:88)		
(1	at com.kms.katalon.core.context.internal.TestListenerCollector.		
bo	andleListenerEvent(TestListenerCollector.java:85)		
па			
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(E	xecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
jαν	/a:268)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(C	ommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(T	estSuiteExecutor.java:148)		
•	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
10			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
18			
10	at TempTestSuite1707190394610.run(TempTestSuite1707190394610.groovy:36)		
N /	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
IVI	ethod)		
_	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(N	ativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	elegatingMethodAccessorImpl.java:43)		
	aused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'LAPTOP-BLBKQ6JG', ip: '192.168.101.74', os.name: 'Windows 11', os.

#	Description	Elapsed	Status
	arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: unknown		
2	openBrowser("")  Browser is opened with url: "	2.250s	PASSED
3	navigateToUrl("http://katalon-demo-cura.herokuapp.com/")  Navigate to 'http://katalon-demo-cura.herokuapp.com/' successfully	4.708s	PASSED
4	click(findTestObject("Cura_HealthcareServices_OR/Page_CURA Healthcare Service/i_CURA Healthcare_fa fa-bars"))  Object: 'Object Repository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/i_CURA Healthcare_fa fa-bars' is clicked on	0.591s	PASSED

#	Description	Elapsed	Status
5	click(findTestObject("Cura_HealthcareServices_OR/Page_CURA Healthcare Service/a_Login"))  Object: 'Object Repository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/a_Login' is clicked on	1.219s	PASSED
6	setText(findTestObject("Cura_HealthcareServices_OR/Page_CURA Healthcare Service/input_Username_username"), "John Doe")  Text 'John Doe' is set on object 'Object Repository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/input_Username_username'	1.015s	PASSED
7	setText(findTestObject("Cura_HealthcareServices_OR/Page_CURA Healthcare Service/input_Password_password"), "ThisIsNotAPassword")  Text 'ThisIsNotAPassword' is set on object 'Object Repository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/input_Password_password'	0.962s	PASSED
8	click(findTestObject("Cura_HealthcareServices_OR/Page_CURA Healthcare Service/button_Login"))  Object: 'Object Repository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/button_Login' is clicked on	1.138s	PASSED
9	click(findTestObject("Cura_HealthcareServices_OR/Page_CURA Healthcare Service/a_Make Appointment"))  Object: 'Object Repository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/a_Make Appointment' is clicked on	0.764s	PASSED
10	selectOptionByValue(findTestObject("Cura_HealthcareServices_OR/Page_CURA Healthcare Service/Facility"), "Tokyo CURA Healthcare Center", true)  All options with value 'Tokyo CURA Healthcare Center' are selected in object 'Object Repository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/Facility' using regular expression	1.414s	PASSED
11	com.aq.test.CustomFunctions.CheckDropDownListElementExist(findTestObject("Cura_Heal thcareServices_OR/Page_CURA Healthcare Service/Facility"), "Tokyo CURA Healthcare Center")	1.039s	PASSED

 $com.aq.test. Custom Functions. Check Drop Down List Element Exist is \ PASSED$ 

#	Description	Elapsed	Status
12	check(findTestObject("Cura_HealthcareServices_OR/Page_CURA Healthcare Service/input_Apply for hospital readmission_hospital_readmission"))  Object 'Object Repository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/input_Apply for hospital readmission_hospital_readmission' is checked	0.555s	PASSED
13	setText(findTestObject("Cura_HealthcareServices_OR/Page_CURA Healthcare Service/input_Visit Date (Required)_visit_date"), "31/01/2024")  Text '31/01/2024' is set on object 'Object Repository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/input_Visit Date (Required)_visit_date'	1.162s	PASSED
14	setText(findTestObject("Cura_HealthcareServices_OR/Page_CURA Healthcare Service/textarea_Comment_comment"), "This is a Comment")  Text 'This is a Comment' is set on object 'Object Repository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/textarea_Comment_comment'	0.960s	PASSED
15	click(findTestObject("Cura_HealthcareServices_OR/Page_CURA Healthcare Service/button_Book Appointment"))  Object: 'Object Repository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/button_Book Appointment' is clicked on	0.834s	PASSED
16	verifyCheckpoint(findCheckpoint("Checkpoints/CheckPoint_InternalData/AppointmentConfirmation_Checkpoint"), true)  Checkpoint data and Source data are matched	0.108s	PASSED
17	closeBrowser()	0.376s	PASSED

Browser is closed

#	Description	Elapsed	Status
8	Start listener action : sampleAfterTestCase	0.101s	ERROR
	com kma katalan aara ayaantian StanFailadEyaantian Unahla ta aliak an ahiaat lOhiaat		
	com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	Repository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/i_CURA		
	Healthcare_fa fa-bars'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:659)		
	at Appointmentconfirmation_Tl.sampleAfterTestCase		
	(Appointmentconfirmation_Tl.groovy:53)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
	java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
	95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
	(ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:315)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1707190394610.run(TempTestSuite1707190394610.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'LAPTOP-BLBKQ6JG', ip: '192.168.101.74', os.name: 'Windows 11', os.		
	6,01011.1110.11001. LAT 101 DEDITEO00, ip. 102.1101.174, 03.1101116. Williams 11,05.		

Description Elapsed Status arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)  $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$ java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)  $at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements$ (WebUiCommonHelper.java:718)  $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1. doCall(ClickKeyword.groovy:65)  $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call$ (ClickKeyword.groovy)  $at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword$ (WebUlKeywordMain.groovy:20) ... 23 more

### Information

ID Test Cases/CheckPoints/CheckPoint\_Excel\_001

Description

Tag

Start 06-02-2024 09:03:41 End 06-02-2024 09:03:43

Elapsed 1.695s Status PASSED

#### **Details**

# Description Elapsed Status

Description	Florend	Status
Description	Elapsed	Status
Start listener action : sampleBeforeTestCase	0.083s	ERROF
com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object	ot	
Repository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/i_CURA		
Healthcare_fa fa-bars'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFa	ailed	
(WebUIKeywordMain.groovy:64)	anoa	
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKe	evword	
(WebUIKeywordMain.groovy:26)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKey	word.	
groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:659)		
at Appointmentconfirmation_TI.sampleBeforeTestCase		
(Appointmentconfirmation_TI.groovy:34)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)	al.a.	
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.invokem.in	OKEI.	
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker	· iava·	
95)	.java.	
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods	3	
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEve	ent	
(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor	or.	
java:268)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainP	Phase	
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhas	se	
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecuto	n.java:	
106)	iovo:	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.	java.	
180)	va/:26)	
at TempTestSuite1707190394610.run(TempTestSuite1707190394610.groon at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native	vy.50 <i>)</i>	
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
WebDriver after calling quit()?		
Ruild info: version: '3.1/1.50', revision: 'e82he7d358', time: '2018-11-1/T08:25:53'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'LAPTOP-BLBKQ6JG', ip: '192.168.101.74', os.name: 'Windows 11', os.

Description Elapsed Status arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBvSelectedMethod(WebUiCommonHelper.iava:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)  $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call (ClickKeyword.groovy)  $at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword$ (WebUlKeywordMain.groovy:20) ... 23 more

2 verifyCheckpoint(findCheckpoint("Checkpoints/CheckPoint\_Excel/Checkpoint\_Excel\_001"), false)

1.397s

PASSED

Checkpoint data and Source data are matched

Das	porintion	Elopsed	Ctotus
Des	scription	Elapsed	Status
Sta	rt listener action : sampleAfterTestCase	0.095s	ERROF
con	n.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	pository/Cura_HealthcareServices_OR/Page_CURA Healthcare Service/i_CURA		
	althcare_fa fa-bars'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(We	ebUIKeywordMain.groovy:64)		
(***	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(We	ebUIKeywordMain.groovy:26)		
(***	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
aro	ovy:74)		
3	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(Cli	ckKeyword.groovy:40)		
•	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
exe	cuteKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(We	ebUiBuiltInKeywords.groovy:659)		
	at Appointmentconfirmation_TI.sampleAfterTestCase		
(Ap	pointmentconfirmation_Tl.groovy:53)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Me	thod)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Na	tiveMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(De	legatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java	a:111)		
05)	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95)	at any less letteles and antiqui internal Toothlesker involve Contact Mathada		
/T-	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(те	stHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(To	stListenerCollector.java:88)		
(16	at com.kms.katalon.core.context.internal.TestListenerCollector.		
har	adleListenerEvent(TestListenerCollector.java:85)		
Hai	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(Ex	ecutionEventManager.java:36)		
( - 1	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
iava	a:315)		
]	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Cc	mmonExecutor.java:65)		
`	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Te	stSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180			
	at TempTestSuite1707190394610.run(TempTestSuite1707190394610.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Me	thod)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Na	tiveMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	elegatingMethodAccessorImpl.java:43)		
	used by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
We	bDriver after calling quit()?		
Rui	ld info: version: '3 1/1 50', revision: 'e82he7d358', time: '2018-11-1/T08:25:53'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'LAPTOP-BLBKQ6JG', ip: '192.168.101.74', os.name: 'Windows 11', os.

Elapsed

Status

Description arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)  $at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath$ (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBvSelectedMethod(WebUiCommonHelper.iava:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)  $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call (ClickKeyword.groovy)  $at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword$ 

(WebUIKeywordMain.groovy:20)
... 23 more