## Amazon\_Test Suite

### **Execution Environment**

Host name Hp - 10.1.85.128 Local OS Windows 11 64bit

Katalon version 9.2.0.212

Browser Chrome 121.0.0.0

Summary

ID Test Suites/Amazon\_Validation/Amazon\_Test Suite

Description

Total 5

Passed 5 Failed 0 Error 0 Incomplete 0

Skipped 0

Start 08-02-2024 19:36:56 End 08-02-2024 19:41:27

Elapsed 4m - 30.526s

| # | ID   | Description | Status |
|---|--|-------------|--------|
| 1 | Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Registration_001 |             | PASSED |
| 2 | Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Sign In_002      |             | PASSED |
| 3 | Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Search_003       |             | PASSED |
| 4 | Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Add to Cart_004  |             | PASSED |
| 5 | Test Cases/TC_Amazon_Validation/All Test Cases Validation/TC_Amazon_Orders_005       |             | PASSED |

Information

ID Test Cases/TC\_Amazon\_Validation/All Test Cases Validation/TC\_Amazon\_Registration\_001

Description

Tag

Start 08-02-2024 19:36:57 End 08-02-2024 19:37:37

Elapsed 39.638s Status PASSED

**Details** 

| Description  |   | Elapsed | Statu |
|--|---|---------|-------|
| •  | r action : sampleBeforeTestCase   | 0.847s  | ERRO  |
| com kms ka   | talon.core.exception.StepFailedException: Unable to click on object 'Object         |         |       |
|  | Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hello,               |         |       |
| sign in'   | whaten_orgin in_orgin ago_, whaten, oom. opena loos. online more opan_noise,        |         |       |
| _  | com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed             |         |       |
|  | wordMain.groovy:64)   |         |       |
|  | com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword             |         |       |
|  | wordMain.groovy:26)   |         |       |
|  | com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.         |         |       |
| groovy:74)   |   |         |       |
|  | com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute                     |         |       |
|  | ord.groovy:40)  |         |       |
| a  | com.kms.katalon.core.keyword.internal.KeywordExecutor.                              |         |       |
| executeKey   | wordForPlatform(KeywordExecutor.groovy:74)  |         |       |
| a  | com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click                       |         |       |
|  | InKeywords.groovy:659)  |         |       |
| a  | Amazon_Search_TListenser.sampleBeforeTestCase                                       |         |       |
| (Amazon_S  | earch_TListenser.groovy:32)   |         |       |
|  | java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native              |         |       |
| Method)  |   |         |       |
|  | java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke                      |         |       |
|  | nodAccessorImpl.java:77)  |         |       |
|  | java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke                  |         |       |
|  | MethodAccessorImpl.java:43)   |         |       |
|  | com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.           |         |       |
| java:111)  | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   |         |       |
|  | com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:         |         |       |
| 95)  | com kma katalan gara contayt internal Tooth looker invakaCentaytMathada             |         |       |
|  | com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods               |         |       |
| (TestHooke   | r.java.94)<br>com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 |         |       |
|  | erCollector.java:88)  |         |       |
| N Company of the Comp | com.kms.katalon.core.context.internal.TestListenerCollector.                        |         |       |
|  | nerEvent(TestListenerCollector.java:85)   |         |       |
|  | com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent             |         |       |
|  | iventManager.java:36)   |         |       |
|  | com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                |         |       |
| java:268)  |   |         |       |
|  | com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase                  |         |       |
|  | xecutor.java:65)  |         |       |
|  | com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase                |         |       |
| (TestSuiteE  | xecutor.java:148)   |         |       |
| a  | com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:         |         |       |
| 106)   |   |         |       |
| a  | com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:            |         |       |
| 180)   |   |         |       |
|  | TempTestSuite1707401209429.run(TempTestSuite1707401209429.groovy:36)                |         |       |
|  | java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native              |         |       |
| Method)  |   |         |       |
|  | java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke                      |         |       |
| (NativeMeth  | nodAccessorImpl.java:77)  |         |       |
|  | java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke                  |         |       |
|  | MethodAccessorImpl.java:43)   |         |       |
| O 11   | com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser             |         |       |

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | arch: 'amd64', os.version: '10.0', java.version: '17.0.7'  Driver info: driver.version: unknown  |         |        |
|   | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.                     |         |        |
|   | java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper.  |         |        |
|   | findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper.  |         |        |
|   | findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)                              |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.  doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call |         |        |
|   | (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword   |         |        |
|   | (WebUlKeywordMain.groovy:20) 23 more   |         |        |
|   |  |         |        |
| 2 | openBrowser("")  | 2.524s  | PASSED |
|   | Browser is opened with url: "  |         |        |
| 3 | navigateToUrl("https://www.amazon.com/")   | 2.228s  | PASSED |
|   | Navigate to 'https://www.amazon.com/' successfully   |         |        |
| 4 | maximizeWindow()   | 1.521s  | PASSED |

Current window maximized

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 5  | click(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in"))  Object: 'Object Repository/Amazon_Registration_OR/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in' is clicked on | 22.392s | PASSED |
| 6  | click(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Sign-In/a_Create your Amazon account"))  Object: 'Object Repository/Amazon_Registration_OR/Page_Amazon Sign-In/a_Create your Amazon account' is clicked on                       | 2.852s  | PASSED |
| 7  | setText(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_customerName"), "Ananyaa")  Text 'Ananyaa' is set on object 'Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_customerName'          | 1.480s  | PASSED |
| 8  | setText(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_email"), "9014878952")  Text '9014878952' is set on object 'Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_email'                  | 0.988s  | PASSED |
| 9  | click(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon<br>Registration/span_US 1"))  Object: 'Object Repository/Amazon_Registration_OR/Page_Amazon Registration/span_US 1' is clicked on  | 0.695s  | PASSED |
| 10 | click(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Registration/a_India 91"))  Object: 'Object Repository/Amazon_Registration_OR/Page_Amazon Registration/a_India 91' is clicked on   | 0.739s  | PASSED |
| 11 | setEncryptedText(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_password"), "mzyaE/+vhqw=")  Text ****** has been set on object 'Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_password' | 0.861s  | PASSED |

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 12 | setEncryptedText(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_passwordCheck"), "mzyaE/+vhqw=")  Text ***** has been set on object 'Object Repository/Amazon_Registration_OR/Page_Amazon Registration/input_passwordCheck' | 0.876s  | PASSED |
| 13 | click(findTestObject("Object Repository/Amazon_Registration_OR/Page_Amazon<br>Registration/inputcontinue"))  Object: 'Object Repository/Amazon_Registration_OR/Page_Amazon<br>Registration/inputcontinue' is clicked on  | 0.767s  | PASSED |
| 14 | closeBrowser()  Browser is closed  | 0.464s  | PASSED |
| 15 | Start listener action : sampleAfterTestCase  | 0.008s  | PASSED |

Browser is closed

### Information

ID Test Cases/TC\_Amazon\_Validation/All Test Cases Validation/TC\_Amazon\_Sign In\_002

Description

Tag

Start 08-02-2024 19:37:37 End 08-02-2024 19:38:09

Elapsed 32.102s Status PASSED

#### **Details**

| Desc        | ription   | Elapsed | Status |
|-------------|---|---------|--------|
|             | listener action : sampleBeforeTestCase  | 0.103s  | ERROF  |
| Otari       | notion added . dample potent rected add   | 0.1000  | Littoi |
|             | kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object           |         |        |
| Repo        | sitory/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hello,                |         |        |
| sign        | in'   |         |        |
|             | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed                  |         |        |
| (Web        | oUIKeywordMain.groovy:64)   |         |        |
|             | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword                  |         |        |
| (Web        | oUIKeywordMain.groovy:26)   |         |        |
|             | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.              |         |        |
| groo        | /y:74)  |         |        |
|             | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute                          |         |        |
| (Clic       | kKeyword.groovy:40)   |         |        |
|             | at com.kms.katalon.core.keyword.internal.KeywordExecutor.                                   |         |        |
| exec        | uteKeywordForPlatform(KeywordExecutor.groovy:74)  |         |        |
|             | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click                            |         |        |
| (Web        | UiBuiltInKeywords.groovy:659)   |         |        |
|             | at Amazon_Search_TListenser.sampleBeforeTestCase  |         |        |
| (Ama        | izon_Search_TListenser.groovy:32)   |         |        |
|             | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native                   |         |        |
| Meth        | od)   |         |        |
|             | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke                           |         |        |
| (Nati       | veMethodAccessorImpl.java:77)   |         |        |
|             | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke                       |         |        |
| (Dele       | egatingMethodAccessorImpl.java:43)  |         |        |
|             | $at\ com. kms. katalon. core. context. internal. Test Hooker. invoke Method (Test Hooker.)$ |         |        |
| java:       |   |         |        |
|             | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:              |         |        |
| 95)         |   |         |        |
| _           | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods                    |         |        |
| (Tes        | Hooker.java:94)   |         |        |
| <del></del> | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3                    |         |        |
| (Tes        | ListenerCollector.java:88)  |         |        |
|             | at com.kms.katalon.core.context.internal.TestListenerCollector.                             |         |        |
| hand        | leListenerEvent(TestListenerCollector.java:85)  |         |        |
| <b>/</b> -  | at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent                  |         |        |
| (Exe        | cutionEventManager.java:36)   |         |        |
| iovo        | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                     |         |        |
| java:       | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase                       |         |        |
| (Con        | nmonExecutor.java:65)   |         |        |
| (Con        | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase                     |         |        |
| (Toe        | SuiteExecutor.java:148)   |         |        |
| (163        | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:              |         |        |
| 106)        | at com.nms.nataiom.core.main.restoutieExecutor.execute(1estoutieExecutor.java.              |         |        |
| 100)        | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:                 |         |        |
| 180)        | at committee. Ratalon. core. main. restease infant. start resteate (restease infant. java.  |         |        |
| 100)        | at TempTestSuite1707401209429.run(TempTestSuite1707401209429.groovy:36)                     |         |        |
|             | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native                   |         |        |
| Meth        |   |         |        |
|             | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke                           |         |        |
| (Nati       | veMethodAccessorImpl.java:77)   |         |        |
| (           | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke                       |         |        |
| (Dele       | egatingMethodAccessorImpl.java:43)  |         |        |
|             | ed by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using                |         |        |
|             | Driver after calling quit()?  |         |        |
|             | info: varsion: '3 1/1 50', ravision: 'a82ha7d358', tima: '2018-11-1/1708:25:53'             |         |        |

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | arch: 'amd64', os.version: '10.0', java.version: '17.0.7'   |         |        |
|   | Driver info: driver.version: RemoteWebDriver  |         |        |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)                                |         |        |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute   |         |        |
|   | (DriverCommandExecutor.java:83)   |         |        |
|   | $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$                                   |         |        |
|   | java:552)   |         |        |
|   | at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:  |         |        |
|   | 19)   |         |        |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElements  |         |        |
|   | (RemoteWebDriver.java:353)  |         |        |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath   |         |        |
|   | (RemoteWebDriver.java:432)  |         |        |
|   | at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements |         |        |
|   | (RemoteWebDriver.java:311)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementByNormalMethods(WebUiCommonHelper.java:1025)   |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementsBySelectedMethod(WebUiCommonHelper.java:915)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementsBySelectedMethod(WebUiCommonHelper.java:897)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementsBySelectedMethod(WebUiCommonHelper.java:892)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementsByDefault(WebUiCommonHelper.java:888)   |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementsWithSelfHealing(WebUiCommonHelper.java:734)   |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements  |         |        |
|   | (WebUiCommonHelper.java:718)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement   |         |        |
|   | (WebUiCommonHelper.java:1374)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.  |         |        |
|   | findWebElement(WebUIAbstractKeyword.groovy:27)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.  |         |        |
|   | doCall(ClickKeyword.groovy:65)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call  |         |        |
|   | (ClickKeyword.groovy)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  |         |        |
|   | (WebUlKeywordMain.groovy:20) 23 more  |         |        |
|   | 20 III016   |         |        |
|   |   |         |        |
|   |   |         |        |
|   |   |         |        |
| 2 | openBrowser("")   | 1.487s  | PASSED |
|   |   |         |        |
|   | Browser is opened with url: "   |         |        |
|   |   |         |        |
|   |   |         |        |
| 3 | navigatoToLlrl/"https://www.amazon.com/"\   | 3.806s  | PASSED |
| 3 | navigateToUrl("https://www.amazon.com/")  | 3.0008  | FASSED |

Navigate to 'https://www.amazon.com/' successfully

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 4  | maximizeWindow()  Current window maximized   | 0.194s  | PASSED |
| 5  | click(findTestObject("Object Repository/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in"))  Object: 'Object Repository/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in' is clicked on      | 18.934s | PASSED |
| 6  | setText(findTestObject("Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/input_email"), "ananya.annikutti@gmail.com")  Text 'ananya.annikutti@gmail.com' is set on object 'Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/input_email' | 1.288s  | PASSED |
| 7  | click(findTestObject("Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/inputcontinue"))  Object: 'Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/inputcontinue' is clicked on  | 3.740s  | PASSED |
| 8  | setEncryptedText(findTestObject("Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/input_password"), "2E5ui8+TMvX+rRf2OIDVAQ==")  Text ****** has been set on object 'Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/input_password'    | 1.307s  | PASSED |
| 9  | click(findTestObject("Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/inputsignInSubmit"))  Object: 'Object Repository/Amazon_Sign In_OR/Page_Amazon Sign-In/inputsignInSubmit' is clicked on  | 0.630s  | PASSED |
| 10 | closeBrowser() Browser is closed   | 0.398s  | PASSED |
| 11 | Start listener action : sampleAfterTestCase  Browser is closed   | 0.009s  | PASSED |

### Information

ID Test Cases/TC\_Amazon\_Validation/All Test Cases Validation/TC\_Amazon\_Search\_003

Description

Tag

Start 08-02-2024 19:38:09 End 08-02-2024 19:38:52

Elapsed 43.557s Status PASSED

#### **Details**

| Description  | Elapsed      | Stat |
|--|--------------|------|
| Start listener action : sampleBeforeTestCase   | 0.192s       | ERR  |
| som kma katalan aara ayaantian StanFailadEyaantian Ubahla ta aliak an ahiaat 'Ohiaa  |              |      |
| com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object  |              |      |
| Repository/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hesion in less.  | ello,        |      |
| sign in'   |              |      |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFa   | ailed        |      |
| (WebUIKeywordMain.groovy:64)   |              |      |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKey   | yword        |      |
| (WebUIKeywordMain.groovy:26)   |              |      |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.clickKeyword.builtin.ClickKeyword.clickKeyword.clickKeyword.clickKeyword.builtin.ClickKeyword.clickKey | vord.        |      |
| groovy:74)   |              |      |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute   |              |      |
| (ClickKeyword.groovy:40)   |              |      |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor.  |              |      |
| executeKeywordForPlatform(KeywordExecutor.groovy:74)   |              |      |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click   |              |      |
| (WebUiBuiltInKeywords.groovy:659)  |              |      |
| at Amazon_Search_TListenser.sampleBeforeTestCase   |              |      |
| (Amazon_Search_TListenser.groovy:32)   |              |      |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  |              |      |
| Method)  |              |      |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  |              |      |
| (NativeMethodAccessorImpl.java:77)   |              |      |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  |              |      |
| (DelegatingMethodAccessorImpl.java:43)   |              |      |
| at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHoo   | ker.         |      |
| java:111)  |              |      |
| at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.j   | iava:        |      |
| 95)  | J-1-1        |      |
| at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods   |              |      |
| (TestHooker.java:94)   |              |      |
| at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3   |              |      |
| (TestListenerCollector.java:88)  |              |      |
| at com.kms.katalon.core.context.internal.TestListenerCollector.  |              |      |
| handleListenerEvent(TestListenerCollector.java:85)   |              |      |
| at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEver  | nt           |      |
| (ExecutionEventManager.java:36)  |              |      |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor   | r            |      |
| java:268)  |              |      |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPl   | hasa         |      |
| (CommonExecutor.java:65)   | nasc         |      |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  | 0            |      |
| (TestSuiteExecutor.java:148)   | <del>C</del> |      |
|  | riovo        |      |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor   | i.java.      |      |
| 106)   |              |      |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.ja   | ava:         |      |
| 180)   | 0.0)         |      |
| at TempTestSuite1707401209429.run(TempTestSuite1707401209429.groov   | y:36)        |      |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  |              |      |
| Method)  |              |      |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  |              |      |
| (NativeMethodAccessorImpl.java:77)   |              |      |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  |              |      |
| (DelegatingMethodAccessorImpl.java:43)   |              |      |
| Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using   |              |      |
| WebDriver after calling quit()?  |              |      |
| Build info: version: '3 1/1 50', revision: 'a82ha7d358', time: '2018-11-1/1708:25:53'  |              |      |

Elapsed

Status

Description

|   | arch: 'amd64', os.version: '10.0', java.version: '17.0.7'   |        |        |
|---|---|--------|--------|
|   | Driver info: driver.version: RemoteWebDriver  |        |        |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute   |        |        |
|   | (HttpCommandExecutor.java:125)  |        |        |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute   |        |        |
|   | (DriverCommandExecutor.java:83)   |        |        |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.  |        |        |
|   | java:552)   |        |        |
|   | at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:                                    |        |        |
|   | 19)   |        |        |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElements  |        |        |
|   | (RemoteWebDriver.java:353)  |        |        |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath   |        |        |
|   | (RemoteWebDriver.java:432)  |        |        |
|   | at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)  |        |        |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElements  |        |        |
|   | (RemoteWebDriver.java:311)  |        |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |        |        |
|   | findElementByNormalMethods(WebUiCommonHelper.java:1025)   |        |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |        |        |
|   | findElementsBySelectedMethod(WebUiCommonHelper.java:915)  |        |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |        |        |
|   | findElementsBySelectedMethod(WebUiCommonHelper.java:897)  |        |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |        |        |
|   | findElementsBySelectedMethod(WebUiCommonHelper.java:892)  |        |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |        |        |
|   | findElementsByDefault(WebUiCommonHelper.java:888)   |        |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |        |        |
|   | findElementsWithSelfHealing(WebUiCommonHelper.java:734)   |        |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements  |        |        |
|   | (WebUiCommonHelper.java:718)  |        |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement   |        |        |
|   | (WebUiCommonHelper.java:1374)   |        |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.  |        |        |
|   | findWebElement(WebUIAbstractKeyword.groovy:27)  |        |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.                                    |        |        |
|   | doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call |        |        |
|   | (ClickKeyword.groovy)   |        |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword                                      |        |        |
|   | (WebUIKeywordMain.groovy:20)  |        |        |
|   | 23 more   |        |        |
|   | 25 111016   |        |        |
|   |   |        |        |
|   |   |        |        |
|   |   |        |        |
| 2 | openBrowser("")   | 1.656s | PASSED |
|   |   |        |        |
|   | Browser is opened with url: "   |        |        |
|   |   |        |        |
|   |   |        |        |
| _ | · T 111/01 (c . //  | F 000  | DAGGET |
| 3 | navigateToUrl("https://www.amazon.com/")  | 5.038s | PASSED |

Navigate to 'https://www.amazon.com/' successfully

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 4 | maximizeWindow()  Current window maximized  | 0.151s  | PASSED |
| 5 | selectOptionByLabel(findTestObject("Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/category element"), "Electronics", false)  All options with label 'Electronics' are selected in object 'Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/category element' | 21.657s | PASSED |
| 6 | setText(findTestObject("Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), "Watches")  Text 'Watches' is set on object 'Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/input_field-keywords'  | 2.243s  | PASSED |
| 7 | click(findTestObject("Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button"))  Object: 'Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button' is clicked on   | 11.753s | PASSED |
| 8 | closeBrowser() Browser is closed  | 0.403s  | PASSED |
| 9 | Start listener action : sampleAfterTestCase  Browser is closed  | 0.008s  | PASSED |

### Information

ID Test Cases/TC\_Amazon\_Validation/All Test Cases Validation/TC\_Amazon\_Add to Cart\_004

Description

Tag

Start 08-02-2024 19:38:52 End 08-02-2024 19:40:08

Elapsed 1m - 15.457s

Status PASSED

#### **Details**

| Descri    | ption  | Elapsed | Status |
|-----------|--|---------|--------|
| Start lis | stener action : sampleBeforeTestCase   | 0.113s  | ERRO   |
| com kr    | ns.katalon.core.exception.StepFailedException: Unable to click on object 'Object |         |        |
|           | itory/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hello,      |         |        |
| sign in   |  |         |        |
| Sigit iii | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed       |         |        |
| (\Mobil   | IlKeywordMain.groovy:64)   |         |        |
| (WebC     | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword       |         |        |
| (\Mobil   | IlKeywordMain.groovy:26)   |         |        |
| (webc     | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.   |         |        |
| aroova    |  |         |        |
| groovy    |  |         |        |
| (Olivial) | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute               |         |        |
| (Clickr   | Keyword.groovy:40)   |         |        |
|           | at com.kms.katalon.core.keyword.internal.KeywordExecutor.                        |         |        |
| execut    | eKeywordForPlatform(KeywordExecutor.groovy:74)                                   |         |        |
| 0.47 1.1  | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click                 |         |        |
| (WebL     | liBuiltInKeywords.groovy:659)  |         |        |
|           | at Amazon_Search_TListenser.sampleBeforeTestCase                                 |         |        |
| (Amaz     | on_Search_TListenser.groovy:32)  |         |        |
|           | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native        |         |        |
| Metho     |  |         |        |
|           | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke                |         |        |
| (Native   | eMethodAccessorImpl.java:77)   |         |        |
|           | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke            |         |        |
| (Deleg    | atingMethodAccessorImpl.java:43)   |         |        |
|           | at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.     |         |        |
| java:11   |  |         |        |
|           | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:   |         |        |
| 95)       |  |         |        |
|           | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods         |         |        |
| (TestH    | ooker.java:94)   |         |        |
|           | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3         |         |        |
| (TestL    | istenerCollector.java:88)  |         |        |
|           | at com.kms.katalon.core.context.internal.TestListenerCollector.                  |         |        |
| handle    | ListenerEvent(TestListenerCollector.java:85)                                     |         |        |
|           | at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent       |         |        |
| (Execu    | ıtionEventManager.java:36)   |         |        |
|           | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.          |         |        |
| java:26   |  |         |        |
|           | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase            |         |        |
| (Comn     | nonExecutor.java:65)   |         |        |
|           | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase          |         |        |
| (TestS    | uiteExecutor.java:148)   |         |        |
|           | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:   |         |        |
| 106)      |  |         |        |
|           | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:      |         |        |
| 180)      |  |         |        |
|           | at TempTestSuite1707401209429.run(TempTestSuite1707401209429.groovy:36)          |         |        |
|           | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native        |         |        |
| Method    |  |         |        |
|           | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke                |         |        |
| (Native   | eMethodAccessorImpl.java:77)   |         |        |
| -         | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke            |         |        |
| (Deleg    | atingMethodAccessorImpl.java:43)   |         |        |
|           | d by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using      |         |        |
|           | river after calling quit()?  |         |        |
|           | ofo: version: '3 1/1 50' revision: 'e82he7d358' time: '2018-11-1/T08:25:53'      |         |        |

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | arch: 'amd64', os.version: '10.0', java.version: '17.0.7'   |         |        |
|   | Driver info: driver.version: RemoteWebDriver  |         |        |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute   |         |        |
|   | (HttpCommandExecutor.java:125)  |         |        |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute   |         |        |
|   | (DriverCommandExecutor.java:83)   |         |        |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.  |         |        |
|   | java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:                          |         |        |
|   | 19)   |         |        |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElements  |         |        |
|   | (RemoteWebDriver.java:353)  |         |        |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath   |         |        |
|   | (RemoteWebDriver.java:432)  |         |        |
|   | at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)  |         |        |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElements  |         |        |
|   | (RemoteWebDriver.java:311)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. |         |        |
|   | findElementsBySelectedMethod(WebUiCommonHelper.java:915)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementsBySelectedMethod(WebUiCommonHelper.java:897)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementsBySelectedMethod(WebUiCommonHelper.java:892)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementsByDefault(WebUiCommonHelper.java:888)   |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementsWithSelfHealing(WebUiCommonHelper.java:734)   |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements  |         |        |
|   | (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement              |         |        |
|   | (WebUiCommonHelper.java:1374)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.  |         |        |
|   | findWebElement(WebUIAbstractKeyword.groovy:27)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.                                    |         |        |
|   | doCall(ClickKeyword.groovy:65)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call                                |         |        |
|   | (ClickKeyword.groovy)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword                                      |         |        |
|   | (WebUIKeywordMain.groovy:20)  |         |        |
|   | 23 more   |         |        |
|   |   |         |        |
|   |   |         |        |
|   |   |         |        |
| 2 | openBrowser("")   | 1.639s  | PASSED |
|   |   |         |        |
|   | Browser is opened with url: "   |         |        |
|   |   |         |        |
|   |   |         |        |
| 3 | navigateToUrl("https://www.amazon.com/")  | 4.101s  | PASSED |
|   | · · · · · · · · · · · · · · · · · · ·   |         |        |

Navigate to 'https://www.amazon.com/' successfully

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 4  | maximizeWindow()  Current window maximized  | 0.164s  | PASSED |
| 5  | selectOptionByLabel(findTestObject("Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/category element"), "Electronics", false)  All options with label 'Electronics' are selected in object 'Object Repository/Amazon_Search_OR/Page_Amazon.com. Spend less. Smile more/category element' | 21.933s | PASSED |
| 6  | setText(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), "Mouse")  Text 'Mouse' is set on object 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com. Spend less. Smile more/input_field-keywords'                    | 2.107s  | PASSED |
| 7  | click(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button"))  Object: 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button' is clicked on                     | 9.797s  | PASSED |
| 8  | click(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com<br>Mouse/span_Amazon Basics 2.4 Ghz Wireless Optical_dbf87c"))  Object: 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com<br>Mouse/span_Amazon Basics 2.4 Ghz Wireless Optical_dbf87c' is clicked on         | 9.991s  | PASSED |
| 9  | click(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com<br>Amazon Basics 2.4 Ghz Wirel_3fd674/span_Quantity1"))  Object: 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/span_Quantity1' is clicked on                          | 5.139s  | PASSED |
| 10 | click(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/a_5"))  Object: 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/a_5' is clicked on   | 0.871s  | PASSED |

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 11 | click(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com<br>Amazon Basics 2.4 Ghz Wirel_3fd674/input_gift-wrap"))  Object: 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/input_gift-wrap' is clicked on                | 1.553s  | PASSED |
| 12 | click(findTestObject("Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/input_submit.add-to-cart"))  Object: 'Object Repository/Amazon_Add to Cart_OR/Page_Amazon.com Amazon Basics 2.4 Ghz Wirel_3fd674/input_submit.add-to-cart' is clicked on | 17.307s | PASSED |
| 13 | closeBrowser() Browser is closed  | 0.532s  | PASSED |
| 14 | Start listener action : sampleAfterTestCase  Browser is closed  | 0.012s  | PASSED |

### Information

ID Test Cases/TC\_Amazon\_Validation/All Test Cases Validation/TC\_Amazon\_Orders\_005

Description

Tag

Start 08-02-2024 19:40:08 End 08-02-2024 19:41:16

Elapsed 1m - 8.714s

Status PASSED

#### **Details**

| Description  | Elapsed      | Stat |
|--|--------------|------|
| Start listener action : sampleBeforeTestCase   | 0.150s       | ERR  |
| som kma katalan aara ayaantian StanFailadFyaantian Uhabla ta aliak an abiaat 'Obiaa  |              |      |
| com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object  |              |      |
| Repository/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_H  | ello,        |      |
| sign in'   |              |      |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFa   | ailed        |      |
| (WebUIKeywordMain.groovy:64)   |              |      |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKey   | yword        |      |
| (WebUIKeywordMain.groovy:26)   |              |      |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.click(ClickKeyword.builtin.ClickKeyword.clickKeyword.builtin.ClickKeyword.cli | vord.        |      |
| groovy:74)   |              |      |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute   |              |      |
| (ClickKeyword.groovy:40)   |              |      |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor.  |              |      |
| executeKeywordForPlatform(KeywordExecutor.groovy:74)   |              |      |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click   |              |      |
| (WebUiBuiltInKeywords.groovy:659)  |              |      |
| at Amazon_Search_TListenser.sampleBeforeTestCase   |              |      |
| (Amazon_Search_TListenser.groovy:32)   |              |      |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  |              |      |
| Method)  |              |      |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  |              |      |
| (NativeMethodAccessorImpl.java:77)   |              |      |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  |              |      |
| (DelegatingMethodAccessorImpl.java:43)   |              |      |
| at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.invokem.invokem.invokem.invokem.invokem.invokem.invokem.invokem.invokem.invokem.invokem.invokem.in | ker.         |      |
| java:111)  |              |      |
| at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.  | iava:        |      |
| 95)  | J-1-1        |      |
| at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods   |              |      |
| (TestHooker.java:94)   |              |      |
| at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3   |              |      |
| (TestListenerCollector.java:88)  |              |      |
| at com.kms.katalon.core.context.internal.TestListenerCollector.  |              |      |
| handleListenerEvent(TestListenerCollector.java:85)   |              |      |
| at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEver  | nt           |      |
| (ExecutionEventManager.java:36)  |              |      |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor   | r            |      |
| java:268)  |              |      |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPl   | hasa         |      |
| (CommonExecutor.java:65)   | nasc         |      |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  | 0            |      |
| (TestSuiteExecutor.java:148)   | <del>C</del> |      |
|  | r iovo:      |      |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor   | i.java.      |      |
| 106)   |              |      |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.ja   | ava:         |      |
| 180)   | 0.0)         |      |
| at TempTestSuite1707401209429.run(TempTestSuite1707401209429.groov   | y:36)        |      |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  |              |      |
| Method)  |              |      |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  |              |      |
| (NativeMethodAccessorImpl.java:77)   |              |      |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  |              |      |
| (DelegatingMethodAccessorImpl.java:43)   |              |      |
| Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using   |              |      |
| WebDriver after calling quit()?  |              |      |
| Build info: version: '3 1/1 50', revision: 'a82he7d358', time: '2018-11-1/1708:25:53'  |              |      |

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute               |         |        |
|   | (HttpCommandExecutor.java:125)   |         |        |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)  |         |        |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  |         |        |
|   | at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)   |         |        |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)  |         |        |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)   |         |        |
|   | at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements  |         |        |
|   | (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementByNormalMethods(WebUiCommonHelper.java:1025)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:915)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findElementsBySelectedMethod(WebUiCommonHelper.java:897)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper. |         |        |
|   | findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper.   |         |        |
|   | findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper.  |         |        |
|   | findElementsWithSelfHealing(WebUiCommonHelper.java:734)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)  |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)  |         |        |
|   | 23 more  |         |        |
|   |  |         |        |
| 2 | openBrowser("")  | 1.433s  | PASSED |
|   | Browser is opened with url: "  |         |        |
|   |  |         |        |
| 3 | navigateToUrl("https://www.amazon.com/")   | 2.954s  | PASSED |

Navigate to 'https://www.amazon.com/' successfully

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 4  | click(findTestObject("Object Repository/Amazon_Orders_OR_05/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in"))  Object: 'Object Repository/Amazon_Orders_OR_05/Page_Amazon.com. Spend less. Smile more/span_Hello, sign in' is clicked on      | 24.487s | PASSED |
| 5  | setText(findTestObject("Object Repository/Amazon_Orders_OR_05/Page_Amazon Sign-In/input_email"), "ananya.annikutti@gmail.com")  Text 'ananya.annikutti@gmail.com' is set on object 'Object Repository/Amazon_Orders_OR_05/Page_Amazon Sign-In/input_email' | 1.973s  | PASSED |
| 6  | click(findTestObject("Object Repository/Amazon_Orders_OR_05/Page_Amazon Sign-In/inputcontinue"))  Object: 'Object Repository/Amazon_Orders_OR_05/Page_Amazon Sign-In/inputcontinue' is clicked on  | 2.386s  | PASSED |
| 7  | setEncryptedText(findTestObject("Object Repository/Amazon_Orders_OR_05/Page_Amazon Sign-In/input_password"), "2E5ui8+TMvX+rRf2OIDVAQ==")  Text ****** has been set on object 'Object Repository/Amazon_Orders_OR_05/Page_Amazon Sign-In/input_password'    | 1.721s  | PASSED |
| 8  | click(findTestObject("Object Repository/Amazon_Orders_OR_05/Page_Amazon Sign-In/inputsignInSubmit"))  Object: 'Object Repository/Amazon_Orders_OR_05/Page_Amazon Sign-In/inputsignInSubmit' is clicked on  | 0.507s  | PASSED |
| 9  | click(findTestObject("Object Repository/Amazon_Orders_OR_05/Page_Amazon.com. Spend less. Smile more/a_215cda4"))  Object: 'Object Repository/Amazon_Orders_OR_05/Page_Amazon.com. Spend less. Smile more/a_215cda4' is clicked on                          | 11.868s | PASSED |
| 10 | click(findTestObject("Object Repository/Amazon_Orders_OR_05/Page_Amazon.com Shopping Cart/input_isToBeGiftWrapped"))  Object: 'Object Repository/Amazon_Orders_OR_05/Page_Amazon.com Shopping Cart/input_isToBeGiftWrapped' is clicked on                  | 1.153s  | PASSED |

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 11 | click(findTestObject("Object Repository/Amazon_Orders_OR_05/Page_Amazon.com Shopping Cart/input_proceedToRetailCheckout")) | 19.442s | PASSED |
|    | Object: 'Object Repository/Amazon_Orders_OR_05/Page_Amazon.com Shopping Cart/input_proceedToRetailCheckout' is clicked on  |         |        |
| 12 | closeBrowser()   | 0.477s  | PASSED |
|    | Browser is closed  |         |        |
| 13 | Start listener action : sampleAfterTestCase  | 0.005s  | PASSED |

Browser is closed