## DDT\_Amazon\_Validation\_Excel sheet

#### **Execution Environment**

Host name Harini - DESKTOP-08P78B5

Local OS Windows 11 64bit

Katalon version 9.1.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/DDT\_Amzon\_Category\_Test Suite/DDT\_Amazon\_Validation\_Excel sheet

Description

Total 3

Passed 3 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 27-01-2024 22:34:58 End 27-01-2024 22:37:00

Elapsed 2m - 2.245s

#	ID	Description	Status
1	Test Cases/TC_Amazon_Validation/TC_Amazon_DDT/TC_Amazon_Search_DDT_Excel		PASSED
2	Test Cases/TC_Amazon_Validation/TC_Amazon_DDT/TC_Amaz on_Search_DDT_Excel		PASSED
3	Test Cases/TC_Amazon_Validation/TC_Amazon_DDT/TC_Amazon_Search_DDT_Excel		PASSED

#### Information

 ${\tt ID} \qquad \qquad {\tt Test \ Cases/TC\_Amazon\_Validation/TC\_Amazon\_DDT/TC\_Amazon\_Search\_DDT\_Excel}$ 

Description

Tag

Start 27-01-2024 22:34:58 End 27-01-2024 22:35:58

Elapsed 59.576s
Status PASSED

#### **Details**

# Description Elapsed Status

Descrip	tion	Elapsed	Statu
Start list	ener action : sampleBeforeTestCase	0.914s	ERRO
com km	s.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	pry/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hello,		
sign in'	bry/Amazon_olgin in_orvir age_Amazon.com. opena iess. onilie more/span_nello,		
Sign in	at com kma katalan para wahui kayayard internal Wahl IIKayayardMain etanEailad		
/\/\_b	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(webuii	KeywordMain.groovy:64)		
0.87 1.1111	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUII	KeywordMain.groovy:26)		
_	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:7			
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKe	yword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execute	KeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUil	BuiltInKeywords.groovy:659)		
	at Amazon_Search_TListenser.sampleBeforeTestCase		
(Amazo	n_Search_TListenser.groovy:32)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)			
,	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native)	MethodAccessorImpl.java:77)		
(**************************************	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Delega	tingMethodAccessorImpl.java:43)		
(20.090	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:111			
java. i i i	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95)	at contains that along the context internal rest tooker lambaayo (rest tooker java.		
30)	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(Toet⊌o	oker.java:94)		
(163110	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(ToetLie	tenerCollector.java:88)		
(TESILIS	at com.kms.katalon.core.context.internal.TestListenerCollector.		
bondlol			
nandieL	istenerEvent(TestListenerCollector.java:85)		
<b>/</b> =	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(Executi	onEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268			
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	onExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)			
	at TempTestSuite1706375085952.run(TempTestSuite1706375085952.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native)	MethodAccessorImpl.java:77)		
(1 tall vol)	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Delena	tingMethodAccessorImpl.java:43)		
	by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
COUSEU	by. com.kma.katalon.core.webul.exception.blowsemotopenedexception. blowser		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'DESKTOP-08P78B5', ip: '192.168.1.40', os.name: 'Windows 11', os.arch:

#	Description	Elapsed	Status
	'amd64', os.version: '10.0', java.version: '17.0.7'		
	Driver info: driver.version: unknown		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
	(DriverFactory.java:1014)		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
	(DriverFactory.java:999)		
	at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:985)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementByNormalMethods(WebUiCommonHelper.java:1009)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:915)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:897)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:892)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsByDefault(WebUiCommonHelper.java:888)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsWithSelfHealing(WebUiCommonHelper.java:734)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements		
	(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1374)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	23 more		
2	openBrowser("")	22.635s	PASSED
	Browser is opened with url: "		
0		40.570-	DACOED
3	navigateToUrl("https://www.amazon.com/")	12.570s	PASSED
	Navigate to 'https://www.amazon.com/' successfully		
4	maximizeWindow()	0.671s	PASSED

Current window maximized

#	Description	Elapsed	Status
5	selectOptionByLabel(findTestObject("Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/Category Element"), CategoryItem, false)  All options with label 'Baby' are selected in object 'Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/Category Element'	5.670s	PASSED
6	setText(findTestObject("Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), Items)  Text 'Stroller' is set on object 'Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/input_field-keywords'	2.071s	PASSED
7	click(findTestObject("Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button"))  Object: 'Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button' is clicked on	13.994s	PASSED
8	closeBrowser() Browser is closed	0.704s	PASSED
9	Start listener action : sampleAfterTestCase  Browser is closed	0.026s	PASSED

#### Information

 ${\tt ID} \qquad \qquad {\tt Test \ Cases/TC\_Amazon\_Validation/TC\_Amazon\_DDT/TC\_Amazon\_Search\_DDT\_Excel}$ 

Description

Tag

Start 27-01-2024 22:35:58 End 27-01-2024 22:36:35

Elapsed 36.921s
Status PASSED

#### **Details**

# Description Elapsed Status

Description	Elapsed	Statu
Start listener action : sampleBeforeTestCase	0.085s	ERRO
com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
Repository/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_He	الم	
	allO,	
sign in'	la di	
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFail	iea	
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	word	
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.	ord.	
groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:659)		
at Amazon_Search_TListenser.sampleBeforeTestCase		
(Amazon_Search_TListenser.groovy:32)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
· · · · · · · · · · · · · · · · · · ·		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHook	ær.	
java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.ja	ava:	
95)		
at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85)		
at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent	t	
(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPha	200	
(CommonExecutor.java:65)	asc	
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.j	java:	
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.jav	va:	
180)		
at TempTestSuite1706375085952.run(TempTestSuite1706375085952.groovy	<i>r</i> :36)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
WebDriver after calling quit()?		
Ruild info: version: '3 1/1 50', revision: 'e82he7d358', time: '2018-11-1/T08:25:53'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'DESKTOP-08P78B5', ip: '192.168.1.40', os.name: 'Windows 11', os.arch:

#	Description	Elapsed	Status
	'amd64', os.version: '10.0', java.version: '17.0.7'		
	Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	java:552)		
	at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		
	19)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath		
	(RemoteWebDriver.java:432)		
	at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElements		
	(RemoteWebDriver.java:311)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:915)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:897)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:892)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsWithSelfHealing(WebUiCommonHelper.java:734)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements		
	(WebUiCommonHelper.java:718)		
	$at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Element$		
	(WebUiCommonHelper.java:1374)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	23 more		
^	an an Drawe and IIII)	2.752-	DACCED
2	openBrowser("")	3.752s	PASSED
	Browser is opened with url: "		
	2.0.000. 10 op 51100 that diff		
_	· · · · · · · · · · · · · · · · · · ·	0.076	D40055
3	navigateToUrl("https://www.amazon.com/")	9.979s	PASSED

Navigate to 'https://www.amazon.com/' successfully

#	Description	Elapsed	Status
4	maximizeWindow()  Current window maximized	0.326s	PASSED
5	selectOptionByLabel(findTestObject("Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/Category Element"), CategoryItem, false)  All options with label 'Electronics' are selected in object 'Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/Category Element'	2.396s	PASSED
6	setText(findTestObject("Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), Items)  Text 'Mouse' is set on object 'Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/input_field-keywords'	6.095s	PASSED
7	click(findTestObject("Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button"))  Object: 'Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button' is clicked on	13.427s	PASSED
8	closeBrowser() Browser is closed	0.802s	PASSED
9	Start listener action : sampleAfterTestCase  Browser is closed	0.007s	PASSED

#### Information

 ${\tt ID} \qquad \qquad {\tt Test \ Cases/TC\_Amazon\_Validation/TC\_Amazon\_DDT/TC\_Amazon\_Search\_DDT\_Excel}$ 

Description

Tag

Start 27-01-2024 22:36:35 End 27-01-2024 22:37:00

Elapsed 24.805s Status PASSED

#### **Details**

# Description Elapsed Status

Г	Description	Elapsed	Status
		•	
-	Start listener action : sampleBeforeTestCase	0.077s	ERRO
C	com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
F	Repository/Amazon_Sign In_OR/Page_Amazon.com. Spend less. Smile more/span_Hello,		
S	sign in'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(	WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(	WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
ç	groovy:74)		
,	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(	ClickKeyword.groovy:40)		
_	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
-	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
1	WebUiBuiltInKeywords.groovy:659)		
(	at Amazon_Search_TListenser.sampleBeforeTestCase		
(	Amazon_Search_TListenser.groovy:32)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
N	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(	NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(	DelegatingMethodAccessorImpl.java:43)		
	$at\ com. kms. katalon. core. context. internal. Test Hooker. invoke Method (Test Hooker.)$		
j	ava:111)		
,	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
3	95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
1	TestHooker.java:94)		
(	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(	TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
ŀ	nandleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(	ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
j	ava:268)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(	CommonExecutor.java:65)		
,	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(	TestSuiteExecutor.java:148)		
4	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
1	at com.kms.katalon.core.main.restoaselviam.startrestoutie(restoaselviam.java.		
	at TempTestSuite1706375085952.run(TempTestSuite1706375085952.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
N	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(	NativeMethodAccessorImpl.java:77)		
•	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(	DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()?		
	Ruild info: version: '3 1/1 59', revision: 'e82he7d358', time: '2018-11-1/T08:25:53'		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'DESKTOP-08P78B5', ip: '192.168.1.40', os.name: 'Windows 11', os.arch:

#	Description	Elapsed	Status
	'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		
	19)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)		
	at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElements		
	(RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementByNormalMethods(WebUiCommonHelper.java:1025)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:915)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsBySelectedMethod(WebUiCommonHelper.java:892)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsByDefault(WebUiCommonHelper.java:888)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.		
	findElementsWithSelfHealing(WebUiCommonHelper.java:734)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements		
	(WebUiCommonHelper.java:718)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1374)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	23 more		
2	openBrowser("")	3.022s	PASSED
	Browser is opened with url: "		
	browser is opened with this		
3	navigateToUrl("https://www.amazon.com/")	7.934s	PASSED
J	gate 100( https://www.amazon.com/ /	7.00.10	

Navigate to 'https://www.amazon.com/' successfully

#	Description	Elapsed	Status
4	maximizeWindow()  Current window maximized	0.377s	PASSED
5	selectOptionByLabel(findTestObject("Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/Category Element"), CategoryItem, false)  All options with label 'Books' are selected in object 'Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/Category Element'	2.061s	PASSED
6	setText(findTestObject("Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), Items)  Text 'Wings of Fire' is set on object 'Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/input_field-keywords'	1.662s	PASSED
7	click(findTestObject("Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button"))  Object: 'Object Repository/Amazon_Validation_Drop Down/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button' is clicked on	9.155s	PASSED
8	closeBrowser()  Browser is closed	0.457s	PASSED
9	Start listener action : sampleAfterTestCase  Browser is closed	0.018s	PASSED