TListener_Amazon_Validate_SearctFieldItem

Execution Environment

Host name Ayush - LAPTOP-EOF0UE37

Local OS Windows 11 64bit

Katalon version 9.2.0.212

Browser Chrome 121.0.0.0

Summary

ID Test Suites/Amazon_Test Suites/TListener_Amazon_Validate_SearctFieldItem

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 31-01-2024 08:26:33 End 31-01-2024 08:27:27

Elapsed 54.093s

ID Description Status

1 Test Cases/Amazon/Amazon_Test Listeners/Amazon_ ValidateSearchFieldItem _TListener **FAILED**

Information

ID Test Cases/Amazon/Amazon_Test Listeners/Amazon_ ValidateSearchFieldItem _TListener

Description

Tag

Start 31-01-2024 08:27:10 End 31-01-2024 08:27:24

Elapsed 14.461s Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Status
	•	
Start listener action : sampleBeforeTestCase	1.328s	ERROR
com.kms.katalon.core.exception.StepFailedException: Unable to navigate to 'https://www.		
amazon.com/'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.		
navigateToUrl(NavigateToUrlKeyword.groovy:83)		
at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl		
(WebUiBuiltInKeywords.groovy:187)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl\$0.		
call(Unknown Source) at Amazon_Test_Listener.sampleBeforeTestCase(Amazon_Test_Listener.groovy:		
34)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.		
java:111)		
at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:		
95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
(TestHooker.java:94)		
at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
(TestListenerCollector.java:88)		
at com.kms.katalon.core.context.internal.TestListenerCollector.		
handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent		
(ExecutionEventManager.java:36)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:268)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1706669769323.run(TempTestSuite1706669769323.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openga.selenium.NoSuchWindowException: no such window: target window		

Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window

Elapsed

Status

```
Description
already closed
from unknown error: web view not found
 (Session info: chrome=121.0.6167.86)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-EOF0UE37', ip: '192.168.206.3', os.name: 'Windows 11', os.
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
 121.0.6167.86, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e...,
user Data Dir: C: \label{loca...}, fedcm: accounts: true, goog: chrome Options: \\
{debuggerAddress: localhost:50244}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
 Session ID: 119be9cf25c452796ab5c9aff8f11ef1
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
 19)
          at\ org. open qa. selenium. remote. Remote Web Driver. get (Remote Web Driver. java:
277)
          at org.openqa.selenium.remote.RemoteWebDriver$RemoteNavigation.to
(RemoteWebDriver.java:857)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringNavigation.to(EventFiringWebDriver.java:569)
          at com.kms.katalon.core.webui.keyword.builtin.
NavigateToUrlKeyword$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.
NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
 (WebUIKeywordMain.groovy:20)
```

... 25 more

Description Elapsed Status

Descrip	tion	Elapsed	Status
•	eToUrl("https://www.amazon.com/")	1.199s	FAILED
	,		
	to navigate to 'https://www.amazon.com/' (Root cause: com.kms.katalon.core.		
exception	n.StepFailedException: Unable to navigate to 'https://www.amazon.com/'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUll	KeywordMain.groovy:64)		
0.47 1.111	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUll	KeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.		
navigate	eToUrl(NavigateToUrlKeyword.groovy:83)		
(Novigo:	at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute teToUrlKeyword.groovy:67)		
(Ivaviga	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execute	KeywordForPlatform(KeywordExecutor.groovy:74)		
CACCUIC	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl		
(WebUil	BuiltInKeywords.groovy:187)		
(11000	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl\$0.		
call(Unk	nown Source)		
()	at Amazon_ ValidateSearchFieldItem _TListener.run(Amazon_		
Validate	SearchFieldItem _TListener:21)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439			
(T	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:418)		
(T+O-	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
iovo:29F	· · · · · · · · · · · · · · · · · · ·		
java:285	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	onExecutor.java:65)		
(Oomme	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:148)		
(100101	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	,		
,	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1706669769323.run(TempTestSuite1706669769323.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)			
(N1 - c)	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nativel)	MethodAccessorImpl.java:77)		
(Dologo	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	tingMethodAccessorImpl.java:43) by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
already			
	known error: web view not found		
	on info: chrome=121.0.6167.86)		
	o: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	info: host: 'LAPTOP-EOF0UE37', ip: '192.168.206.3', os.name: 'Windows 11', os.		
	nd64', os.version: '10.0', java.version: '17.0.7'		
	fo: com.kms.katalon.selenium.driver.CChromeDriver		

Status

```
Description
                                                                                            Elapsed
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
121.0.6167.86, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e...,
userDataDir: C:\Users\Ayush\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:50244}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 119be9cf25c452796ab5c9aff8f11ef1
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:
277)
          at org.openqa.selenium.remote.RemoteWebDriver$RemoteNavigation.to
(RemoteWebDriver.java:857)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringNavigation.to(EventFiringWebDriver.java:569)
         at com.kms.katalon.core.webui.keyword.builtin.
Navigate ToUrl Keyword \$\_navigate ToUrl\_closure 1. doCall (Navigate ToUrl Keyword .groovy: 81)
         at com.kms.katalon.core.webui.keyword.builtin.
NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
navigateToUrl(NavigateToUrlKeyword.groovy:83)
         at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute
(NavigateToUrlKeyword.groovy:67)
          at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.navigateToUrl
(WebUiBuiltInKeywords.groovy:187)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$navigateToUrl$0.
call(Unknown Source)
         at Script1706362341474.run(Script1706362341474.groovy:21)
         ... 16 more
```

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestCase	9.461s	PASSED

Browser is closed