### TS\_Amazon\_Test Suites

### **Execution Environment**

Host name Ayush - LAPTOP-EOF0UE37

Local OS Windows 11 64bit

Katalon version 9.2.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/Amazon\_Test Suites/TS\_Amazon\_Test Suites

Description

Total 6

Passed 5 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 29-01-2024 20:31:32 End 29-01-2024 20:39:21

Elapsed 7m - 49.011s

#	ID	Description	Status
1	Test Cases/Amazon/Amazon_Test Cases/TC_Amazon_Home_Register New User_001		FAILED
2	Test Cases/Amazon/Amazon_Test Cases/TC_Amazon_Home_Sign In_002		PASSED
3	Test Cases/Amazon/Amazon_Test Cases/TC_Amazon_Home_SearchItem_003		PASSED
4	Test Cases/Amazon/Amazon_Test Cases/TC_Amazon_Home_CategorySelection_004		PASSED
5	Test Cases/Amazon/Amazon_Test Cases/TC_Amazon_Wishlist_005		PASSED
6	Test Cases/Amazon/Amazon_Test Cases/TC_Amazon_Home_LanguageSelection_006		PASSED

### Information

ID Test Cases/Amazon/Amazon\_Test Cases/TC\_Amazon\_Home\_Register New User\_001

Description

Tag

Start 29-01-2024 20:34:59 End 29-01-2024 20:35:53

Elapsed 53.833s Status FAILED

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  Browser is opened with url: "	1.784s	PASSED
2	openBrowser("")  Browser is opened with url: "	2.126s	PASSED
3	navigateToUrl("https://www.amazon.com/")  Navigate to 'https://www.amazon.com/' successfully	1.247s	PASSED
4	click(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon.com. Spend less. Smile more/a_Your Account"))  Object: 'Object Repository/Amazon_Page_OR/Page_Amazon.com. Spend less. Smile more/a_Your Account' is clicked on	32.864s	PASSED
5	click(findTestObject("Object Repository/Amazon_Page_OR/Page_Your Account/span_Hello, sign in"))  Object: 'Object Repository/Amazon_Page_OR/Page_Your Account/span_Hello, sign in' is clicked on	2.549s	PASSED
6	click(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon Sign-In/a_Create your Amazon account"))  Object: 'Object Repository/Amazon_Page_OR/Page_Amazon Sign-In/a_Create your Amazon account' is clicked on	2.185s	PASSED

#	Description	Elapsed	Status
7	setText(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon Registration/input_customerName"), "Anushka")  Text 'Anushka' is set on object 'Object Repository/Amazon_Page_OR/Page_Amazon Registration/input_customerName'	1.419s	PASSED
8	setText(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon Registration/input_email"), "as9406@srmist.edu.in")  Text 'as9406@srmist.edu.in' is set on object 'Object Repository/Amazon_Page_OR/Page_Amazon Registration/input_email'	0.992s	PASSED
9	setEncryptedText(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon Registration/input_password"), "8ZgfNRUUPmQ=")  Text ****** has been set on object 'Object Repository/Amazon_Page_OR/Page_Amazon Registration/input_password'	0.621s	PASSED
10	setEncryptedText(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon Registration/input_passwordCheck"), "8ZgfNRUUPmQ=")  Text ****** has been set on object 'Object Repository/Amazon_Page_OR/Page_Amazon Registration/input_passwordCheck'	0.709s	PASSED
11	click(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon Registration/inputcontinue"))  Object: 'Object Repository/Amazon_Page_OR/Page_Amazon Registration/inputcontinue' is clicked on	0.973s	PASSED

12 setText(findTestObject(*Object Repository/Amazon_Page_OR/Page_Authentication requiredinput_code*) **E20235** of object**   Unable to set text** (20235** of object** (Repository/Amazon_Page_OR/Page_Authentication requiredinput_code** (Root cause: com. kms.katalon.core.exception_StepFalledException_Unable to set text** (20235** of object** (Object Repository/Amazon_Page_OR/Page_Authentication_requiredinput_code** of com/kms.katalon.core.exception_Page_OR/Page_Authentication_requiredinput_code** of com/kms.katalon.core.expectivedinput_code** (Root cause: com. kms.katalon.core.expectivedinput_code** (Root cause: code** (Roo	#	Description	Elapsed	Status
Reposition/Amazon_Page_OR/Page_Authentication required/input_code* (Root cause: com. kms, katalon.core exception: StepFaledException: Unable to set text \$620255 of object Object Repository/Amazon_Page_OR/Page_Authentication required/input_code* at com.kms, katalon.core webui.keyword.internal.WebUlKeywordMain.stepFalled at com.kms.katalon.core.webui.keyword.memal.WebUlKeywordMain.stepFalled at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.group.ye.6) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.group.ye.6) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setCute (SetTextKeyword.group.ye.6) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.group.ye.7) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (WebUlBuiltinKeywords.group.ye.7) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.setText (WebUlBuiltinKeywords.group.ye.7) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.setText (WebUlBuiltinKeywords.group.ye.7) at com.kms.katalon.core.main.SetpitEngine.run(SetpitEngine.java:194) at com.kms.katalon.core.main.SetpitEngine.run(SetpitEngine.java:194) at com.kms.katalon.core.main.SetpitEngine.runSetpitAspite.java:194) at com.kms.katalon.core.main.SetpitEngine.runSetpitAspite.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runCoript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.group	12		5.570s	FAILED
kms.katalon.core.axception.StepFailedException: Unable to set text 520235 of object Object Repository/Amazon_Page_CRPA.gae_Authenication required/input_code' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.birternal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.birternal.WebUlKeywordMain.runKeyword (WebUlKeyword.groovy:36) at com.kms.katalon.core.webui.keyword.birtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.webui.keyword.birtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.webui.keyword.birtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.webui.keyword.birtin.KeywordExecutor. executeKeyword.groovy:37) at com.kms.katalon.core.webui.keyword.birtin.KeywordSexecutor. executeKeyword.groovy:37) at com.kms.katalon.core.main.SetpSetTextWebUlBultinKeywords.groovy.74) at com.kms.katalon.core.main.SetpSetTextWebUlBultinKeywords.groovy.740 at com.kms.katalon.core.main.SetpSetTextyl.groptEngine.glava:194) at com.kms.katalon.core.main.SetpSetTextyl.groptEngine.glava:194) at com.kms.katalon.core.main.TestCaseExecutor.untScriptTextCaseExecutor.glava:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.glava:418) at com.kms.katalon.core.main.TestCaseExecutor.grocessExecutor.glava:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.glava:369) at com.kms.kata		Unable to set text '620235' of object 'Object		
Object Repository/Amazon_Page_OR/Page_Authentication required/input_code' at com_kms_katalon_core_webui.keyword.internal.WebUlKeywordMain_stepFailed (WebUlKeywordMain_groovy;26) at com_kms_katalon_core_webui.keyword_internal.WebUlKeywordMain_runKeyword (WebUlKeywordMain_groovy;26) at com_kms_katalon_core_webui.keyword_bittin_SetTextKeyword_setText (SetTextKeyword_groovy;26) at com_kms_katalon_core_webui.keyword_bittin_SetTextKeyword_execute (SetTextKeyword_groovy;27) at com_kms_katalon_core_webui.keyword_bittin_SetTextKeyword_execute (SetTextKeyword_groovy;27) at com_kms_katalon_core_webui.keyword_bittin_SetTextKeyword_execute (SetTextKeyword_groovy;27) at com_kms_katalon_core_webui.keyword_bittin_keyword_setText (WebUlBuittinKeyword_setory;27) at com_kms_katalon_core_mebui.keyword_webUlbuittin_keyword_setText (WebUlbuittinkeyword_setory;27) at com_kms_katalon_core_main_Setoryten_groov;27) at com_kms_katalon_core_main_Setoryten_groov;27) at com_kms_katalon_core_main_Setoryten_groov;27) at com_kms_katalon_core_main_TestCaseExecutor_unc_core_setory_groov;27) at com_kms_katalon_core_main_TestCaseExecutor_groov;27) at com_kms_katalon_core_main_TestCaseExecutor_groov;27) at com_kms_katalon_core_main_TestCaseExecutor_groov;27) at com_kms_katalon_core_main_TestCaseExecutor_groov;27) at com_kms_katalon_core_main_TestCaseExecutor_groov;27) at com_kms_katalon_core_main_TestCaseExecutor_groov;27) at com_kms_katalon_core_main_TestCaseExecutor_execute(TestCaseExecutor_groov;27) at com_kms_katalon_core_main_TestCaseExecutor_execute(TestCaseExecutor				
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:61) at com.kms.katalon.core.webui.keyword.bitlin.SetTextKeyword.setText (SetTextKeyword groovy:66) at com.kms.katalon.core.webui.keyword.buitlin.SetTextKeyword.setText (SetTextKeyword.groovy:37) at com.kms.katalon.core.webui.keyword.buitlin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeyword.proPlettorm(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.webUbBuitlinKeywords.setText (WebUlBuitlinKeywords.groovy:1019) at TC_Amazon_Home_Register New User_001.run(TC_Amazon_Home_Register New User_001:41) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.yiox:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.processExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.processExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.processExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.jav				
(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webul.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webul.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:367) at com.kms.katalon.core.webul.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:377) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:749) at com.kms.katalon.core.webul.keyword.WebUlBuiltinKeywords.setText (WebUlBuiltinKeywords.groovy:1019) at TC_Amazon_Home_Register New User_001.run(TC_Amazon_Home_Register New User_001:41) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestGaseExecutor.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.gotExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.gotExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.gotExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.gotExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:4410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:465) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:465) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (CommonExecutor.java:148) at com.kms.katalon.core.main.TestCaseExecutor.pava:1680 at com.kms.katalon.core.main.TestCaseExecutor.pava:1680 at com.kms.katalon.core.main.TestCaseExecutor.pava:1680 at com.kms.katalon.core.main.TestCaseExecutor.pa				
at com.kms.katalon.core.webui.keyword.biitin.SetTextKeyword.Main.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor, executeKeyword.proPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.setText (WebUlBuiltinKeywords.groovy:1019) at TC. Amazon_Home. Register New User_001.run(TC_Amazon_Home_Register New User_00141) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:46) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:46) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:46) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:46) at				
(WebUlkeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:69) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.intermal.KeywordExecutor. executeKeywordForPaterm(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUilbuiltinKeywords.setText (WebUlbuiltinKeywords.groovy:1019) at TC_Amazon_Home.Register New User_001.run(TC_Amazon_Home_Register New User_001:41) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptCestCaseExecutor.java:148) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:148) at com.kms.katalon.core.main.TestCaseExecutor.grocessExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.cxecute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.cxecute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.cxecute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.cxecute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:65) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:65) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:65) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:16) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:16) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:16) at com.kms.katalon.core.main.TestCaseExecu				
(SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPidorm(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords.setText (WebUiBuiltinKeywords.groovy:1019) at TC_Amazon_Home_Register New User_001.run(TC_Amazon_Home_Register New User_001:41) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:289) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestSuiteExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestSuiteExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestSuiteExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestSuiteExecutor.java:369)				
at com, kms, katalon, core, webui.keyword, builtin, SetTextKeyword, execute (SetTextKeyword groovy;37) at com, kms, katalon, core, webui.keyword.linternal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor, groovy;74) at com, kms, katalon, core, webui.keyword.Webui.BuiltinKeywords, setText (WebuiBuiltinKeywords, groovy;1019) at TC_Amazon_Home_Register New_User_001.run(TC_Amazon_Home_Register New_User_001:41) at com, kms, katalon, core, main, ScriptEngine, run(ScriptEngine, java:194) at com, kms, katalon, core, main, ScriptEngine, run(ScriptEngine, java:194) at com, kms, katalon, core, main, TestCaseExecutor, runScript(TestCaseExecutor, java:448) at com, kms, katalon, core, main, TestCaseExecutor, doExecute(TestCaseExecutor, java:439) at com, kms, katalon, core, main, TestCaseExecutor, processExecutor, processExecutor, pava:448) at com, kms, katalon, core, main, TestCaseExecutor, accessMainPhase (TestCaseExecutor, java:448) at com, kms, katalon, core, main, TestCaseExecutor, execute(TestCaseExecutor, java:285) at com, kms, katalon, core, main, TestCaseExecutor, execute(TestCaseExecutor, java:285) at com, kms, katalon, core, main, TestCaseExecutor, execute(TestCaseExecutor, java:369) at com, kms, katalon, core, main, TestCaseExecutor, execute(TestCaseExecutor, java:369) at com, kms, katalon, core, main, TestCaseExecutor, execute(TestCaseExecutor, java:369) at com, kms, katalon, core, main, TestCaseExecutor, execute(TestCaseExecutor, java:369) at com, kms, katalon, core, main, TestCaseExecutor, execute(TestCaseExecutor, java:369) at com, kms, katalon, core, main, TestCaseExecutor, execute(TestCaseExecutor, java:369) at com, kms, katalon, core, main, TestCaseExecutor, execute(TestCaseExecutor, java:369) at com, kms, katalon, core, main, TestCaseExecutor, execute(TestCaseExecutor, java:369) at com, kms, katalon, core, main, TestCaseExecutor, execute(TestCaseMainPhase (TestSuiteExecutor, java:45) at com, kms, katalon, core, main, TestCaseExecutor, execute(TestCaseMainPhase (TestSuiteExecutor, java:45) at com,				
(SetTextKeyword groovy:37) at com.kms.katalon.core.keyword internal KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUBuiltinKeywords.setText (WebUBuiltinKeywords.groovy:1019) at TC_Amazon_Home_Register New User_001.run(TC_Amazon_Home_Register New User_001:41) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:106) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseMainPhase (CommonExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke()Mative Method) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openga.selenium.NoSuchWindowException: no such window: target window				
at com. kms. katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms. katalon.core.webui.keyword.WebUiBuiltinKeywords.setText (WebUiBuiltinKeywords.groovy:1019) at TC_Amazon_Home_Register New User_001.run(TC_Amazon_Home_Register New User_001:41) at com.kms. katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms. katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms. katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms. katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms. katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:48) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:48) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseExecutor.java:48) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:48) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:48) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:48) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:65) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.				
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUBuiltInKeywords.setText (WebUBuiltInKeywords.groovy:1019) at TC_Amazon_Home_Register New User_001.run(TC_Amazon_Home_Register New User_001:41) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:199) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:160) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpLinvoke(NativeMethodAccessorImpLinvoke) (NativeMethodAccessorImpLiava:77) at java.base/jdk.internal.reflect.DelegatingMeth				
at com. kms. katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at TC_Amazon_Home_Register New User_001.run(TC_Amazon_Home_Register New User_001:41) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:1199) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestSuseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestSuseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestSusteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:46) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:46) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:47) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window				
(WebUiBuiltInkeywords groovy:1019) at TC_Amazon_Home_Register New User_001.run(TC_Amazon_Home_Register New User_001.vun) at TC_Amazon_Home_Register New User_001.run(TC_Amazon_Home_Register New User_001.vun) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:148) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:399) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteBxoutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:106) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
New User_001:41) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptAsRawText(ScriptEngine.java:199) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:389) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (CommonExecutor.java:48) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:48) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:418) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:180) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:180) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:180) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:180) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:180) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:70) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 108) at tom.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMain.java: 106) at tom.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMain.java: 107 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 107 108 109 1109 1209 1309 1409 1509 1509 1509 1509 1509 1509 1509 15				
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed		·		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed		at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)     at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
(TestSuiteExecutor.java:148)		(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180) at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at TempTestSuite1706540481680.run(TempTestSuite1706540481680.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed				
already closed				
from unknown error: web view not found		already closed		
		from unknown error: web view not found		

Elapsed

Status

```
Description
 (Session info: chrome=120.0.6099.227)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'LAPTOP-EOF0UE37', ip: '192.168.29.158', os.name: 'Windows 11', os.
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.227, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\Ayush\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:59291}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: a38aab6ae88d24d4c0cf1d0559c8f633
*** Element info: {Using=xpath, value=//input[@id='cvf-input-code']}
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at\ com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ or g. open qa. selenium. remote. Remote Web Driver. find Elements By XP at h
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy26.findElements(Unknown Source)
          at org.openga.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at\ com.kms. katalon. core. webui. common. WebUiCommon Helper.
```

```
Description
                                                                                         Elapsed
                                                                                                          Status
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
         at\ com. kms. katalon. core. we bui. keyword. internal. We bUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
         at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:1019)
         at Script1706253031637.run(Script1706253031637.groovy:41)
         ... 18 more
Start listener action : sampleAfterTestCase
                                                                                          0.720s
                                                                                                         PASSED
```

Browser is closed

## TC\_Amazon\_Home\_Sign In\_002

### Information

ID Test Cases/Amazon/Amazon\_Test Cases/TC\_Amazon\_Home\_Sign In\_002

Description

Tag

Start 29-01-2024 20:35:53 End 29-01-2024 20:36:23

Elapsed 30.119s
Status PASSED

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  Browser is opened with url: "	2.232s	PASSED
2	openBrowser("")  Browser is opened with url: "	2.322s	PASSED
3	maximizeWindow()  Current window maximized	0.239s	PASSED
4	navigateToUrl("https://www.amazon.com/")  Navigate to 'https://www.amazon.com/' successfully	1.317s	PASSED
5	click(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon.com. Spend less. Smile more/a_Hello, sign in Account Lists"))  Object: 'Object Repository/Amazon_Page_OR/Page_Amazon.com. Spend less. Smile more/a_Hello, sign in Account Lists' is clicked on	12.014s	PASSED
6	setText(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon Sign-In/input_email"), "as9406@srmist.edu.in")  Text 'as9406@srmist.edu.in' is set on object 'Object Repository/Amazon_Page_OR/Page_Amazon Sign-In/input_email'	1.580s	PASSED

# TC\_Amazon\_Home\_Sign In\_002

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon Sign-In/inputcontinue"))  Object: 'Object Repository/Amazon_Page_OR/Page_Amazon Sign-In/inputcontinue' is clicked on	2.478s	PASSED
8	setText(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon Sign-In/input_password"), "Anushka")  Text 'Anushka' is set on object 'Object Repository/Amazon_Page_OR/Page_Amazon Sign-In/input_password'	1.174s	PASSED
9	click(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon Sign-In/inputsignInSubmit"))  Object: 'Object Repository/Amazon_Page_OR/Page_Amazon Sign-In/inputsignInSubmit' is clicked on	0.590s	PASSED
10	delay(5)  Delayed 5 second(s)	5.139s	PASSED
11	closeBrowser()  Browser is closed	0.808s	PASSED
12	Start listener action : sampleAfterTestCase  Browser is closed	0.005s	PASSED

### TC\_Amazon\_Home\_SearchItem\_003

### Information

ID Test Cases/Amazon/Amazon\_Test Cases/TC\_Amazon\_Home\_SearchItem\_003

Description

Tag

keywords'

Start 29-01-2024 20:36:23 End 29-01-2024 20:36:50

Elapsed 27.342s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  Browser is opened with url: "	1.645s	PASSED
2	openBrowser("")  Browser is opened with url: "	2.023s	PASSED
3	navigateToUrl("https://www.amazon.com/")  Navigate to 'https://www.amazon.com/' successfully	1.000s	PASSED
4	click(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon.com. Spend less. Smile more/input_a-button-input"))  Object: 'Object Repository/Amazon_Page_OR/Page_Amazon.com. Spend less. Smile more/input_a-button-input' is clicked on	11.505s	PASSED
5	setText(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), "Washing machine")  Text 'Washing machine' is set on object 'Object	1.856s	PASSED

 $Repository/Amazon\_Page\_OR/Page\_Amazon.com. \ Spend \ less. \ Smile \ more/input\_field-less. \ Marchaelles \ more$ 

## TC\_Amazon\_Home\_SearchItem\_003

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/Amazon_Page_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button"))  Object: 'Object Repository/Amazon_Page_OR/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button' is clicked on	8.269s	PASSED
7	closeBrowser() Browser is closed	0.864s	PASSED
8	Start listener action : sampleAfterTestCase  Browser is closed	0.005s	PASSED

### TC\_Amazon\_Home\_CategorySelection\_004

### Information

ID Test Cases/Amazon/Amazon\_Test Cases/TC\_Amazon\_Home\_CategorySelection\_004

Description

Tag

Start 29-01-2024 20:36:50 End 29-01-2024 20:37:14

Elapsed 23.493s Status PASSED

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  Browser is opened with url: "	1.631s	PASSED
2	openBrowser("")  Browser is opened with url: "	2.072s	PASSED
3	navigateToUrl("https://www.amazon.com/")  Navigate to 'https://www.amazon.com/' successfully	1.348s	PASSED
4	selectOptionByLabel(findTestObject("Object Repository/Amazon_Page_OR/Category_Selection/Page_Amazon.com. Spend less. Smile more/select_All Departments	11.444s	PASSED
5	setText(findTestObject("Object Repository/Amazon_Page_OR/Category_Selection/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), "Da Vinci Code")  Text 'Da Vinci Code' is set on object 'Object Repository/Amazon_Page_OR/Category_Selection/Page_Amazon.com. Spend less. Smile more/input_field-keywords'	1.366s	PASSED

# TC\_Amazon\_Home\_CategorySelection\_004

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/Amazon_Page_OR/Category_Selection/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button"))  Object: 'Object Repository/Amazon_Page_OR/Category_Selection/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button' is clicked on	4.623s	PASSED
7	closeBrowser() Browser is closed	0.769s	PASSED
8	Start listener action : sampleAfterTestCase  Browser is closed	0.005s	PASSED

### TC\_Amazon\_Wishlist\_005

### Information

ID Test Cases/Amazon/Amazon\_Test Cases/TC\_Amazon\_Wishlist\_005

Description

Tag

Start 29-01-2024 20:37:14 End 29-01-2024 20:38:46

Elapsed 1m - 31.815s

Status PASSED

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  Browser is opened with url: "	1.726s	PASSED
2	openBrowser("")  Browser is opened with url: "	2.182s	PASSED
3	maximizeWindow()  Current window maximized	0.153s	PASSED
4	navigateToUrl("https://www.amazon.com/")  Navigate to 'https://www.amazon.com/' successfully	0.954s	PASSED
5	click(findTestObject("Object Repository/Amazon_Page_OR/Wishlist/Page_Amazon.com. Spend less. Smile more/input_a-button-input"))  Object: 'Object Repository/Amazon_Page_OR/Wishlist/Page_Amazon.com. Spend less. Smile more/input_a-button-input' is clicked on	20.120s	PASSED
6	delay(2)  Delayed 2 second(s)	2.015s	PASSED

## TC\_Amazon\_Wishlist\_005

#	Description	Elapsed	Status
7	selectOptionByValue(findTestObject("Object Repository/Amazon_Page_OR/Wishlist/Page_Amazon.com. Spend less. Smile more/select_All Departments	1.737s	PASSED
8	setText(findTestObject("Object Repository/Amazon_Page_OR/Wishlist/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), "The book thief")  Text 'The book thief' is set on object 'Object Repository/Amazon_Page_OR/Wishlist/Page_Amazon.com. Spend less. Smile more/input_field-keywords'	1.606s	PASSED
9	click(findTestObject("Object Repository/Amazon_Page_OR/Wishlist/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button"))  Object: 'Object Repository/Amazon_Page_OR/Wishlist/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button' is clicked on	6.428s	PASSED
10	click(findTestObject("Object Repository/Amazon_Page_OR/Wishlist/Page_Amazon.com The book thief/span_The Book Thief"))  Object: 'Object Repository/Amazon_Page_OR/Wishlist/Page_Amazon.com The book thief/span_The Book Thief' is clicked on	15.934s	PASSED
11	click(findTestObject("Object Repository/Amazon_Page_OR/Wishlist/Page_The Book Thief Markus Zusak 9780375842_51997c/span_Quantity1"))  Object: 'Object Repository/Amazon_Page_OR/Wishlist/Page_The Book Thief Markus Zusak 9780375842_51997c/span_Quantity1' is clicked on	25.598s	PASSED
12	click(findTestObject("Object Repository/Amazon_Page_OR/Wishlist/Page_The Book Thief Markus Zusak 9780375842_51997c/a_4"))  Object: 'Object Repository/Amazon_Page_OR/Wishlist/Page_The Book Thief Markus Zusak 9780375842_51997c/a_4' is clicked on	1.020s	PASSED
13	click(findTestObject("Object Repository/Amazon_Page_OR/Wishlist/Page_The Book Thief Markus Zusak 9780375842_51997c/input_submit.add-to-cart"))  Object: 'Object Repository/Amazon_Page_OR/Wishlist/Page_The Book Thief Markus Zusak 9780375842_51997c/input_submit.add-to-cart' is clicked on	5.420s	PASSED

## TC\_Amazon\_Wishlist\_005

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Amazon_Page_OR/Wishlist/Page_Amazon.com Shopping Cart/a_Go to Cart"))  Object: 'Object Repository/Amazon_Page_OR/Wishlist/Page_Amazon.com Shopping Cart/a_Go to Cart' is clicked on	2.498s	PASSED
15	click(findTestObject("Object Repository/Amazon_Page_OR/Wishlist/Page_Amazon.com Shopping Cart/span_Subtotal (4 items)"))  Object: 'Object Repository/Amazon_Page_OR/Wishlist/Page_Amazon.com Shopping Cart/span_Subtotal (4 items)' is clicked on	1.440s	PASSED
16	delay(2)  Delayed 2 second(s)	2.011s	PASSED
17	closeBrowser() Browser is closed	0.765s	PASSED
18	Start listener action : sampleAfterTestCase  Browser is closed	0.005s	PASSED

### TC\_Amazon\_Home\_LanguageSelection\_006

### Information

ID Test Cases/Amazon/Amazon\_Test Cases/TC\_Amazon\_Home\_LanguageSelection\_006

Description

Tag

Start 29-01-2024 20:38:46 End 29-01-2024 20:39:19

Elapsed 33.581s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  Browser is opened with url: "	1.639s	PASSED
2	openBrowser("")  Browser is opened with url: "	2.203s	PASSED
3	navigateToUrl("https://www.amazon.com/")  Navigate to 'https://www.amazon.com/" successfully	1.270s	PASSED
4	click(findTestObject("Object Repository/Amazon_Page_OR/Language_Selection/Page_Amazon.com. Spend less. Smile more/input_a-button-input"))  Object: 'Object Repository/Amazon_Page_OR/Language_Selection/Page_Amazon.com. Spend less. Smile more/input_a-button-input' is clicked on	14.479s	PASSED
5	click(findTestObject("Object Repository/Amazon_Page_OR/Language_Selection/Page_Amazon.com. Spend less. Smile more/a_EN"))	2.677s	PASSED

 $Object: 'Object \ Repository/Amazon\_Page\_OR/Language\_Selection/Page\_Amazon.com.$ 

Spend less. Smile more/a\_EN' is clicked on

# TC\_Amazon\_Home\_LanguageSelection\_006

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/Amazon_Page_OR/Language_Selection/Page_Change Language Currency Settings/i_a-icon a-icon-radio"))  Object: 'Object Repository/Amazon_Page_OR/Language_Selection/Page_Change Language Currency Settings/i_a-icon a-icon-radio' is clicked on	1.103s	PASSED
7	click(findTestObject("Object Repository/Amazon_Page_OR/Language_Selection/Page_Change Language Currency Settings/input_a-button-input"))  Object: 'Object Repository/Amazon_Page_OR/Language_Selection/Page_Change Language Currency Settings/input_a-button-input' is clicked on	1.469s	PASSED
8	click(findTestObject("Object Repository/Amazon_Page_OR/Language_Selection/Page_Amazon.com. Gasta menos. Sonre ms/a_ES"))  Object: 'Object Repository/Amazon_Page_OR/Language_Selection/Page_Amazon.com. Gasta menos. Sonre ms/a_ES' is clicked on	5.529s	PASSED
9	click(findTestObject("Object Repository/Amazon_Page_OR/Language_Selection/Page_Cambiar configuracin de idioma y moneda/i_a-icon a-icon-radio"))  Object: 'Object Repository/Amazon_Page_OR/Language_Selection/Page_Cambiar configuracin de idioma y moneda/i_a-icon a-icon-radio' is clicked on	1.275s	PASSED
10	click(findTestObject("Object Repository/Amazon_Page_OR/Language_Selection/Page_Cambiar configuracin de idioma y moneda/input_a-button-input"))  Object: 'Object Repository/Amazon_Page_OR/Language_Selection/Page_Cambiar configuracin de idioma y moneda/input_a-button-input' is clicked on	1.067s	PASSED
11	closeBrowser() Browser is closed	0.683s	PASSED
12	Start listener action : sampleAfterTestCase  Browser is closed	0.006s	PASSED