

# DDT\_CURA\_Test Suite

## Execution Environment

Host name	PRAVEEN - DESKTOP-EH59TE7
Local OS	Windows 11 64bit
Katalon version	9.1.0.212
Browser	Firefox 122.0

## Summary

ID	Test Suites/CURA_TestSuites/DDT_CURA_Test Suite		
Description			
Total	3		
Passed	3	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	07-02-2024 16:26:13	End	07-02-2024 16:27:06
Elapsed	52.515s		

#	ID	Description	Status
1	Test Cases/Data Driven Testing/TC_Katalon_Login_Internal_Using Excel		PASSED
2	Test Cases/Data Driven Testing/TC_Katalon_Login_InternalData_002		PASSED
3	Test Cases/Data Driven Testing/TC_Validation_CURA_login_using variables by data binding		PASSED

# TC\_Katalon\_Login\_Internal\_Using Excel

---

Information

ID	Test Cases/Data Driven Testing/TC_Katalon_Login_Internal_Using Excel		
Description			
Tag			
Start	07-02-2024 16:26:14	End	07-02-2024 16:26:38
Elapsed	24.256s		
Status	PASSED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# TC\_Katalon\_Login\_Internal\_Using Excel

#	Description	Elapsed	Status
1	<p>Start listener action : sampleBeforeTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/input_username'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)</p> <p>at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:32)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)</p> <p>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:268)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1707303360751.run (TempTestSuite1707303360751.groovy:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-EH59TE7', ip: '192.168.69.220', os.name: 'Windows 11', os.</p>	0.843s	ERROR

# TC\_Katalon\_Login\_Internal\_Using Excel

#	Description	Elapsed	Status
	<pre>arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: unknown     at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014)     at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999)     at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:985)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		
2	<pre>openBrowser("")  Browser is opened with url: "</pre>	4.210s	PASSED
3	<pre>navigateToUrl("https://katalon-demo-cura.herokuapp.com/")  Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully</pre>	11.991s	PASSED
4	<pre>maximizeWindow()  Current window maximized</pre>	0.348s	PASSED

## TC\_Katalon\_Login\_Internal\_Using Excel

#	Description	Elapsed	Status
5	<code>click(findTestObject("Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/a_Make Appointment"))</code>  Object: 'Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/a_Make Appointment' is clicked on	1.661s	PASSED
6	<code>setText(findTestObject("Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/input_username"), findTestData("credentials").getValue("username", 1))</code>  Text 'Admin' is set on object 'Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/input_username'	0.731s	PASSED
7	<code>setText(findTestObject("Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/input_password"), findTestData("DDT_TESTDATA/Katalon_Login_excel_folder").getValue("password", 1))</code>  Text 'ThisIsNotAPassword' is set on object 'Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/input_password'	1.235s	PASSED
8	<code>click(findTestObject("Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/button_Login"))</code>  Object: 'Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/button_Login' is clicked on	1.228s	PASSED
9	<code>closeBrowser()</code>  Browser is closed	1.646s	PASSED

# TC\_Katalon\_Login\_Internal\_Using Excel

#	Description	Elapsed	Status
10	<p>Start listener action : sampleAfterTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/amenu-toggle'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)</p> <p>at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:51)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3 (TestHooker.java:95)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)</p> <p>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:315)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1707303360751.run (TempTestSuite1707303360751.groovy:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-EH59TE7', ip: '192.168.69.220', os.name: 'Windows 11', os.</p>	0.101s	ERROR

# TC\_Katalon\_Login\_Internal\_Using Excel

#	Description	Elapsed	Status
	<pre>arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 23 more</pre>		

# TC\_Katalon\_Login\_InternalData\_002

---

## Information

ID	Test Cases/Data Driven Testing/TC_Katalon_Login_InternalData_002		
Description			
Tag			
Start	07-02-2024 16:26:38	End	07-02-2024 16:26:52
Elapsed	14.293s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------



# TC\_Katalon\_Login\_InternalData\_002

#	Description	Elapsed	Status
1	<p>Start listener action : sampleBeforeTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/input_username'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)</p> <p>at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:32)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)</p> <p>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:268)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1707303360751.run (TempTestSuite1707303360751.groovy:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-EH59TE7', ip: '192.168.69.220', os.name: 'Windows 11', os.</p>	0.078s	ERROR

## TC\_Katalon\_Login\_InternalData\_002

#	Description	Elapsed	Status
	<pre>arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 23 more</pre>		
2	<pre>openBrowser("")  Browser is opened with url: "</pre>	2.938s	PASSED

## TC\_Katalon\_Login\_InternalData\_002

#	Description	Elapsed	Status
3	<code>navigateToUrl("https://katalon-demo-cura.herokuapp.com/")</code>  Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully	5.515s	PASSED
4	<code>maximizeWindow()</code>  Current window maximized	0.288s	PASSED
5	<code>click(findTestObject("Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/a_Make Appointment"))</code>  Object: 'Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/a_Make Appointment' is clicked on	1.079s	PASSED
6	<code>setText(findTestObject("Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/input_username"), findTestData("DDT_TESTDATA/Katalon_Login_InternalData").getValue("username", 1))</code>  Text 'John Doe' is set on object 'Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/input_username'	0.694s	PASSED
7	<code>setText(findTestObject("Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/input_password"), findTestData("DDT_TESTDATA/Katalon_Login_InternalData").getValue("password", 1))</code>  Text 'ThisIsNotAPassword' is set on object 'Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/input_password'	0.632s	PASSED
8	<code>click(findTestObject("Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/button_Login"))</code>  Object: 'Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/button_Login' is clicked on	1.030s	PASSED
9	<code>closeBrowser()</code>  Browser is closed	1.878s	PASSED

# TC\_Katalon\_Login\_InternalData\_002

---

#	Description	Elapsed	Status
---	-------------	---------	--------

## TC\_Katalon\_Login\_InternalData\_002

#	Description	Elapsed	Status
10	Start listener action : sampleAfterTestCase	0.069s	ERROR
	<pre>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/amenu-toggle'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:51)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3 (TestHooker.java:95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)     at TempTestSuite1707303360751.run (TempTestSuite1707303360751.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?     Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'     System info: host: 'DESKTOP-EH59TE7', ip: '192.168.69.220', os.name: 'Windows 11', os.</pre>		

## TC\_Katalon\_Login\_InternalData\_002

#	Description	Elapsed	Status
	<pre>arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 23 more</pre>		

# TC\_Validation\_CURA\_login\_using variables by data binding

---

## Information

ID	Test Cases/Data Driven Testing/TC_Validation_CURA_login_using variables by data binding		
Description			
Tag			
Start	07-02-2024 16:26:52	End	07-02-2024 16:27:05
Elapsed	12.839s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# TC\_Validation\_CURA\_login\_using variables by data binding

#	Description	Elapsed	Status
1	<p>Start listener action : sampleBeforeTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/input_username'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)</p> <p>at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:32)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3 (TestHooker.java:95)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)</p> <p>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:268)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1707303360751.run (TempTestSuite1707303360751.groovy:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p>	0.070s	ERROR



# TC\_Validation\_CURA\_login\_using variables by data binding

#	Description	Elapsed	Status
	<pre>System info: host: 'DESKTOP-EH59TE7', ip: '192.168.69.220', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:28)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods(WebUiCommonHelper.java:1025)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:915)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:897)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:892)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsByDefault(WebUiCommonHelper.java:888)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsWithSelfHealing(WebUiCommonHelper.java:734)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements(WebUiCommonHelper.java:718)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement(WebUiCommonHelper.java:1374)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)     ... 23 more</pre>		
2	<pre>openBrowser("")  Browser is opened with url: "</pre>	3.037s	PASSED

## TC\_Validation\_CURA\_login\_using variables by data binding

#	Description	Elapsed	Status
3	<code>navigateToUrl("https://katalon-demo-cura.herokuapp.com/")</code>  Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully	3.846s	PASSED
4	<code>maximizeWindow()</code>  Current window maximized	0.317s	PASSED
5	<code>click(findTestObject("Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/a_Make Appointment"))</code>  Object: 'Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/a_Make Appointment' is clicked on	1.358s	PASSED
6	<code>setText(findTestObject("Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/input_username"), username)</code>  Text " is set on object 'Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/input_username'	0.672s	PASSED
7	<code>setText(findTestObject("Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/input_password"), password)</code>  Text " is set on object 'Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/input_password'	0.597s	PASSED
8	<code>click(findTestObject("Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/button_Login"))</code>  Object: 'Object Repository/CURA_New_001/DDT_Katalon_Login_Internal_OR/Page_CURA Healthcare Service/button_Login' is clicked on	1.072s	PASSED
9	<code>closeBrowser()</code>  Browser is closed	1.665s	PASSED

# TC\_Validation\_CURA\_login\_using variables by data binding

---

#	Description	Elapsed	Status
---	-------------	---------	--------

# TC\_Validation\_CURA\_login\_using variables by data binding

#	Description	Elapsed	Status
10	<p>Start listener action : sampleAfterTestCase</p> <p>com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/amenu-toggle'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)</p> <p>at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:51)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3 (TestHooker.java:95)</p> <p>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)</p> <p>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent (TestListenerCollector.java:85)</p> <p>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:315)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180)</p> <p>at TempTestSuite1707303360751.run (TempTestSuite1707303360751.groovy:36)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p>	0.068s	ERROR

# TC\_Validation\_CURA\_login\_using variables by data binding

#	Description	Elapsed	Status
	<p>System info: host: 'DESKTOP-EH59TE7', ip: '192.168.69.220', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</p> <p>Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:28)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)</p> <p>at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods(WebUiCommonHelper.java:1025)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:915)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:897)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:892)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsByDefault(WebUiCommonHelper.java:888)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsWithSelfHealing(WebUiCommonHelper.java:734)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:65)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call(ClickKeyword.groovy)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)</p> <p>... 23 more</p>		