CURA_Built-in-keywords_Custom Keywords_Test Suite

Execution Environment

Host name	PRAVEEN - DESKTOP-EH59TE7
Local OS	Windows 11 64bit
Katalon version	9.1.0.212
Browser	Firefox 122.0

Summary

ID	Test Suites/CURA_TestSuites/CURA_Built-in-keywords_Custom Keywords_Test Suite
Description	

Total	2		
Passed	2	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	07-02-2024 17:55:45	End	07-02-2024 17:56:42
Elapsed	57.454s		

#	ID	Description	Status
1	Test Cases/Built-in-Keywords -Demo		PASSED
2	Test Cases/Custom Keywords/TC_Keyword_001		PASSED

Built-in-Keywords -Demo

Information

ID	Test Cases/Built-in-Keywords -Demo		
Description			
Tag			
Start	07-02-2024 17:55:45	End	07-02-2024 17:56:41
Elapsed	55.772s		
Status	PASSED		

Details

#	Description	Elapsed	Status

Built-in-Keywords -Demo

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	1.077s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/input_username'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
      at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:32)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
      at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
      at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
      at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
      at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
      at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
      at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
      at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
      at TempTestSuite1707308731735.run(TempTestSuite1707308731735.groovy:36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EH59TE7', ip: '192.168.114.220', os.name: 'Windows 11', os.

Built-in-Keywords -Demo

#	Description	Elapsed	Status

	arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
	Driver info: driver.version: unknown
	    at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014)
	    at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999)
	    at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:985)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)
	    at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
	    at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
	    ... 23 more		

2	openBrowser("") Browser is opened with url: ''	5.960s	PASSED
3	navigateToUrl("https://katalon-demo-cura.herokuapp.com/") Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully	21.463s	PASSED
4	maximizeWindow() Current window maximized	0.374s	PASSED

Built-in-Keywords -Demo

#	Description	Elapsed	Status
5	url = getUrl()	0.094s	PASSED
	Current window's url is: 'https://katalon-demo-cura.herokuapp.com/'		
6	out.println(url)	0.074s	PASSED
7	out.println(getWindowIndex())	0.122s	PASSED
	Current window's index is: 0		
8	out.println(getWindowTitle())	0.079s	PASSED
	Current window's title is: 'CURA Healthcare Service'		
9	delay(6)	6.116s	PASSED
	Delayed 6 second(s)		
10	navigateToUrl("https://katalon-demo-cura.herokuapp.com/")	2.490s	PASSED
	Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully		
11	delay(5)	5.029s	PASSED
	Delayed 5 second(s)		
12	back()	0.067s	PASSED
	Navigate back successfully		
13	delay(5)	5.010s	PASSED
	Delayed 5 second(s)		
14	forward()	0.052s	PASSED
	Navigate forward successfully		

Built-in-Keywords -Demo

#	Description	Elapsed	Status
15	delay(5)	5.029s	PASSED
	Delayed 5 second(s)		
16	out.println(getUrl())	0.033s	PASSED
	Current window's url is: 'https://katalon-demo-cura.herokuapp.com/'		
17	windowno = getWindowIndex()	0.031s	PASSED
	Current window's index is: 0		
18	out.println(windowno)	0.012s	PASSED
19	out.println(getWindowTitle())	0.022s	PASSED
	Current window's title is: 'CURA Healthcare Service'		
20	closeBrowser()	1.940s	PASSED
	Browser is closed		

#	Description	Elapsed	Status
21	Start listener action : sampleAfterTestCase	0.192s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/amenu-toggle'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)
    at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:51)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)
    at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java:95)
    at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
    at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
    at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
    at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
    at TempTestSuite1707308731735.run(TempTestSuite1707308731735.groovy:36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EH59TE7', ip: '192.168.114.220', os.name: 'Windows 11', os.

#	Description	Elapsed	Status

arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
        at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
28)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
        at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
        at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
        ... 23 more

TC_Keyword_001

Information

ID	Test Cases/Custom Keywords/TC_Keyword_001
Description	
Tag	

Start	07-02-2024 17:56:41	End	07-02-2024 17:56:42
Elapsed	0.521s		
Status	PASSED		

Details

#	Description	Elapsed	Status

TC_Keyword_001

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.125s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/input_username'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
    at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:32)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
    at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
    at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
    at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
    at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
    at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
    at TempTestSuite1707308731735.run(TempTestSuite1707308731735.groovy:36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EH59TE7', ip: '192.168.114.220', os.name: 'Windows 11', os.

#	Description	Elapsed	Status

	arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
	Driver info: driver.version: RemoteWebDriver
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)
	    at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)
	    at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)
	    at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
	    at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
	    ... 23 more		

2	com.qa.test.customFunctions.PrintHello() com.qa.test.customFunctions.PrintHello is PASSED	0.076s	PASSED

#	Description	Elapsed	Status
3	com.qa.test.customFunctions.PrintName("Successfully")	0.014s	PASSED

com.qa.test.customFunctions.PrintName is PASSED

TC_Keyword_001

#	Description	Elapsed	Status
4	Start listener action : sampleAfterTestCase	0.119s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/amenu-toggle'
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)
       at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:51)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
       at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
       at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
       at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
       at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
       at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
       at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)
       at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
       at TempTestSuite1707308731735.run(TempTestSuite1707308731735.groovy:36)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EH59TE7', ip: '192.168.114.220', os.name: 'Windows 11', os.

#	Description	Elapsed	Status
	arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:28) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		