# CURA_Buttons_Checkpoints_Testsuite

## Execution Environment

| | |
|---|---|
| Host name | PRAVEEN - DESKTOP-EH59TE7 |
| Local OS | Windows 11 64bit |
| Katalon version | 9.1.0.212 |
| Browser | Firefox 122.0 |

## Summary

| | |
|---|---|
| ID | Test Suites/CURA_TestSuites/CURA_Buttons_Checkpoints_Testsuite |
| Description | |

| | | | |
|---|---|---|---|
| Total | 3 | | |
| Passed | 3 | Failed | 0 |
| Error | 0 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 07-02-2024 17:47:25 | End | 07-02-2024 17:49:14 |
| Elapsed | 1m - 48.602s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/Buttons/TC_Checkbox_buttons_Validation | | PASSED |
| 2 | Test Cases/Buttons/TC_Dropdown_Validation-001 | | PASSED |
| 3 | Test Cases/CheckPoints/Checkpoint_Cura_AppointmentConfirmation_TestData | | PASSED |

# TC_Checkbox_buttons_Validation

## Information

| | |
|---|---|
| ID | Test Cases/Buttons/TC_Checkbox_buttons_Validation |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 07-02-2024 17:47:25 | End | 07-02-2024 17:48:11 |
| Elapsed | 45.209s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|

# TC_Checkbox_buttons_Validation

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | Start listener action : sampleBeforeTestCase | 0.820s | ERROR |

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/input_username'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
    at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:32)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
    at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
    at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
    at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
    at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
    at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
    at TempTestSuite1707308233753.run(TempTestSuite1707308233753.groovy:36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EH59TE7', ip: '192.168.114.220', os.name: 'Windows 11', os.

# TC_Checkbox_buttons_Validation

| # | Description | Elapsed | Status |
|---|---|---|---|
| | arch: 'amd64', os.version: '10.0', java.version: '17.0.7'<br>Driver info: driver.version: unknown<br> at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014)<br> at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999)<br> at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:985)<br> at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009)<br> at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)<br> at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)<br> at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)<br> at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)<br> at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)<br> at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)<br> at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)<br> at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)<br> at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)<br> at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)<br> at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)<br> at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)<br> ... 23 more | | |
| 2 | Invoking Browser<br><br>Browser is opened with url: '' | 5.266s | PASSED |
| 3 | Launch the url<br><br>Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully | 7.034s | PASSED |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 4 | click(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/amenu-toggle")) <br><br> Object: 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/amenu-toggle' is clicked on | 2.582s | PASSED |
| 5 | click(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/a_Login")) <br><br> Object: 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/a_Login' is clicked on | 2.859s | PASSED |
| 6 | setText(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/input_username"), "John Doe") <br><br> Text 'John Doe' is set on object 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/input_username' | 4.370s | PASSED |
| 7 | setEncryptedText(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/input_password"), "g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM") <br><br> Text ****** has been set on object 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/input_password' | 2.167s | PASSED |
| 8 | takeScreenshot() <br><br> Taking screenshot successfully <br><br>  | 2.689s | PASSED |

# TC_Checkbox_buttons_Validation

| # | Description | Elapsed | Status |
|---|---|---|---|
| 9 | Click on Login Button<br><br>Object: 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/button_Login' is clicked on | 3.313s | PASSED |
| 10 | click(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/label_Medicaid"))<br><br>Object: 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/label_Medicaid' is clicked on | 2.330s | PASSED |
| 11 | unchecked = verifyElementNotChecked(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/label_Medicaid"), 0)<br><br>Object 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/label_Medicaid' is not checked | 2.179s | PASSED |
| 12 | if (unchecked == true) | 2.430s | PASSED |
| 13 | delay(3)<br><br>Delayed 3 second(s) | 3.057s | PASSED |
| 14 | uncheck(findTestObject("CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/label_Medicaid"), STOP_ON_FAILURE)<br><br>Object 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/label_Medicaid' is un-checked | 2.134s | PASSED |
| 15 | closeBrowser()<br><br>Browser is closed | 1.523s | PASSED |

# TC_Checkbox_buttons_Validation

| # | Description | Elapsed | Status |
|---|---|---|---|
| 16 | Start listener action : sampleAfterTestCase | 0.113s | ERROR |

com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/amenu-toggle'
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)
       at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:51)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
       at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
       at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
       at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
       at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
       at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
       at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)
       at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
       at TempTestSuite1707308233753.run(TempTestSuite1707308233753.groovy:36)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EH59TE7', ip: '192.168.114.220', os.name: 'Windows 11', os.

| # | Description | Elapsed | Status |
|---|---|---|---|
| | arch: 'amd64', os.version: '10.0', java.version: '17.0.7'<br>Driver info: driver.version: RemoteWebDriver<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)<br>    at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)<br>    at org.openqa.selenium.By$ByXPath.findElements(By.java:348)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)<br>    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)<br>    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:65)<br>    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy)<br>    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)<br>    ... 23 more | | |

# TC_Dropdown_Validation-001

## Information

| | |
|---|---|
| ID | Test Cases/Buttons/TC_Dropdown_Validation-001 |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 07-02-2024 17:48:11 | End | 07-02-2024 17:49:13 |
| Elapsed | 1m - 1.981s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|

# TC_Dropdown_Validation-001

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | Start listener action : sampleBeforeTestCase | 0.104s | ERROR |

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/input_username'
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
 at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
 at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
 at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:32)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
 at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
 at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
 at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
 at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
 at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
 at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
 at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
 at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
 at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
 at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
 at TempTestSuite1707308233753.run(TempTestSuite1707308233753.groovy:36)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EH59TE7', ip: '192.168.114.220', os.name: 'Windows 11', os.

| # | Description | Elapsed | Status |
|---|---|---|---|
| | arch: 'amd64', os.version: '10.0', java.version: '17.0.7' | | |

arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
        at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
28)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
        at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
        at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
        at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
        ... 23 more

| # | Description | Elapsed | Status |
|---|---|---|---|
| 2 | openBrowser("") | 4.183s | PASSED |

Browser is opened with url: ''

# TC_Dropdown_Validation-001

| # | Description | Elapsed | Status |
|---|---|---|---|
| 3 | navigateToUrl("https://katalon-demo-cura.herokuapp.com/")<br><br>Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully | 12.319s | PASSED |
| 4 | click(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/amenu-toggle"))<br><br>Object: 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/amenu-toggle' is clicked on | 2.415s | PASSED |
| 5 | click(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/a_Login"))<br><br>Object: 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/a_Login' is clicked on | 2.751s | PASSED |
| 6 | setText(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/input_username"), "John Doe")<br><br>Text 'John Doe' is set on object 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/input_username' | 4.302s | PASSED |
| 7 | setEncryptedText(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/input_password"), "g3/DOGG74jC3FIrr3yH+3D/yKbOqqUNM")<br><br>Text ****** has been set on object 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/input_password' | 2.102s | PASSED |
| 8 | click(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/button_Login"))<br><br>Object: 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/button_Login' is clicked on | 3.838s | PASSED |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 9 | verifyElementPresent(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/label_Facility"), 0)<br><br>Object 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/label_Facility' is present | 2.104s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center   _5b4107"), Facility, true)<br><br>All options with value 'Hongkong CURA Healthcare Center' are selected in object 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center   _5b4107'  using regular expression | 6.648s | PASSED |
| 11 | click(findTestObject("Object Repository/CURA_New_001/page_appointment/Page_CURA Healthcare Service/label_Medicaid"))<br><br>Object: 'Object Repository/CURA_New_001/page_appointment/Page_CURA Healthcare Service/label_Medicaid' is clicked on | 2.333s | PASSED |
| 12 | verifyElementText(findTestObject("CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/label_Visit Date (Required)"), "Visit Date (Required)")<br><br>Actual text and expected text of test object 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/label_Visit Date (Required)' are matched. | 2.147s | PASSED |
| 13 | click(findTestObject("Object Repository/CURA_New_001/page_appointment/Page_CURA Healthcare Service/input_visit_date"))<br><br>Object: 'Object Repository/CURA_New_001/page_appointment/Page_CURA Healthcare Service/input_visit_date' is clicked on | 2.395s | PASSED |
| 14 | click(findTestObject("Object Repository/CURA_New_001/page_appointment/Page_CURA Healthcare Service/td_17"))<br><br>Object: 'Object Repository/CURA_New_001/page_appointment/Page_CURA Healthcare Service/td_17' is clicked on | 2.531s | PASSED |

# TC_Dropdown_Validation-001

| # | Description | Elapsed | Status |
|---|---|---|---|
| 15 | click(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/div_Visit Date (Required)")) <br><br> Object: 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/div_Visit Date (Required)' is clicked on | 2.355s | PASSED |
| 16 | setText(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/textarea_comment"), "Testing") <br><br> Text 'Testing' is set on object 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/textarea_comment' | 4.478s | PASSED |
| 17 | click(findTestObject("Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/button_Book Appointment")) <br><br> Object: 'Object Repository/CURA_New_001/Buttons_Validation_OR/Page_CURA Healthcare Service/button_Book Appointment' is clicked on | 2.935s | PASSED |
| 18 | closeBrowser() <br><br> Browser is closed | 1.709s | PASSED |

# TC_Dropdown_Validation-001

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 19 | Start listener action : sampleAfterTestCase | 0.086s | ERROR |

com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/amenu-toggle'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)
      at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:51)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
      at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
      at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
      at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
      at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
      at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
      at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)
      at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
      at TempTestSuite1707308233753.run(TempTestSuite1707308233753.groovy:36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EH59TE7', ip: '192.168.114.220', os.name: 'Windows 11', os.

# TC_Dropdown_Validation-001

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
        at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
28)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
        at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
        at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
        ... 23 more

# Checkpoint_Cura_AppointmentConfirmation_TestData

## Information

| | | | |
|---|---|---|---|
| ID | Test Cases/CheckPoints/Checkpoint_Cura_AppointmentConfirmation_TestData | | |
| Description | | | |
| Tag | | | |
| Start | 07-02-2024 17:49:13 | End | 07-02-2024 17:49:13 |
| Elapsed | 0.280s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|

# Checkpoint_Cura_AppointmentConfirmation_TestData

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | Start listener action : sampleBeforeTestCase | 0.085s | ERROR |

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/input_username'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
    at CURA_TL_AppointmentConfirmation.sampleBeforeTestCase (CURA_TL_AppointmentConfirmation.groovy:32)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
    at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
    at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
    at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
    at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
    at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
    at TempTestSuite1707308233753.run(TempTestSuite1707308233753.groovy:36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EH59TE7', ip: '192.168.114.220', os.name: 'Windows 11', os.

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| | arch: 'amd64', os.version: '10.0', java.version: '17.0.7'<br>Driver info: driver.version: RemoteWebDriver<br>      at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)<br>      at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)<br>      at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)<br>      at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28)<br>      at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)<br>      at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)<br>      at org.openqa.selenium.By$ByXPath.findElements(By.java:348)<br>      at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)<br>      at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)<br>      at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)<br>      at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)<br>      at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)<br>      at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)<br>      at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)<br>      at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)<br>      at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1374)<br>      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)<br>      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)<br>      at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)<br>      at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)<br>      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)<br>      ... 23 more | | |
| 2 | verifyCheckpoint(findCheckpoint("Checkpoints/Checkpoint_TestData/Cura_AppointmentConfirmation_TestData_Checkpoint"), true)<br><br>Checkpoint data and Source data are matched | 0.048s | PASSED |

# Checkpoint_Cura_AppointmentConfirmation_TestData

# Checkpoint_Cura_AppointmentConfirmation_TestData

| # | Description | Elapsed | Status |
|---|---|---|---|
| 3 | Start listener action : sampleAfterTestCase | 0.066s | ERROR |

com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CURA_New_001/TL_CURA_Page_OR/Page_CURA Healthcare Service/amenu-toggle'
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)
 at CURA_TL_AppointmentConfirmation.sampleAfterTestCase (CURA_TL_AppointmentConfirmation.groovy:51)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
 at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)
 at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java: 95)
 at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
 at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
 at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
 at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)
 at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)
 at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
 at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
 at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
 at TempTestSuite1707308233753.run(TempTestSuite1707308233753.groovy:36)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-EH59TE7', ip: '192.168.114.220', os.name: 'Windows 11', os.

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: driver.version: RemoteWebDriver
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
        at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
28)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
        at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
        at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
        ... 23 more