NumPy Exercises

Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions.

Import NumPy as np

In [1]:

```
import numpy as np
```

Create an array of 10 zeros

In [2]:

```
np.zeros(10)
```

Out[2]:

```
array([0., 0., 0., 0., 0., 0., 0., 0., 0., 0.])
```

Create an array of 10 ones

In [3]:

```
np.ones(10)
```

Out[3]:

```
array([1., 1., 1., 1., 1., 1., 1., 1., 1., 1.])
```

Create an array of 10 fives

In [4]:

```
np.ones(10) * 5
```

Out[4]:

```
array([5., 5., 5., 5., 5., 5., 5., 5., 5., 5.])
```

Create an array of the integers from 10 to 50

In [5]:

```
np.arange(10,51)
```

Out[5]:

```
array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26,
       27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43,
       44, 45, 46, 47, 48, 49, 50])
```

Create an array of all the even integers from 10 to 50

In [6]:

```
x = np.arange(10,51)
y = (x%2 == 0)
z = x[y]
print(z)
```

```
[10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 44 46 48 50]
```

Create a 3x3 matrix with values ranging from 0 to 8

In [7]:

```
np.arange(0,9).reshape((3,3))
```

Out[7]:

```
array([[0, 1, 2],
       [3, 4, 5],
       [6, 7, 8]])
```

Create a 3x3 identity matrix

In [8]:

```
np.eye(3)
```

Out[8]:

```
array([[1., 0., 0.],
       [0., 1., 0.],
       [0., 0., 1.]])
```

Use NumPy to generate a random number between 0 and 1

In [9]:

```
np.random.rand(1)
```

Out[9]:

```
array([0.44968684])
```

Use NumPy to generate an array of 25 random numbers sampled from a standard normal

Use NumPy to generate an array of 25 random numbers sampled from a standard normal distribution

In [10]:

```
np.random.randn(25)
```

Out[10]:

```
array([-0.45401429,  0.9939973 , -0.4909616 ,  1.20780878, -1.8950535 ,
       -0.94690423, -1.08007652, -0.09035965,  0.83425852, -2.5755274 ,
       -1.29909628,  1.32003552,  0.33818586,  0.23708267, -0.41989044,
       -1.89996733, -0.71615929,  0.03261679,  0.12105688, -0.41483556,
       -1.05285406,  1.39669476, -0.0484883 , -0.05865752, -1.78903675])
```

Create the following matrix:

In [11]:

```
np.arange(1,101).reshape(10,10) / 100
```

Out[11]:

```
array([[0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1 ],
       [0.11, 0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18, 0.19, 0.2 ],
       [0.21, 0.22, 0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3 ],
       [0.31, 0.32, 0.33, 0.34, 0.35, 0.36, 0.37, 0.38, 0.39, 0.4 ],
       [0.41, 0.42, 0.43, 0.44, 0.45, 0.46, 0.47, 0.48, 0.49, 0.5 ],
       [0.51, 0.52, 0.53, 0.54, 0.55, 0.56, 0.57, 0.58, 0.59, 0.6 ],
       [0.61, 0.62, 0.63, 0.64, 0.65, 0.66, 0.67, 0.68, 0.69, 0.7 ],
       [0.71, 0.72, 0.73, 0.74, 0.75, 0.76, 0.77, 0.78, 0.79, 0.8 ],
       [0.81, 0.82, 0.83, 0.84, 0.85, 0.86, 0.87, 0.88, 0.89, 0.9 ],
       [0.91, 0.92, 0.93, 0.94, 0.95, 0.96, 0.97, 0.98, 0.99, 1.  ]])
```

Create an array of 20 linearly spaced points between 0 and 1:

In [12]:

```
np.linspace(0,1,20)
```

Out[12]:

```
array([0.        , 0.05263158, 0.10526316, 0.15789474, 0.21052632,
       0.26315789, 0.31578947, 0.36842105, 0.42105263, 0.47368421,
       0.52631579, 0.57894737, 0.63157895, 0.68421053, 0.73684211,
       0.78947368, 0.84210526, 0.89473684, 0.94736842, 1.        ])
```

Numpy Indexing and Selection

Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:

In [13]:

```
mat = np.arange(1,26).reshape(5,5)
mat
```

Out[13]:

```
array([[ 1,  2,  3,  4,  5],
       [ 6,  7,  8,  9, 10],
       [11, 12, 13, 14, 15],
       [16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

In [0]:

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [14]:

```
mat[2:,1:]
```

Out[14]:

```
array([[12, 13, 14, 15],
       [17, 18, 19, 20],
       [22, 23, 24, 25]])
```

In [0]:

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [15]:

```
mat[3,4]
```

Out[15]:

```
20
```

In [0]:

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [16]:

```
mat[:3,1:2]
```

Out[16]:

```
array([[ 2],
       [ 7],
       [12]])
```

In [0]:

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [17]:

```
mat[4,:]
```

Out[17]:

```
array([21, 22, 23, 24, 25])
```

In [0]:

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

In [18]:

```
mat[3:5,:]
```

Out[18]:

```
array([[16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

Now do the following

Get the sum of all the values in mat

In [19]:

```
mat.sum()
```

Out[19]:

```
325
```

Get the standard deviation of the values in mat

In [20]:

```
mat.std()
```

Out[20]:

```
7.211102550927978
```

Get the sum of all the columns in mat

In [21]:

```
mat.sum(axis=0)
```

Out[21]:

```
array([55, 60, 65, 70, 75])
```

Type *Markdown* and LaTeX: α^2